Multi-Purpose Primer (067) by Benjamin Moore & Co.

HPD UNIQUE IDENTIFIER: 28537

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: A 100% acrylic, interior and exterior primer for all project needs. It combines all the qualities desired in a multipurpose primer: strong adhesion for all surfaces, provides a mildew-resistant coating, quick drying, and low-VOC. Formulated to suppress most light stains.

Section 1: Summary

CONTENT INVENTORY

- **Inventory Reporting Format**
- Nested Materials Method
 Basic Method
- Threshold Disclosed Per
- O Material
- Product

Threshold Level • 100 ppm • 1,000 ppm • Per GHS SDS • Other Residuals/Impurities

Partially ConsideredNot Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

Basic Method / Product Threshold

All Substances Above t	he Threshold Indicated Are:
Characterized	○ Yes Ex/SC Yes No
% weight and role prov	ided for all substances.
Screened	○ Yes Ex/SC ⊙ Yes ○ No
All substances screened results disclosed.	d using Priority Hazard Lists with
Identified	○ Yes Ex/SC Yes ○ No
All substances disclose and Identifier.	d by Name (Specific or Generic)

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

MULTI-PURPOSE PRIMER (067) [WATER BM-4 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE AND 2-ETHYLHEXYL 2-PROPENOATE LT-UNK KAOLIN, CALCINED LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END LIMESTONE BM-3dg ZINC OXIDE BM-1 | END | RES | MUL | AQU SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES LT-1 | CAN | MUL PROPYLENE GLYCOL BM-2 | END C9-11 PARETH-3 LT-P1 | MUL TEXANOL LT-UNK | CAN SILICON DIOXIDE BM-1 | CAN SODIUM BENZOATE LT-UNK ALUMINUM HYDROXIDE, DRIED BM-2 | RES POLYOXYETHYLENE ISODECYL ETHER LT-UNK ETHOXYLATED TRIETHYLPHENOL LT-UNK POLYETHYLENE GLYCOL (5) UNDECYL ETHER NoGS PENTAPOTASSIUM TRIPHOSPHATE LT-UNK 2-AMINO-2-METHYLPROPANOL LT-UNK | SKI | EYE]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 10.84Regulatory (g/l): 30.32Does the product contain exempt VOCs: NoAre ultra-low VOC tints available: Yes

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

VOC content: No emissions

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

○ Yes○ No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2022-05-12 PUBLISHED DATE: 2022-05-12 EXPIRY DATE: 2025-05-12

created via: HPDC Online Builder

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

MULTI-PURPOSE PRIMER (067)				
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND	IMPURITIES CO	ONSIDERED: No	
RESIDUALS AND IMPURITIES NOT	ES: Impurities considered where applicabl	e		
OTHER PRODUCT NOTES: None				
WATER				ID: 7732-18-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2022-05-12 19:50:35
%: 30.0000 - 60.0000	GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings f	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				
2-PROPENOIC ACID, 2-METHYL- BUTYL 2-PROPENOATE AND 2-E	•, METHYL ESTER, POLYMER WITH THYLHEXYL 2-PROPENOATE			ID: 31261-08-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2022-05-12 19:51:29
%: 10.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings f	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				
KAOLIN, CALCINED				ID: 92704-41-1
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2022-05-12 20:03:17
%: 7.0000 - 13.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings f	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES:				
TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2022-05-12 20:27:40

%: 5.0000 - 10.0000	GS: LT-1	RC: N	None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS	
CAN	US CDC - Occupational Carcinogens		Occup	ational Carcino	gen
CAN	CA EPA - Prop 65		Carcin route	ogen - specific	to chemical form or exposure
CAN	IARC		-	2B - Possibly c	arcinogenic to humans - inhaled urces
CAN	МАК				- Evidence of carcinogenic effects stablish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors		Potent	tial Endocrine D	isruptor
CAN	МАК			ogen Group 4 - sk under MAK/B	Non-genotoxic carcinogen with AT levels
CAN	EU - GHS (H-Statements) Annex 6 Tabl	le 3-1	H351 · Catego		causing cancer [Carcinogenicity -
SUBSTANCE NOTES: None					
LIMESTONE					ID: 1317-65-3
	Pharos Chemical and Materials Library	HAZA	ARD SCF	REENING DATE:	: 2022-05-12 20:28:52
%: 1.0000 - 5.0000	GS: BM-3dg	RC:		NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS	
None found				No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:					
ZINC OXIDE					ID: 1314-13-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	ARD SCF	REENING DATE:	2022-05-12 20:30:10
%: 0.5000 - 1.0000	GS: BM-1	RC: N	None	NANO: No	SUBSTANCE ROLE: Antioxidant
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS	
END	TEDX - Potential Endocrine Disruptors		Potent	tial Endocrine D	isruptor
RES	AOEC - Asthmagens		Asthm	agen (Rs) - sens	sitizer-induced
MUL	German FEA - Substances Hazardous Waters	to	Class	2 - Hazard to W	aters
AQU	EU - GHS (H-Statements) Annex 6 Tab	le 3-1		-	quatic life [Hazardous to the acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Tab	le 3-1		dous to the aqu	quatic life with long lasting effects latic environment (chronic) -
SUBSTANCE NOTES: None					

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	ARD SC	REENING DATE:	2022-05-12 20:31:24	
%: 0.5000 - 1.0000	GS: LT-1	RC: N	lone	NANO: No	SUBSTANCE ROLE: Defoamer	r
HAZARD TYPE	AGENCY AND LIST TITLES		WAR	NINGS		
CAN	EU - REACH Annex XVII CMRs				2 - Substances which should be Carcinogenic to man	
CAN	EU - Annex VI CMRs			nogen Category 1 imal evidence	1B - Presumed Carcinogen base	èd
MUL	ChemSec - SIN List		CMR	- Carcinogen, Mı	utagen &/or Reproductive Toxica	ant
CAN	GHS - Australia		H350 or 1B]	-	cer [Carcinogenicity - Category	1A
CAN	EU - GHS (H-Statements) Annex 6 Tabl	e 3-1	H350 or 1B]		cer [Carcinogenicity - Category	1A
SUBSTANCE NOTES: None						
PROPYLENE GLYCOL					ID: 57-5	55-6
HAZARD SCREENING METHOD: %: 0.2500 - 0.5000	Pharos Chemical and Materials Library GS: BM-2	HAZA		NANO: No	SUBSTANCE ROLE: Solvent	
		no. n			SUBSTANCE ROLL. Solvent	
HAZARD TYPE	AGENCY AND LIST TITLES			NINGS		
END	TEDX - Potential Endocrine Disruptors		Poten	ntial Endocrine Di	sruptor	
SUBSTANCE NOTES:						
C9-11 PARETH-3					ID: 68439-4	46-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	RD SC	REENING DATE:	2022-05-12 20:38:49	
%: 0.2500 - 0.5000	GS: LT-P1	RC: N	lone	NANO: No	SUBSTANCE ROLE: Surfactan	t
HAZARD TYPE	AGENCY AND LIST TITLES		WAR	NINGS		
MUL	German FEA - Substances Hazardous t Waters	:0	Class	2 - Hazard to Wa	aters	
SUBSTANCE NOTES: All						
TEXANOL					ID: 25265-7	77-4
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	ARD SC	REENING DATE:	2022-05-12 20:32:56	
%: 0.2500 - 0.5000	GS: LT-UNK	RC: N	lone	NANO: No	SUBSTANCE ROLE: Coalescen	nt
HAZARD TYPE	AGENCY AND LIST TITLES		WAR	NINGS		
CAN	МАК				- Evidence of carcinogenic effec tablish MAK/BAT value	sts
SUBSTANCE NOTES: All						

SILICON DIOXIDE			ID: 7631-86-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-05-12 20:4	2:53
%: 0.1000 - 0.2500	GS: BM-1	RC: None NANO: No SUBSTANCE F	OLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenici 1A]	ty - Category
CAN	GHS - Australia	H350i - May cause cancer by inhalation - Category 1A or 1B]	Carcinogenicity
SUBSTANCE NOTES:			
SODIUM BENZOATE			ID: 532-32
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-05-12 20:4	3:47
%: 0.1000 - 0.2500	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: C	orrosion inhibit
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Price	ority Hazard List
SUBSTANCE NOTES:			
ALUMINUM HYDROXIDE, DRIEL)		ID: 21645-51
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-05-12 20:4	4:33
%: 0.1000 - 0.2500	GS: BM-2	RC: None NANO: No SUBSTANCE ROL	E: Fixing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced	
SUBSTANCE NOTES:	ETHER		ID: 61827-42
AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-05-12 20:4	
	Pharos Chemical and Materials Library GS: LT-UNK	HAZARD SCREENING DATE: 2022-05-12 20:44 RC: None NANO: No SUBSTANCE RO	5:15
			5:15
%: 0.1000 - 0.2500 HAZARD TYPE	GS: LT-UNK	RC: None NANO: No SUBSTANCE RO	5:15 LE: Defoamer
%: 0.1000 - 0.2500	GS: LT-UNK	RC: None NANO: No SUBSTANCE RO WARNINGS	5:15 LE: Defoamer
%: 0.1000 - 0.2500 HAZARD TYPE None found	GS: LT-UNK	RC: None NANO: No SUBSTANCE RO WARNINGS	5:15 LE: Defoamer ority Hazard Lists
%: 0.1000 - 0.2500 HAZARD TYPE None found SUBSTANCE NOTES:	GS: LT-UNK AGENCY AND LIST TITLES	RC: None NANO: No SUBSTANCE RO WARNINGS	5:15 LE: Defoamer writy Hazard Lists ID: 99734-09-

HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
None found			No warnings	found on HPD Priority Haza	d Lists
SUBSTANCE NOTES:					
POLYETHYLENE GLYCOL (5)) UNDECYL ETHER			ID: 34 3	98-01
HAZARD SCREENING METHO	DD: Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE:	2022-05-12 20:55:47	
%: 0.1000 - 0.2500	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Surface	ctant
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
None found			No warnings	found on HPD Priority Haza	d List
SUBSTANCE NOTES:					
	SDUATE			ID: 138	45-36
PENTAPOTASSIUM TRIPHO	SFIAL				
	DD: Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE:	2022-05-12 20:59:12	
	-	HAZARD SC	CREENING DATE: NANO: No	2022-05-12 20:59:12 SUBSTANCE ROLE: Fille	ər
HAZARD SCREENING METHO	DD: Pharos Chemical and Materials Library	RC: None			ər
HAZARD SCREENING METHO %: 0.1000 - 0.2500	DD: Pharos Chemical and Materials Library GS: LT-UNK	RC: None	NANO: No NINGS		
HAZARD SCREENING METHO %: 0.1000 - 0.2500 HAZARD TYPE	DD: Pharos Chemical and Materials Library GS: LT-UNK	RC: None	NANO: No NINGS	SUBSTANCE ROLE: Fille	
HAZARD SCREENING METHO %: 0.1000 - 0.2500 HAZARD TYPE None found	DD: Pharos Chemical and Materials Library GS: LT-UNK	RC: None	NANO: No NINGS	SUBSTANCE ROLE: Fille	
HAZARD SCREENING METHO %: 0.1000 - 0.2500 HAZARD TYPE None found	DD: Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES	RC: None	NANO: No NINGS	SUBSTANCE ROLE: Fille	
HAZARD SCREENING METHO %: 0.1000 - 0.2500 HAZARD TYPE None found SUBSTANCE NOTES: 2-AMINO-2-METHYLPROPAN	DD: Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES	RC: None WAR	NANO: No	SUBSTANCE ROLE: Fille	rd List
HAZARD SCREENING METHO %: 0.1000 - 0.2500 HAZARD TYPE None found SUBSTANCE NOTES: 2-AMINO-2-METHYLPROPAN	DD: Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES	RC: None WAR	NANO: No	SUBSTANCE ROLE: Fille	rd List
HAZARD SCREENING METHO %: 0.1000 - 0.2500 HAZARD TYPE None found SUBSTANCE NOTES: 2-AMINO-2-METHYLPROPAI HAZARD SCREENING METHO	DD: Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES NOL DD: Pharos Chemical and Materials Library	RC: None WAR HAZARD SC RC: None	NANO: No NINGS No warnings	SUBSTANCE ROLE: Fille found on HPD Priority Hazar ID: 1 2022-05-12 21:05:20	rd List
HAZARD SCREENING METHO %: 0.1000 - 0.2500 HAZARD TYPE None found SUBSTANCE NOTES: 2-AMINO-2-METHYLPROPAI HAZARD SCREENING METHO %: 0.1000 - 0.2500	DD: Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES NOL DD: Pharos Chemical and Materials Library GS: LT-UNK	RC: None WAR HAZARD SC RC: None WAR e 3-1 H315	NANO: No NINGS No warnings CREENING DATE: NANO: No	SUBSTANCE ROLE: Fille found on HPD Priority Hazar ID: 1 2022-05-12 21:05:20	rd List 24-68 rsant

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings quick dry enamels, roof coatings only - 2007 amendments				
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2021-06- 25	EXPIRY DATE: 2024- 06-25	CERTIFIER OR LAB: Berkley Analytical		
CERTIFICATION AND COMPLIANCE NOTES:					
VOC CONTENT	No emissions				
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2022-05- 12	EXPIRY DATE:	CERTIFIER OR LAB: None		

CERTIFICATION AND COMPLIANCE NOTES:

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

Notes are not applicable for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 360 Route 206, 07836 Flanders NJ 07836, United States WEBSITE: www.benjaminmoore.com

CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager PHONE: 973-252-2607 EMAIL: Edja.kouassi@benjaminmoore.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.