FLOOR & PATIO LATEX ENAMEL HIGH GLOSS (121) by Benjamin Moore & Co.

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21823 CLASSIFICATION: 09 00 00 Finishes

PRODUCT DESCRIPTION: A premium quality, quick-drying, urethane alkyd modified acrylic high gloss latex floor enamel.

One coat covers most previously painted surfaces that are in fair to good condition.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	
Nested Materials Method	
Basic Method	

Threshold Disclosed Per

Material Product

Threshold	level

- 100 ppm C 1,000 ppm Per GHS SDS
- C Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

O Yes O No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized

% weight and role provided for all substances.

O Yes Ex/SC O Yes O No Screened

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

Identified O Yes Ex/SC O Yes O No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow quidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

FLOOR & PATIO LATEX ENAMEL HIGH GLOSS (121) [WATER BM-4 TITANIUM DIOXIDE LT-1 | CAN | END DAKRIL 4B LT-UNK PROPRIETARY RESIN Not Screened SILICON DIOXIDE BM-1 | CAN PROPYLENE GLYCOL BM-2 | END POLYETHYLENE GLYCOL MONO(OCTYLPHENYL) ETHER LT-P1 | END | MUL ALUMINUM HYDROXIDE, DRIED BM-2 TRIETHYLAMINE LT-UNK | PHY | SKI TEXANOL LT-UNK | CAN ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

none

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 18.218 Regulatory (g/l): 42.805 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-09-24 PUBLISHED DATE: 2020-09-24 EXPIRY DATE: 2023-09-24



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

FLOOR & PATIO LATEX ENAMEL HIGH GLOSS (121)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals based on information supplied by raw material vendors.

OTHER PRODUCT NOTES: None

WATER ID: 7732-18-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-24 %: 40.0000 - 50.0000 GS: **BM-4** RC: None NANO: **No** SUBSTANCE ROLE: Solvent HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard Lists None found SUBSTANCE NOTES: None

AZARD SCREENING METHOD: Pharos Chemical and Materials Library		SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-24		
%: 15.0000 - 25.0000	gs: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	NGS	
CANCER	US CDC - Occupational Carcinogens	Оссиј	pational Carcino	gen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled fro occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	s Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	MAK		nogen Group 4 - nder MAK/BAT le	Non-genotoxic carcinogen with low evels

DAKRIL 4B ID: 25852-37-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-24			
%: 10.0000 - 20.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	3		
None found			No warnings	found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: None					

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-24		-09-24
10.0000 - 15.0000	GS: Not Screened	RC: None	nano: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SILICON DIOXIDE ID: 7631-86-9 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-24 %: 0.0500 - 2.0000 GS: **BM-1** RC: None NANO: **No** SUBSTANCE ROLE: Filler HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CANCER GHS - Japan Carcinogenicity - Category 1A [H350] CANCER GHS - Australia H350i - May cause cancer by inhalation SUBSTANCE NOTES: None

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	NING DATE: 2020-	09-24
%: 0.0500 - 2.0000	GS: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potentia	Endocrine Disru	ptor

POLYETHYLENE GLYCOL MONO(OCTYLPHENYL) ETHER

ID: 9036-19-5

HAZARD SCREENING METHOD: Ph	naros Chemical and Materials Library	HAZARD SCR	REENING DATE: 2020-	09-24
%: 0.0500 - 2.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS	
ENDOCRINE	ChemSec - SIN List	Endo	crine Disruption	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Poter	itial Endocrine Disru	ptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class	3 - Severe Hazard t	o Waters
SUBSTANCE NOTES: None				

ALUMINUM HYDROXIDE,	DRIED			ID: 21645-51-2
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	ING DATE: 2020-	09-24
%: 0.0500 - 2.0000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings t	ound on HPD Priority Hazard Lists

TRIETHYLAMINE ID: **121-44-8** HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-24 %: 0.0500 - 2.0000 GS: LT-UNK RC: None NANO: **No** SUBSTANCE ROLE: Filler HAZARD TYPE AGENCY AND LIST TITLES WARNINGS PHYSICAL HAZARD (REACTIVE) H225 - Highly flammable liquid and vapour EU - GHS (H-Statements) SKIN IRRITATION EU - GHS (H-Statements) H314 - Causes severe skin burns and eye damage SUBSTANCE NOTES: None

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-24		
%: 0.0500 - 2.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Coalescent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS	
CANCER	MAK		-	A - Evidence of carcinogenic effects establish MAK/BAT value

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom &

Office scenario

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: all

CERTIFICATE URI:

CERTIFICATION AND COMPLIANCE NOTES: None

ISSUE DATE: 2018-

07-19 07-19

EXPIRY DATE: 2021-

CERTIFIER OR LAB: Berkeley

Analytical

VOC CONTENT

SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: all

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: None

ISSUE DATE: 2020-

09-24

EXPIRY DATE:

CERTIFIER OR LAB: N/A

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

BENJAMIN MOORE GENNEX WATERBORNE COLORANTS (229)

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

None



Section 5: General Notes

SDS/TDS available at www.benjaminmoore.com

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 101 Paragon Drive

Montvale NJ 07645, United States

WEBSITE: www.Benjaminmoore.com

CONTACT NAME: Edja Kouassi

TITLE: Technical Project Manager

PHONE: **9732522607**

EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

inapping to a LI-1 of LIF1 Sco

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.