# **BENJAMIN MOORE DRY FALL LATEX FLAT, 395** by Benjamin Moore & Co.

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 00 00.00 Finishes: Finishes

PRODUCT DESCRIPTION: This fast dry interior latex is designed to provide superior hiding and allow for minimal surface preparation. The dry fall qualities of this product cause the overspray to settle as a dry powder in approximately 10 feet of



## Section 1: Summary

## **Basic Method / Product Threshold**

$\sim$	ITENI	C	NITODV
C AL JIN			NTORY

**Inventory Reporting Format** Nested Materials Method Rasic Method

**Threshold Disclosed Per** 

Material Product Threshold level

€ 100 ppm C 1,000 ppm

Per GHS SDS

Per OSHA MSDS

C Other

Residuals/Impurities

Considered

C Partially Considered Not Considered

Explanation(s) provided

for Residuals/Impurities? Yes O No

All Substances Above the Threshold Indicated Are:

Characterized

O Yes Ex/SC O Yes O No

% weight and role provided for all substances.

Screened

O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed

Identified

○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BENJAMIN MOORE DRY FALL LATEX FLAT, 395 [ WATER BM-4 LIMESTONE; CALCIUM CARBONATE LT-UNK VINYL ACETATE, POLYMER WITH N-BUTYL ACRYLATE LT-UNK DIATOMACEOUS EARTH (UNCALCINED) LT-P1 1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-MONOISOBUTYRATE LT-UNK | CAN TITANIUM DIOXIDE LT-1 | CAN SILICA, AMORPHOUS LT-P1 CARBON BLACK LT-1 | CAN ALUMINA TRIHYDRATE BM-2 | RES ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

None

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 15.549 Regulatory (g/l): 37.120 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

### **CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** 

**SCREENING DATE: 2017-03-03** PUBLISHED DATE: 2019-01-04 EXPIRY DATE: 2020-03-03



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

### **BENJAMIN MOORE DRY FALL LATEX FLAT, 395**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Based on data provided by raw material suppliers

OTHER PRODUCT NOTES: None

WATER				ID: <b>7732-18-</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2017-03-03				-03
%: 35.0000 - 50.0000	GS: <b>BM-4</b>	RC: None	nano: <b>No</b>	ROLE: <b>Thinner</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: None				

LIMESTONE; CALCIUM CARBONATE ID: 1317-65-					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD			HAZARD SCREENING DATE: 2017-03-03		
%: 20.0000 - 45.0000	GS: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: Extender filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: None					

### **VINYL ACETATE, POLYMER WITH N-BUTYL ACRYLATE** ID: 25067-01-0 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2017-03-03 %: 5.0000 - 15.0000 GS: LT-UNK RC: None NANO: **No** ROLE: Binder HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No hazards found

SUBSTANCE NOTES: None

## **DIATOMACEOUS EARTH (UNCALCINED)**

ID: 61790-53-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENII	NG DATE: <b>2017-03-</b> 0	03
%: <b>2.0000 - 5.0000</b>	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

### 1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE

ID: **25265-77-4** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-03-03		
%: <b>0.5000 - 2.0000</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Coalescing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	3	
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic e but not sufficient to establish MAK/BAT value		· ·

SUBSTANCE NOTES: None

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-03-03			
%: 0.1000 - 10.0000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	ROLE: Color Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	8		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposu			
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled occupational sources			
CANCER	MAK		•	vidence of carcinogenic effects	

SUBSTANCE NOTES: None

SILICA, AMORPHOUS ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2017-03-03		
%: <b>0.1000 - 2.0000</b>	GS: <b>LT-P1</b>	RC: None	nano: <b>No</b>	ROLE: Additive	

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: None

CARBON BLACK ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-03-03			
%: 0.0000 - 2.0000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	ROLE: Color Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	3		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposur			
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled occupational sources			
CANCER	MAK		gen Group 3B - E sufficient for clas	vidence of carcinogenic effects	

 $\mbox{\scriptsize SUBSTANCE}$  NOTES: Carbon black is only present in the 39580, black

ALUMINA TRIHYDRATE ID: 21645-51-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-03-03			
%: Impurity/Residual	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS		
RESPIRATORY AOEC - Asthmagens		Asthm only	nagen (ARs) - ser	nsitizer-induced - inhalable forms	

SUBSTANCE NOTES: None



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

ISSUE DATE: 2017-

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFICATION AND COMPLIANCE NOTES: None

04-17 CERTIFICATE URI:

SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007

EXPIRY DATE: 2020-

04-17

amendments

01-03

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All

CERTIFICATE URL:

**VOC CONTENT** 

CERTIFICATION AND COMPLIANCE NOTES: None

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: N/A

CERTIFIER OR LAB: Berkeley

Analytical

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

## **GENNEX COLORANT (229)**

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Required for all tinted products



# Section 5: General Notes

SDS/TDS available at www.benjaminmoore.com

#### MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 101 Paragon Drive Montvale NJ 07645, USA

WEBSITE: www.Benjaminmoore.com

CONTACT NAME: Edia Kouassi

TITLE: Technical Project Manager

PHONE: 973-252-2607

EMAIL: Edja.kouassi@benjaminmoore.com

### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

CAN Cancer
DEV Developmental toxicity
END Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

**NEU** Neurotoxicity **OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

### **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

#### **Other Terms**

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.