ELEMENT GUARD EXTERIOR PAINT SOFT GLOSS (765) by Benjamin Moore & Co.

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 971982837760

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: Element Guard® performs in any weather and is specially formulated to tackle one of the most difficult painting environments: high moisture. This premium exterior paint can resist rain as soon as 60 minutes after application and in temperatures down to 35 °F. It provides excellent adhesion and resistance to cracking and peeling to withstand wind-driven rain, humidity and other harsh weather.

Section 1: Summary

CONTENT INVENTORY

Inventory	Reporting	Format
-----------	-----------	--------

- Nested Materials MethodBasic Method
- Threshold Disclosed Per
- C Material

• Product

Threshold Level • 100 ppm • 1,000 ppm • Per GHS SDS • Other **Residuals/Impurities Evaluation**

- Completed
- C Partially Completed
- C Not Completed
- Explanation(s) provided : • Yes O No

Basic Method / Product Threshold

For all contents above the threshold, the n	nanufacturer has:		
Provided weight and role.			
Screened	O Yes O No		
Provided screening results using HPDC-approved methods.			
Identified	O Yes O No		
Provided name and CAS RN or other iden	ntifier.		

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ELEMENT GUARD EXTERIOR PAINT SOFT GLOSS (765) [WATER BM-4 DAKRIL 4B LT-UNK TITANIUM DIOXIDE BM-1 | CAN | END | MAM NEPHELINE SYENITE LT-UNK HYDROXYETHYL CELLULOSE LT-P1 | END ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS LT-P1 | MUL | SKI | EYE SILICON DIOXIDE BM-1 | CAN | MAM PROPYLENE GLYCOL BM-2 | END | MAM CARBENDAZIM LT-1 | END | DEV | REP | MUL | GEN | AQU | MAM]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 16.6 Regulatory (g/l): 45.8 Does the product contain exempt VOCs: No Are colorants available that do not increase the VOC content of the base paint when tinted: Yes Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1, LT-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2024-08-12 PUBLISHED DATE: 2024-08-12 EXPIRY DATE: 2027-08-12 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ELEMENT GUARD EXTERIOR PAINT SOFT GLOSS (765)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities considered where applicable.

OTHER PRODUCT NOTES:

WATER					ID: 7732-18-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	r	HAZARD	SCREENING DATE:	2024-08-12 8:15:22
%: 60.0000 - 65.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE RC	DLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPD F	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Cor	mmission (EU	EU - REACH Exer	mptions	
	EC)		Exempted from RI safety	EACH Annex IV listing	due to intrinsic

SUBSTANCE NOTES:

DAKRIL 4B				ID: 25852-37-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2024-08-12 8:15:22
%: 30.0000 - 35.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				
TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2024-08-12 8:15:22

%: 15.0000 - 20.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcinog	ens	Occupational Carci	nogen
CAN	CA EPA - Prop 65		Carcinogen - specif	ic to chemical form or exposure route
CAN	IARC		Group 2B - Possibly from occupational s	y carcinogenic to humans - inhaled sources
CAN	MAK			3A - Evidence of carcinogenic effects establish MAK/BAT value
END	TEDX - Potential Endocrine Disru	otors	Potential Endocrine	Disruptor
CAN	MAK		Carcinogen Group	4 - Non-genotoxic carcinogen with low T levels
CAN	IARC		Group 2b - Possibly	v carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex	6 Table 3-1	H351 - Suspected o Category 2]	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected o Category 2]	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposure	nage to organs through prolonged or [Specific target organs/systemic toxicity exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovat (C2CPII)	ion Institute		Product Standard Restricted SL) - Effective July 1, 2022
			Children's Products	
RESTRICTED LIST	Cradle to Cradle Products Innovat (C2CPII)	ion Institute		Product Standard Restricted SL) - Effective July 1, 2022
			Formulated Consur	ner Products
RESTRICTED LIST	Cradle to Cradle Products Innovat (C2CPII)	ion Institute		Product Standard Restricted SL) - Effective July 1, 2022
			Cosmetics & Person	nal Care Products
POSITIVE LIST	US Environmental Protection Age EPA)	ncy (US	US EPA - DfE Safe	r Chemicals Ingredients list (SCIL)
			Colorants - Green C	Circle (Verified Low Concern)

SUBSTANCE NOTES:

NEPHELINE SYENITE

ID: 37244-96-5

HAZARD DATA SOURCE	Pharos Chemical and Materials Librar	у	HAZARD S	CREENING DATE: 2024-08-12 8:15:23
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			Newer	ninge found on HDD Priority Herord Liste

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

HYDROXYETHYL CELLULOSE

ID: 9004-62-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2024-08-12 8:15:23	
%: 0.5000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine I	Disruptors	Potential Endocrin	e Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	LIST NAME AND SOURCE		
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES:

ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS

ID: 78330-21-9

HAZARD DATA SOURCE: F	Pharos Chemical and Materials Li	brary	HAZARD	SCREENING DATE: 2024-08-12 8:15:2
%: 0.5000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE	=	WARNINGS	
MUL	German FEA - Substances Waters	Hazardous to	Class 3 - Severe	Hazard to Waters
SKI	GHS - Australia		H315 - Causes sk Category 2]	kin irritation [Skin corrosion/irritation -
EYE	GHS - Australia		H318 - Causes se damage/eye irrita	erious eye damage [Serious eye tion - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	Ē	NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

SILICON DIOXIDE				ID: 7631-86-9
HAZARD DATA SOURCE:	Pharos Chemical and Materials L	ibrary	HAZARD S	SCREENING DATE: 2024-08-12 8:15:23
%: 0.5000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler

		Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS

SUBSTANCE NOTES:

PROPYLENE GLYCOL ID: 57-55-6 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-08-12 8:15:23 %: 0.1000 - 0.5000 GreenScreen: BM-2 RC: None NANO: No SUBSTANCE ROLE: Solvent HAZARD TYPE LIST NAME AND SOURCE WARNINGS END **TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor MAM GHS - Japan H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] MAM GHS - Japan H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure -Category 1] ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION RESTRICTED LIST Green Science Policy Institute (GSPI) **GSPI** - Six Classes Precautionary List Antimicrobials RESTRICTED LIST Green Science Policy Institute (GSPI) **GSPI** - Six Classes Precautionary List Some Solvents POSITIVE LIST US Environmental Protection Agency (US US EPA - DfE Safer Chemicals Ingredients list (SCIL) EPA) Enzymes and Stabilizers - Green Circle (Verified Low Concern)

SUBSTANCE NOTES:

ID:	40	60		- 7
11.1.		nu	n- /	1-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2024-08-12 8:15:2
%: 0.1000 - 0.5000	GreenScreen: LT-1 RC: None	NANO: No SUBSTANCE ROLE: Antimicrobial Pesticio
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEV	МАК	Pregnancy Risk Group B
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
END	EU - Priority Endocrine Disruptors	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption
GEN	GHS - Japan	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1B]
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
GEN	GHS - Australia	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
REP	GHS - Korea	H360 - May damage fertility or the unborn child [Category 1(1B)]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
GEN	GHS - New Zealand	Germ cell mutagenicity category 1
REP	GHS - New Zealand	Reproductive toxicity category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]

AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]	
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1	
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]	
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]	
GEN	GHS - Korea	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]	
GEN	EU - REACH Annex XVII CMRs	Germ cell mutagens: Category 1B	
REP	EU - REACH Annex XVII CMRs	Reproductive toxicants: Category 1B	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List	
		Antimicrobials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Children's Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Formulated Consumer Products	

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-08-12 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: None
CERTIFICATION AND COMPLIANCE NOTES:		
VOC CONTENT	SCAQMD Rule 1113 Architectural Coating quick dry enamels, roof coatings only - 2	gs - Flats, floor coatings, non flat coatings 2007 amendments
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-08-12 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Benjamin Moore & Co.
APPTICIATION AND COMPLIANCE NOTES		

CERTIFICATION AND COMPLIANCE NOTES:

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANTS

MANUFACTURER (OR GENERIC): Benjamin Moore & Co.

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

No additional notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 360 Route 206 Flanders, NJ 07836 COUNTRY: United States WEBSITE: www.benjaminmoore.com CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager PHONE: 9732522607 EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled contentPostC Post-consumer recycled contentUNK Inclusion of recycled content is unknownNone Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

ELEMENT GUARD EXTERIOR PAINT SOFT GLOSS (765)

for compliance with the HPD standard noted.