CORONADO SUPER KOTE 5000 LATEX PRODUCTION BLOCK FILLER FLAT (958) by Benjamin Moore & Co.

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 26515

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: Super Kote 5000[®] Production Block Filler is designed specifically for application by airless spray, although it may also be applied by brush or roller. It is packaged at a sprayable viscosity and is formulated using raw materials selected to minimize tip clogging.

Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format
- O Nested Materials Method
- Basic Method
- Threshold Disclosed Per
- C Material
- O Product

Threshold Level © 100 ppm © 1,000 ppm © Per GHS SDS © Other Residuals/Impurities © Considered © Partially Considered © Not Considered

Explanation(s) provided for Residuals/Impurities? © Yes O No

Basic Method / Product Threshold

 All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC • Yes O No

 % weight and role provided for all substances.

 Screened
 O Yes Ex/SC • Yes O No

 All substances screened using Priority Hazard Lists with results disclosed.

 Identified
 O Yes Ex/SC • Yes O No

 All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

CORONADO SUPER KOTE 5000 LATEX PRODUCTION BLOCK FILLER FLAT (958) [LIMESTONE BM-3dg WATER BM-4 KAOLIN, CALCINED LT-UNK 2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH ETHENYL ACETATE LT-UNK MICA LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END TEXANOL (PRIMARY CASRN IS 25265-77-4) LT-UNK | CAN PROPYLENE GLYCOL BM-2 | END SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES LT-1 | CAN | MUL ENGLISH FULLERS EARTH NoGS PENTAPOTASSIUM TRIPHOSPHATE LT-UNK POLYETHYLENE GLYCOL BENZYL (1,1,3,3-TETRAMETHYLBUTYL)PHENYL ETHER LT-UNK 2-AMINO-2-METHYLPROPANOL LT-UNK | SKI | EYE]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 18.710 Regulatory (g/l): 35.232 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Number of Greenscreen BM-4/BM3 contents ... 1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES: None.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: No Emission Certificate

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

○ Yes○ No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2021-11-08 PUBLISHED DATE: 2021-11-08 EXPIRY DATE: 2024-11-08

CORONADO SUPER KOTE 5000 LATEX PRODUCTION BLOCK FILLER FLAT (958) hpdrepository.hpd-collaborative.org

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

RODUCT THRESHOLD: 100 ppm		R	ESIDUALS AND	IMPURITIES CONSIDERE	ED: Yes
ESIDUALS AND IMPURITIES NOT	ES: Impurities considered where applicable	le.			
THER PRODUCT NOTES: None					
LIMESTONE				ID	: 1317-65
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-11-08 18:14:02	
%: 45.0000 - 50.0000	GS: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: F	iller
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	IINGS		
None found			No warnings	found on HPD Priority Ha	azard Lists
SUBSTANCE NOTES:					
WATER				ID	: 7732-18
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-11-08 18:14:46	
%: 25.0000 - 30.0000	GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: D	iluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	IINGS		
None found			No warnings	found on HPD Priority Ha	azard Lists
SUBSTANCE NOTES:					
KAOLIN, CALCINED				ID:	92704-41
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-11-08 18:19:43	
%: 10.0000 - 15.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: F	iller
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	IINGS		
None found			No warnings	found on HPD Priority Ha	azard Lists
SUBSTANCE NOTES:					
2-PROPENOIC ACID, BUTYL EST ACETATE	TER, POLYMER WITH ETHENYL			ID: 1	25067-01
	Pharos Chemical and Materials Library			2021-11-08 18-21-18	

%: 5.0000 - 10.0000	GS: LT-UNK	RC: N	one	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
None found				No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:					
MICA					ID: 12001-26-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	RD SCR	EENING DATE:	2021-11-08 18:22:11
%: 1.0000 - 5.0000	GS: LT-UNK	RC: N	one	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
None found				No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:					
TITANIUM DIOXIDE					ID: 13463-67-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	RD SCR	EENING DATE:	2021-11-08 18:23:14
%: 1.0000 - 5.0000	GS: LT-1	RC: N	one	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
CAN	US CDC - Occupational Carcinogens		Occup	ational Carcinog	gen
CAN	CA EPA - Prop 65		Carcin	ogen - specific 1	to chemical form or exposure route
CAN	IARC		-	2B - Possibly ca ccupational sou	arcinogenic to humans - inhaled Irces
CAN	МАК	Carcinogen Group 3A - Evidence of carcinogenic but not sufficient to establish MAK/BAT value			-
END	TEDX - Potential Endocrine Disruptors	s Potential Endocrine Disruptor		sruptor	
CAN	МАК			ogen Group 4 - k under MAK/BA	Non-genotoxic carcinogen with AT levels
CAN	EU - GHS (H-Statements) Annex 6 Tab	le 3-1	H351 - Catego		ausing cancer [Carcinogenicity -
SUBSTANCE NOTES:					
TEXANOL (PRIMARY CASRN IS	25265-77-4)				ID: 855004-42-1
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	RD SCR	EENING DATE:	2021-11-08 18:24:20
%: 0.5000 - 1.0000	GS: LT-UNK	RC: N	one N	ANO: No SUB	STANCE ROLE: Corrosion inhibitor

 HAZARD TYPE
 AGENCY AND LIST TITLES
 WARNINGS

 CAN
 MAK
 Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES:

PROPYLENE GLYCOL							ID: 57-55-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SO	CREENING D	ATE:	2021-11-08 18:25	5:42
%: 0.1000 - 0.5000	GS: BM-2	RC: No	one	NANO: N	No	SUBSTANCE R	OLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES		WAF	RNINGS			
END	TEDX - Potential Endocrine Disruptors		Pote	ential Endocr	ine Di	sruptor	
SUBSTANCE NOTES:							
SOLVENT-DEWAXED HEAVY PA	RAFFINIC PETROLEUM DISTILLATES						ID: 64742-65-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SO	CREENING D	ATE:	2021-11-08 18:27	7:06
%: 0.1000 - 0.5000	GS: LT-1	RC: No	one	NANO: N	lo	SUBSTANCE RO	LE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES		WAF	RNINGS			
CAN	EU - REACH Annex XVII CMRs			-		2 - Substances wh Carcinogenic to r	
CAN	EU - Annex VI CMRs			cinogen Cate animal evider		1B - Presumed Ca	rcinogen based
MUL	ChemSec - SIN List		CMF	R - Carcinoge	en, Mı	utagen &/or Repro	ductive Toxicant
CAN	GHS - Australia		H35 or 1	-	se can	cer [Carcinogenici	ty - Category 1A
CAN	EU - GHS (H-Statements) Annex 6 Tabl	e 3-1	H35 or 1	-	se can	cer [Carcinogenici	ty - Category 1A
SUBSTANCE NOTES:							
							10,0001 10,0
ENGLISH FULLERS EARTH	Pharos Chemical and Materials Library	UA7A0	פ מכ			2021-11-08 10-10	ID: 8031-18-3
%: 0.1000 - 0.5000	GS: NoGS	RC: No		NANO:			
	GS: NOGS	RC: NO			NO	SUBSTANCE F	OLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WAF	RNINGS			
None found				No war	nings	found on HPD Price	ority Hazard Lists
SUBSTANCE NOTES:							
PENTAPOTASSIUM TRIPHOSPH							ID: 13845-36-8
	Pharos Chemical and Materials Library						
%: 0.1000 - 0.5000	GS: LT-UNK	RC: No	one	NANO: No	SUB	STANCE ROLE: S e	equestering agent
HAZARD TYPE	AGENCY AND LIST TITLES		WAF	RNINGS			
None found				No war	nings	found on HPD Price	ority Hazard Lists
SUBSTANCE NOTES:							

2-AMINO-2-METHYLPROPANO HAZARD SCREENING METHOD: %: 0.1000 - 0.5000 HAZARD TYPE SKI	Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES EU - GHS (H-Statements) Annex 6 Tabl	RC: None W/	NANO: No Arnings	ID: 124- 2021-11-08 19:45:11 SUBSTANCE ROLE: Buffer
HAZARD SCREENING METHOD: %: 0.1000 - 0.5000	Pharos Chemical and Materials Library GS: LT-UNK	RC: None	NANO: No	2021-11-08 19:45:11
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library			2021-11-08 19:45:11
		HAZARDS	SCREENING DATE:	
2-AMINO-2-METHYLPROPANO	L			ID: 124 -
SUBSTANCE NOTES:				
None found			No warnings	found on HPD Priority Hazard L
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS	
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE:	2021-11-08 19:44:15
HAZARD SCREENING METHOD: %: 0.1000 - 0.5000				

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	No Emission Certificate	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2021-11- EXPIRY DATE: 08	CERTIFIER OR LAB: NA
CERTIFICATION AND COMPLIANCE NOTES:		
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - quick dry enamels, roof coatings only - 2007	
VOC CONTENT CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	· · · · ·	

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANTS

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

No notes for this product. Not applicable.

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 360 Route 206 Flanders NJ 07836, United States WEBSITE: www.benjaminmoore.com

CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager PHONE: 9732522607 EMAIL: Edja.kouassi@benjaminmoore.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.