## PRIME ALL MULTI-SURFACE LATEX PRIMER SEALER AP-1000 by Benjamin Moore & Co.

**Health Product** Declaration v2.2

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 28830** 

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: 100% acrylic interior and exterior primer for all surfaces. Mildew resistant, quick dry, spatter proof with great flow and

leveling. Formulated to suppress most stains.



# Section 1: Summary

## **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Product

Threshold Level

C 1,000 ppm O Per GHS SDS

C Other

Residuals/Impurities

Considered

C Partially Considered

O Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ⊙ Yes ○ No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified

○ Yes Ex/SC ⊙ Yes ○ No

All substances disclosed by Name (Specific or Generic)

and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

PRIME ALL MULTI-SURFACE LATEX PRIMER SEALER AP-1000 [ WATER BM-4 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE AND 2-ETHYLHEXYL 2-PROPENOATE LT-UNK KAOLIN, CALCINED LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END LIMESTONE BM-3dg ZINC OXIDE BM-1 | END | RES | MUL | AQU SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES LT-1 | CAN | MUL PENTAPOTASSIUM TRIPHOSPHATE LT-UNK POLYETHYLENE GLYCOL (5) UNDECYL ETHER NoGS ETHOXYLATED TRIETHYLPHENOL LT-UNK POLYOXYETHYLENE ISODECYL ETHER LT-UNK ALUMINUM **HYDROXIDE, DRIED BM-2 | RES SODIUM BENZOATE LT-UNK** SILICON DIOXIDE BM-1 | CAN PROPYLENE GLYCOL BM-2 | END C9Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

None

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

11 PARETH-3 LT-P1 | MUL TEXANOL LT-UNK | CAN ]

Material (g/l): 0.25 Regulatory (g/l): 30.28 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: No Emission Certificate

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

## **CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**  **SCREENING DATE: 2022-06-21 PUBLISHED DATE: 2022-06-21** EXPIRY DATE: 2025-06-21

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

#### PRIME ALL MULTI-SURFACE LATEX PRIMER SEALER AP-1000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities considered where applicable

OTHER PRODUCT NOTES: None

WATER

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-21 15:58:30

%: 50.0000 - 55.0000

GS: BM-4

RC: None NANO: No SUBSTANCE ROLE: Diluent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

# 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE AND 2-ETHYLHEXYL 2-PROPENOATE

ID: 31261-08-2

SUBSTANCE NOTES: None

KAOLIN, CALCINED ID: 92704-41-1

%: 10.0000 - 15.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-21 16:16:46

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-21 16:18:04

%: 5.0000 - 10.0000	GS: LT-1	C: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS		
CAN	US CDC - Occupational Carcinogens	Occup	oational Carcino	gen	
CAN	CA EPA - Prop 65	Carcir route	Carcinogen - specific to chemical form or exposure route		
CAN	IARC		Group 2B - Possibly carcinogenic to humans - inhale from occupational sources		
CAN	MAK		Carcinogen Group 3A - Evidence of carcinogenic effe but not sufficient to establish MAK/BAT value		
END	TEDX - Potential Endocrine Disruptors	Poten	tial Endocrine D	isruptor	
CAN	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
CAN	EU - GHS (H-Statements) Annex 6 Table 3	-1 H351 Categ	•	causing cancer [Carcinogenicity -	
SUBSTANCE NOTES: None					

ZINC OXIDE						ID: 1314-13
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SCF	REENING DATE:	2022-06-21 16:20	:58
%: 0.5000 - 1.0000	GS: <b>BM-1</b>	RC: No	ne	NANO: No	SUBSTANCE ROL	E: Antioxidant
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS		
END	TEDX - Potential Endocrine Disruptors		Potent	tial Endocrine D	isruptor	
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensiti		sitizer-induced		
MUL	German FEA - Substances Hazardous t Waters	to	Class 2 - Hazard to Waters			
AQU	EU - GHS (H-Statements) Annex 6 Tabl		1 H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]			
AQU	EU - GHS (H-Statements) Annex 6 Tabl			dous to the aqu	quatic life with long latic environment (c	· ·

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

ID: 64742-65-0

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None

HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZAI	ZARD SCREENING DATE:		2022-06-21 16:42:53
%: 0.5000 - 1.0000	GS: LT-1	RC: No	one	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS	
CAN	EU - REACH Annex XVII CMRs		Carcinogen Category 2 - Substances which should regarded as if they are Carcinogenic to man		
CAN	EU - Annex VI CMRs		Carcinogen Category 1B - Presumed Carcinogen I on animal evidence		
MUL	ChemSec - SIN List		CMR -	- Carcinogen, M	utagen &/or Reproductive Toxicant
CAN	GHS - Australia		H350 - May cause cancer [Carcinogenicity - Categoror 1B]		
CAN	EU - GHS (H-Statements) Annex 6 Tab	le 3-1	H350 or 1B]	-	cer [Carcinogenicity - Category 1A
SUBSTANCE NOTES: None					

PENTAPOTASSIUM TRIPHOSPH	ID: 13845-36-8			
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2022-06-21 17:59:07
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

POLYETHYLENE GLYCOL (5) UN	IDECYL ETHER			ID: 34398-01-1
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-06-21 17:30:16
%: 0.1000 - 0.5000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

ETHOXYLATED TRIETHYLPHEN	IOL			ID: 99734-09	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-06-21 16:52:11	
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found No warnings found on HPD Priority Hazard Lists					
SUBSTANCE NOTES:					

# POLYOXYETHYLENE ISODECYL ETHER

ID: 61827-42-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2022-06-21 16:50:36
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings f	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

ALUMINUM HYDROXIDE, DRIED				ID: 21645-51-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	REENING DAT	E: 2022-06-21 16:50:00
%: 0.1000 - 0.5000	GS: <b>BM-2</b>	RC: None	NANO: No	SUBSTANCE ROLE: Fixing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
RES	AOEC - Asthmagens	Asthi	magen (Rs) - se	ensitizer-induced
SUBSTANCE NOTES: None				

SODIUM BENZOATE				ID:	532-32-1
HAZARD SCREENING METHOI	: Pharos Chemical and Materials Library	HAZARD S	CREENING [	DATE: 2022-06-21 16:48:50	
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Corrosion	n inhibitor
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
None found			No warı	nings found on HPD Priority Haz	ard Lists
SUBSTANCE NOTES: None					

SILICON DIOXIDE				ID: <b>7631-86</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-06-21 16:47:35
%: 0.1000 - 0.5000	GS: <b>BM-1</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
CAN	GHS - Japan	H350 1A]	- May cause can	cer [Carcinogenicity - Category
CAN	GHS - Australia		- May cause car egory 1A or 1B]	ncer by inhalation [Carcinogenicity

PROPYLENE GLYCOL				I	ID: 57-55-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2022-06-21 16:45:59	
%: 0.1000 - 0.5000	GS: <b>BM-2</b>	RC: None	NANO: No	SUBSTANCE ROLE: So	olvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
END	ND TEDX - Potential Endocrine Disruptors		rs Potential Endocrine Disruptor		

C9-11 PARETH-3 ID: 68439-46-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-06-21 16:44:50
%: 0.1000 - 0.5000	GS: <b>LT-P1</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
MUL	German FEA - Substances Hazardous t Waters	ous to Class 2 - Hazard to Waters		aters

SUBSTANCE NOTES: None

TEXANOL				ID: 25265-77
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	E: 2022-06-21 16:43:39
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Coalescent
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		

SUBSTANCE NOTES: None



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	No Emission Certificate		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2022-06- EXPIRY DATE: CERTIFIER OR LAB: None 21		
CERTIFICATION AND COMPLIANCE NOTES:			
	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments		
VOC CONTENT			
VOC CONTENT  CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:			



# **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

**GENNEX** HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

None

# Section 5: General Notes

Notes are not applicable for this product

#### MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 360 Route 206 Flanders NJ 07836, USA

WEBSITE: www.benjaminmoore.com

CONTACT NAME: Edja Kouassi

TITLE: Sr. Technical Project Manager

PHONE: 973-252-2607

EMAIL: Edja.Kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

## KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

END Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

#### **Recycled Types**

**PreC** Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.