# BENJAMIN MOORE COROTECH COMMAND WATERBORNE ACRYLIC URETHANE (CV390) by Benjamin Moore & Co.

### Health Product Declaration v2.3

created via: HPDC Online Builder

### HPD UNIQUE IDENTIFIER: 30907

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: Corotech® COMMAND® is an extremely durable, single-component, multi-substrate solution to help you save time and tackle multiple jobs with confidence. This interior/exterior, UV-resistant acrylic urethane enamel provides superior adhesion and abrasion resistance on a variety of substrates, and is ideal for facility maintenance and property management applications where minimal maintenance disruptions and quick returns to service are required.

# Section 1: Summary

### CONTENT INVENTORY

- Inventory Reporting
- Format
- Nested Materials MethodBasic Method
- **Threshold Disclosed Per**
- O Material
- O Product

- Threshold Level © 100 ppm © 1,000 ppm © Per GHS SDS
- C Other
- Residuals/Impurities Evaluation © Completed
- Partially CompletedNot Completed
  - Explanation(s) provided : • Yes O No

## **Basic Method / Product Threshold**

For all contents above the threshold, the ma	anufacturer has:
Characterized	• Yes O No
Provided weight and role.	
Screened	• Yes O No
Provided screening results using HPDC-app	proved
methods.	
Identified	O Yes O No
Provided name and CAS RN or other identify	ïer.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

### PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

**BENJAMIN MOORE COROTECH COMMAND WATERBORNE** ACRYLIC URETHANE (CV390) [ WATER (PRIMARY CASRN IS 7732-18-5) BM-4 TITANIUM DIOXIDE LT-1 | CAN | END | MAM CARBON BLACK BM-1 | CAN | EYE | MAM DIPROPYLENE GLYCOL N-BUTYL ETHER (DPNB) LT-UNK | EYE C.I. PIGMENT YELLOW 74 LT-UNK FERRIC OXIDE, YELLOW LT-UNK SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9) BM-1 | CAN | MAM PROPYLENE GLYCOL BM-2 | END C12-14 PARETH-7 LT-P1 | MUL | SKI | EYE | AQU ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS LT-UNK | SKI POLYETHYLENE GLYCOL LT-UNK POLYETHYLENE GLYCOL BENZYL (1,1,3,3-TETRAMETHYLBUTYL)PHENYL ETHER LT-UNK | SKI | EYE POLY(OXY-1,2-ETHANEDIYL), ALPHA-(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-(1,1-DIMETHYLETHYL)-4-HYDROXYPHENYL)-1-OXOPROPYL)-OMEGA-HYDROXY- NoGS CARBENDAZIM LT-1 | END | DEV | REP | MUL | GEN | AQU POLYETHYLENE GLYCOL DI(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-TERT-BUTYL-4-HYDROXYPHENYL)-1-OXOPROPYL) ETHER NoGS DECANEDIOIC ACID, 1,10-BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL) ESTER BM-1 | PBT | MUL | MAM | EYE ]

Number of Greenscreen BM-4/BM3 contents ... 1

```
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
LT-1, BM-1, LT-P1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:
```

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 19.3Regulatory (g/l): 46.4Does the product contain exempt VOCs: NoAre colorants available that do not increase the VOC content of thebase paint when tinted: Yes

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

BENJAMIN MOORE COROTECH COMMAND WATERBORNE ACRYLIC URETHANE (CV390)

HPD v2.3 created via HPDC Builder Page 1 of 13

No pre-checks completed or disclosed.

Third Party Verified?

O Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2022-12-19 PUBLISHED DATE: 2022-12-19 EXPIRY DATE: 2025-12-19 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

RODUCT THRESHOLD: 100 p	pm		RESIDUALS ANI COMPLETED: Y	D IMPURITIES EVALUAT es	ION
ESIDUALS AND IMPURITIES	NOTES: Residuals/Impurities considere	d where appl	icable		
THER PRODUCT NOTES: No	ne				
WATER (PRIMARY CASRN IS	S 7732-18-5)				ID: 652133-48
HAZARD DATA SOURCE: P	haros Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-19 14:13:24	
%: 60.0000 - 65.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLI	E: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	ings found on HPD Prio	rity Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Cor (EU EC)	nmission	EU - REACH Exe	mptions	
			Exempted from I safety	REACH Annex IV listing (	due to intrinsic
SUBSTANCE NOTES:					
TITANIUM DIOXIDE					ID: 13463-67
				2022-12-19 14:13:25	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
SUBSTANCE NOTES:		

CARBON BLACK					ID: 1333-86-4
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2022-12-19 14:13:25	
%: 1.0000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE:	Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

	N-BUTYL ETHER (DPNB)			ID: 29911-28
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-19 14:13:26
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation cat	egory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (C	GSPI)	GSPI - Six Class	es of Problematic Chemicals
			Some Solvents	

SUBSTANCE NOTES:

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE:	2022-12-19 14:13:26
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lis
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	

AZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-19 14:13:24
%: <b>1.0000 - 5.0000</b>	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				
SILICA, AMORPHOUS (PI	RIMARY CASRN IS 7631-86-9)			ID: <b>37241-2</b> 5
IAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-19 14:13:25
%: <b>0.5000 - 1.0000</b>	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
	GreenScreen: BM-1 LIST NAME AND SOURCE	RC: None	NANO: <b>No</b> WARNINGS	SUBSTANCE ROLE: Filler
%: 0.5000 - 1.0000 HAZARD TYPE CAN		RC: None	WARNINGS	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	RC: None	WARNINGS H350 - May caus 1A]	se cancer [Carcinogenicity - Category se cancer by inhalation [Carcinogenicity
HAZARD TYPE	LIST NAME AND SOURCE GHS - Japan	RC: None	WARNINGS H350 - May caus 1A] H350i - May cau - Category 1A or H372 - Causes c repeated expose	se cancer [Carcinogenicity - Category se cancer by inhalation [Carcinogenicity
HAZARD TYPE CAN CAN	LIST NAME AND SOURCE GHS - Japan GHS - Australia	RC: None	WARNINGS H350 - May caus 1A] H350i - May cau - Category 1A or H372 - Causes or repeated expose toxicity following H372 - Causes or	se cancer [Carcinogenicity - Category se cancer by inhalation [Carcinogenicity • 1B] lamage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1] lamage to organs through prolonged or ure [Specific target organ toxicity -
HAZARD TYPE CAN CAN MAM	LIST NAME AND SOURCE GHS - Japan GHS - Australia GHS - Japan	RC: None	WARNINGS H350 - May caus 1A] H350i - May cau - Category 1A or H372 - Causes of repeated exposit toxicity following H372 - Causes of repeated exposit	se cancer [Carcinogenicity - Category se cancer by inhalation [Carcinogenicity • 1B] lamage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1] lamage to organs through prolonged or ure [Specific target organ toxicity -
HAZARD TYPE CAN CAN MAM	LIST NAME AND SOURCE GHS - Japan GHS - Australia GHS - Japan GHS - Australia		WARNINGS H350 - May caus 1A] H350i - May cau - Category 1A or H372 - Causes or repeated expose toxicity following H372 - Causes or repeated expose repeated expose repeated expose repeated expose	se cancer [Carcinogenicity - Category se cancer by inhalation [Carcinogenicity • 1B] lamage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1] lamage to organs through prolonged or ure [Specific target organ toxicity -

SUBSTANCE NOTES:

PROPYLENE GLYCOL				ID: <b>57-5</b> 5	5-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-19 14:13:25	
%: 0.5000 - 1.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Solvent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disr	uptors	Potential Endocr	rine Disruptor	

BENJAMIN MOORE COROTECH COMMAND WATERBORNE ACRYLIC URETHANE (CV390)

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Some Solvents
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Enzymes and Stabilizers - Green Circle (Verified Low Concern)

### C12-14 PARETH-7

ID: 68439-50-9

os Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-19 14:13:26
GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
LIST NAME AND SOURCE		WARNINGS	
German FEA - Substances Haza Waters	rdous to	Class 2 - Hazard	to Waters
GHS - Australia		H315 - Causes sk Category 2]	kin irritation [Skin corrosion/irritation -
GHS - New Zealand		Serious eye dama	age category 1
GHS - New Zealand		Hazardous to the 1	aquatic environment - acute categor
GHS - Australia			erious eye damage [Serious eye ation - Category 1]
LIST NAME AND SOURCE		NOTIFICATION	
		No li	stings found on Additional Hazard Lis
	German FEA - Substances Haza Waters GHS - Australia GHS - New Zealand GHS - New Zealand GHS - Australia	German FEA - Substances Hazardous to         Waters         GHS - Australia         GHS - New Zealand         GHS - New Zealand         GHS - Australia	German FEA - Substances Hazardous to WatersClass 2 - Hazard Class 2 - Hazard Category 2]GHS - AustraliaH315 - Causes sk Category 2]GHS - New ZealandSerious eye dama Hazardous to the 1GHS - New ZealandHazardous to the 1GHS - AustraliaH318 - Causes se damage/eye irritaLIST NAME AND SOURCENOTIFICATION

SUBSTANCE NOTES:

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-19 14:13:26
%: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - Australia		H315 - Causes s Category 2]	skin irritation [Skin corrosion/irritation -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard List

SUBSTANCE NOTES:

AZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-19 14:13:27	,
⁄o: <b>0.1000 - 0.5000</b>	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE RO	DLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD P	riority Hazard List
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (C	GSPI)	GSPI - Six Class	ses of Problematic Ch	emicals
			Antimicrobials		
RESTRICTED LIST	Green Science Policy Institute (C	GSPI)	GSPI - Six Class	es of Problematic Ch	emicals
			Some Solvents		
SUBSTANCE NOTES:					
POLYETHYLENE GLYCOL	BENZYI (1133-				ID: 60864-3
ETRAMETHYLBUTYL)PH					12.00004-00
AZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-19 14:13:28	5
6: <b>0.1000 - 0.5000</b>	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE RO	LE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
SKI	GHS - Australia		H315 - Causes s Category 2]	kin irritation [Skin cor	rosion/irritation -
EYE	GHS - Australia			serious eye irritation [S ation - Category 2A]	Serious eye
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Add	itional Hazard Lis
SUBSTANCE NOTES:					
					ID: 104810-44
-YL)-5-(1,1-DIMETHYLET	IYL), ALPHA-(3-(3-(2H-BENZOTRIAZOL- THYL)-4-HYDROXYPHENYL)-1- YDROXY-				
2-YL)-5-(1,1-DIMETHYLE1 DXOPROPYL)-OMEGA-H'	THYL)-4-HYDROXYPHENYL)-1-	HAZARD SO	CREENING DATE:	2022-12-19 14:13:28	
2-YL)-5-(1,1-DIMETHYLE1 DXOPROPYL)-OMEGA-H'	THYL)-4-HYDROXYPHENYL)-1- YDROXY-	HAZARD SC RC: None	CREENING DATE: NANO: <b>No</b>	2022-12-19 14:13:28 SUBSTANCE RC	
2-YL)-5-(1,1-DIMETHYLET DXOPROPYL)-OMEGA-HY HAZARD DATA SOURCE:	THYL)-4-HYDROXYPHENYL)-1- YDROXY- Pharos Chemical and Materials Library				
2-YL)-5-(1,1-DIMETHYLET DXOPROPYL)-OMEGA-HY AZARD DATA SOURCE: %: 0.1000 - 0.5000	HYL)-4-HYDROXYPHENYL)-1- YDROXY- Pharos Chemical and Materials Library GreenScreen: NoGS		NANO: <b>No</b> WARNINGS		DLE: Stabilizer
2-YL)-5-(1,1-DIMETHYLET DXOPROPYL)-OMEGA-HY HAZARD DATA SOURCE: %: 0.1000 - 0.5000 HAZARD TYPE	HYL)-4-HYDROXYPHENYL)-1- YDROXY- Pharos Chemical and Materials Library GreenScreen: NoGS		NANO: <b>No</b> WARNINGS	SUBSTANCE RC	DLE: Stabilizer

### CARBENDAZIM

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	AZARD SCREENING DATE: 2022-12-19 14:13:29
%: 0.1000 - 0.5000	GreenScreen: LT-1 F	C: None NANO: No SUBSTANCE ROLE: Antimicrobial Pesticide
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disrupt	ors Potential Endocrine Disruptor
DEV	МАК	Pregnancy Risk Group B
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	German FEA - Substances Hazardo Waters	bus to Class 3 - Severe Hazard to Waters
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
END	EU - Priority Endocrine Disruptors	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption
GEN	GHS - Japan	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1B]
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
GEN	GHS - Australia	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
REP	GHS - Korea	H360 - May damage fertility or the unborn child [Category 1(1B)]
REP	EU - GHS (H-Statements) Annex 6	Table 3-1H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
GEN	EU - GHS (H-Statements) Annex 6	Table 3-1       H340 - May cause genetic defects [Germ cell         mutagenicity - Category 1A or 1B]
AQU	EU - GHS (H-Statements) Annex 6	Table 3-1H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6	Table 3-1H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
GEN	GHS - New Zealand	Germ cell mutagenicity category 1
REP	GHS - New Zealand	Reproductive toxicity category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]

AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
GEN	GHS - Korea	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials

	L DI(3-(3-(2H-BENZOTRIAZOL-2-YL)-5- YPHENYL)-1-OXOPROPYL) ETHER			ID: 104810-47-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-12-19 14:13:29
%: 0.1000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				
DECANEDIOIC ACID, 1,10 PIPERIDINYL) ESTER	D-BIS(1,2,2,6,6-PENTAMETHYL-4-			ID: 41556-26-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-12-19 14:13:27
%: 0.1000 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section	n 01350/CHPS) - Classroom & Office scenario
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2021-11-18 EXPIRY DATE: 2023-11-18	CERTIFIER OR LAB: Berkeley Analytical
CERTIFICATION AND COMPLIANCE NOTES:		
VOC CONTENT	EPA Method 24 - Volatile Matter Con	tent (EPA 24)
VOC CONTENT CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	EPA Method 24 - Volatile Matter Con ISSUE DATE: 2022-12-19 EXPIRY DATE:	tent (EPA 24) CERTIFIER OR LAB: Benjamin Moore

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### GENNEX COLORANTS

MANUFACTURER (OR GENERIC): Benjamin Moore

HPD URL: No HPD Available ACCESSORY TYPE: Colorant System CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

# Section 5: General Notes

No additional notes for this product.

### MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 360 Route 208 Flanders NJ 07836, United States WEBSITE: www.benjaminmoore.com

CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager PHONE: 9732522607 EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KEY

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### **Other Terms:**

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

### BENJAMIN MOORE COROTECH COMMAND WATERBORNE ACRYLIC URETHANE (CV390)