# **ULTRA SPEC HP ACRYLIC METAL PRIMER (HP04)** by Benjamin Moore & Co.

# **Health Product** Declaration v2.2

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 21748** CLASSIFICATION: 09 00 00 Finishes

PRODUCT DESCRIPTION: This unique waterborne, acrylic primer minimizes flash rusting and protects steel from corrosion. Its low odor formula is ideal for use on interior and exterior ferrous and galvanized metal. This primer can be applied to slightly damp surfaces and adheres well to most hard to coat substrates. It can also be used to prime masonry substrates.



# Section 1: Summary

# **Basic Method / Product Threshold**

### CONTENT INVENTORY

### **Inventory Reporting Format** C Nested Materials Method Basic Method

### **Threshold Disclosed Per**

- Material
- Product

### Threshold level

- C 1,000 ppm
- C Per GHS SDS
- C Other

### Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

 ○ Yes Ex/SC Yes No Characterized

% weight and role provided for all substances.

O Yes Ex/SC O Yes O No Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ○ Yes ○ No

All substances disclosed by Name (Specific or Generic) and Identifier.

### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

ULTRA SPEC HP ACRYLIC METAL PRIMER (HP04) [ WATER BM-4 METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END KAOLIN CLAY LT-UNK | CAN LINSEED OIL, POLYMER WITH PENTAERYTHRITOL, PHTHALIC ANHYDRIDE AND POLYMD. LINSEED OIL LT-UNK TALC BM-1 | CAN TRIZINC BIS(ORTHOPHOSPHATE) LT-P1 | AQU | MUL ZINC OXIDE BM-1 | AQU | MUL | RES | END OCTYLPHENOXY POLYETHOXYETHANOL LT-P1 | END | MUL 1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE LT-UNK | CAN *SILICA, AMORPHOUS* BM-1 | CAN SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-P1 | MAM | END PROPYLENE GLYCOL BM-2 | END ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS LT-UNK XYLENES BM-1 | SKI | END | MUL | REP SODIUM NITRITE LT-P1 | AQU | MAM | END | MUL | PHY SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346 LT-UNK ALUMINA TRIHYDRATE BM-2 CHLORITE NoGS ZINC HYDROXIDE (ZN(OH)2) LT-UNK 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE LT-P1 | END ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

None

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 23.59 Regulatory (g/l): 50.402 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

### CONSISTENCY WITH OTHER PROGRAMS

Third Party Verified?

PREPARER: Self-Prepared

C Yes
No

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-09-17 PUBLISHED DATE: 2020-09-17 EXPIRY DATE: 2023-09-17



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

### **ULTRA SPEC HP ACRYLIC METAL PRIMER (HP04)**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Based on data provided by raw material suppliers

OTHER PRODUCT NOTES: None

WATER				ID: <b>7732-18-5</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-17				
%: 35.0000 - 45.0000	GS: <b>BM-4</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	gs.	
None found			No warnings	s found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-17				-09-17
%: 10.0000 - 25.0000	gs: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists

TITANIUM DIOXIDE				ID: <b>13463-67-7</b>
HAZARD SCREENING METHOD: Pharos CI	nemical and Materials Library	HAZARD SCREE	NING DATE: 2020	-09-17
%: 10.0000 - 20.0000	GS: LT-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: None

KAOLIN CLAY ID: 1332-58-7

HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SCREEN	ING DATE: <b>2020-0</b>	09-17
%: 5.0000 - 15.0000	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	MAK	-	en Group 3B - Evi	idence of carcinogenic effects fication

SUBSTANCE NOTES: None

# LINSEED OIL, POLYMER WITH PENTAERYTHRITOL, PHTHALIC ANHYDRIDE AND POLYMD. LINSEED OIL

ID: 68152-95-4

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-17
%: 1.0000 - 10.0000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: <b>None</b>		

TALC ID: 14807-96-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-17			
	%: 1.0000 - 10.0000	GS: <b>BM-1</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
SUBSTANCE NOTES: None		

TRIZINC BIS(ORTHOPHOS	PHATE)			ID: <b>7779-90-0</b>
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020-	09-17
%: <b>0.5000 - 5.0000</b>	GS: LT-P1	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	}	
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - \	ery toxic to aqua	tic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - V	ery toxic to aqua	tic life with long lasting effects
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2	- Hazard to Water	rs

**ZINC OXIDE** ID: 1314-13-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-17 %: 0.5000 - 5.0000 GS: BM-1 RC: None nano: **No** SUBSTANCE ROLE: Antioxidant HAZARD TYPE AGENCY AND LIST TITLES WARNINGS **ACUTE AQUATIC** EU - GHS (H-Statements) H400 - Very toxic to aquatic life **CHRON AQUATIC** EU - GHS (H-Statements) H410 - Very toxic to aquatic life with long lasting effects **MULTIPLE** German FEA - Substances Hazardous to Class 2 - Hazard to Waters Waters RESPIRATORY AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced **ENDOCRINE TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor

# OCTYLPHENOXY POLYETHOXYETHANOL HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-17 W: 0.1000 - 1.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Surfactant

SUBSTANCE NOTES: None

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SUBSTANCE NOTES: None		

#### 1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE ID: **25265-77-4** HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-17 %: 0.1000 - 1.0000 $\mathsf{GS} \colon \boldsymbol{LT\text{-}\mathsf{UNK}}$ RC: None SUBSTANCE ROLE: Coalescent nano: **No** HAZARD TYPE AGENCY AND LIST TITLES WARNINGS **CANCER** MAK Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SILICA, AMORPHOUS		ID: <b>7631-8</b>	6-9
HAZARD SCREENING METHOD: Phar	ros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-17	
%: Impurity/Residual	GS: <b>BM-1</b>	RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]	
CANCER	GHS - Australia	H350i - May cause cancer by inhalation	

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SC	REENING DATE: 202	20-09-17
%: <b>0.0500 - 0.5000</b>	GS: <b>LT-P1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: <b>Defoamer</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
MAMMALIAN	EU - GHS (H-Statements)	нз	04 - May be fatal i	if swallowed and enters airways
ORGAN TOXICANT	EU - GHS (H-Statements)		72 - Causes dama peated exposure	age to organs through prolonged or
ENDOCRINE	TEDX - Potential Endocrine Disruptors	s Po	tential Endocrine I	Disruptor
SUBSTANCE NOTES: None				

SUBSTANCE NOTES: None

PROPYLENE GLYCOL ID: 57-55-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-09-17			
%: Impurity/Residual	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disrupt	ors	Potential Endoc	crine Disruptor		
SUBSTANCE NOTES: None						

### ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS

ID: 68439-57-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEI	HAZARD SCREENING DATE: 2020-09-17			
%: 0.0500 - 0.5000	GS: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found			No warnings for	ound on HPD Priority Hazard Lists		
SUBSTANCE NOTES: NODE						

XYLENES ID: 1330-20-7

HAZARD SCREENING METHOD: Phare	os Chemical and Materials Library	HAZARD SC	HAZARD SCREENING DATE: 2020-09-17			
%: Impurity/Residual	GS: <b>BM-1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irritation			
ENDOCRINE	TEDX - Potential Endocrine Disrupt	ors	crine Disruptor			
MULTIPLE	German FEA - Substances Hazardo Waters	ous to	Class 2 - Hazar	d to Waters		
REPRODUCTIVE	GHS - Japan		Toxic to reprod	uction - Category 1B [H360]		
SUBSTANCE NOTES: None						

SODIUM NITRITE ID: 7632-00-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-09-17			
%: 0.0200 - 0.2000	GS: LT-P1	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Filler		

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H272 - May intensify fire; oxidiser
SUBSTANCE NOTES: None		

# SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

ID: **64742-65-0** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD S	CREENING D	ATE: <b>2020-09-17</b>
%: 0.0200 - 0.2000	GS: LT-UNK		RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE:  Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warning	s found on	HPD Priority Hazard Lists
SUBSTANCE NOTES: None					

ALUMINA TRIHYDRATE ID: 21645-51-2

HAZARD SCREENING METHOD: Pha	HAZARD SCREENING DATE: 2020-09-17			
%: Impurity/Residual	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: <b>None</b>				

CHLORITE ID: 1318-59-8

HAZARD SCREENING METHOD: Pha	HAZARD SCREENING DATE: 2020-09-17			
%: Impurity/Residual	GS: <b>NoGS</b>	RC: None NANO: No SUBS		SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists

ZINC HYDROXIDE (ZN(OH)2)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-09-17			
%: 0.0100 - 0.5000	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found			No warnings for	ound on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None						

### 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE

ID: 6846-50-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-17			
%: <b>0.0100 - 0.1500</b>	GS: <b>LT-P1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		ptor	



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

ISSUE DATE: 2017-

03-08

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URI:

CERTIFICATION AND COMPLIANCE NOTES: None

**VOC CONTENT** SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: None

ISSUE DATE: 2020-

HPD URL: No HPD available

EXPIRY DATE: 2020-

03-08

09-17

CERTIFIER OR LAB: N/A EXPIRY DATE:

CERTIFIER OR LAB: Berkeley

Analytical

# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

# **GENNEX COLORANT (229)**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Required for all tinted products



# Section 5: General Notes

SDS/TDS available at www.benjaminmoore.com

### MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 101 Paragon Drive

Montvale NJ 07645, USA

WEBSITE: www.Benjaminmoore.com

CONTACT NAME: Edja Kouassi

TITLE: Technical Project Manager

PHONE: **973-252-2607** 

EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

# KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

**Recycled Types** 

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this