Super Hide Interior Latex Semi-Gloss N298 by Benjamin Moore & Co.

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 862451548160 CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT TYPE: Interior Finish Coat, General (Paints and Coatings)

PRODUCT DESCRIPTION: Super Hide® Interior latex is a professional quality, low VOC formula that offers efficient application, optimal hide and fast dry. This quality acrylic-blended latex paint is designed to meet the demands of professional painters for a wide variety of commercial and facility maintenance applications. Its uniform finish is ideal for walls and ceilings and offers good touch-up. • Optimal hide • Efficient application • Quick drying •

Good touch-up • Spatter resistant



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method
- **Threshold Disclosed Per**
- Material
- Product

Threshold Level

- C 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities Evaluation

- Completed
- C Partially Completed
- Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No.

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SUPER HIDE INTERIOR LATEX SEMI-GLOSS N298 [WATER (PRIMARY CASRN IS 7732-18-5) BM-4 2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH ETHENYL ACETATE LT-UNK TITANIUM DIOXIDE BM-1 * | CAN | END | MAM KAOLIN LT-UNK | CAN CARBON BLACK BM-1 * | CAN | EYE | MAM | PHY TEXANOL (PRIMARY CASRN IS 25265-77-4) LT-UNK | CAN | AQU PROPYLENE GLYCOL BM-2 | END | MAM HYDROXYETHYL CELLULOSE (PRIMARY CASRN IS 9004-62-0) LT-P1 | END NEPHELINE SYENITE LT-UNK SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES LT-1 | CAN | MUL | SKI | DEV C9-11 PARETH-3 LT-P1 | SKI | EYE | AQU SILICON DIOXIDE BM-1 | CAN | MAM ALUMINUM HYDROXIDE, DRIED BM-2 | SKI | EYE FERRIC OXIDE, YELLOW LT-UNK * POLOXALENE (PRIMARY CASRN IS 9003-11-6) LT-UNK SODIUM LAURETH SULFATE LT-P1 | MUL | SKI | EYE SILICA GEL LT-UNK | MAM POLYETHYLENE GLYCOL (5) UNDECYL ETHER NoGS ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS LT-P1 | MUL | SKI | EYE]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

O Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2025-02-25 PUBLISHED DATE: 2025-02-25 EXPIRY DATE: 2028-02-25

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

SUPER HIDE INTERIOR LATEX SEMI-GLOSS N298

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

 ${\sf RESIDUALS} \ {\sf AND} \ {\sf IMPURITIES} \ {\sf NOTES} : \ {\sf Residuals/Impurities} \ {\sf considered} \ {\sf where} \ {\sf applicable}.$

OTHER PRODUCT NOTES: None

SUBSTANCE NOTES:

WATER (PRIMARY CASRN IS 7732-18-5)

ID: 652133-48-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2025-02-25 13:23:13	
%: 55.0000 - 60.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European (EC)	Commission (EU	EU - REACH Exer	nptions
	,		Exempted from RE safety	EACH Annex IV listing due to intrinsic

2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH ETHENYL ACETATE

ID: 25067-01-0

HAZARD DATA SOURCE: P	haros Chemical and Materials Librar	y	HAZARD S	CREENING DATE: 2	2025-02-25 13:23:14
%: 22.0000 - 27.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE RO	DLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPD F	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Add	litional Hazard Lists

TITANIUM DIOXIDE ID: 13463-67-7

IAZARD DATA SOURCE. PI	aros Chemical and Materials Library	HAZARD SC	REENING DATE: 2025-02-25 13:2
6: 12.0000 - 17.0000	GreenScreen: BM-1 RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
CAN	US CDC - Occupational Carcinogens	Occupational Carcin	nogen**
CAN	CA EPA - Prop 65	Carcinogen - specif	ic to chemical form or exposure route
CAN	IARC	Group 2B - Possibly from occupational s	y carcinogenic to humans - inhaled cources**
CAN	MAK		3A - Evidence of carcinogenic effects establish MAK/BAT value**
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine	Disruptor**
CAN	MAK	Carcinogen Group of risk under MAK/BA	4 - Non-genotoxic carcinogen with lov T levels**
CAN	IARC	Group 2b - Possibly	/ carcinogenic to humans**
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of Category 2]**	of causing cancer [Carcinogenicity -
CAN	GHS - Japan	H351 - Suspected of Category 2]**	of causing cancer [Carcinogenicity -
MAM	GHS - Japan	repeated exposure	nage to organs through prolonged or [Specific target organs/systemic toxic exposure - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		Product Standard Restricted SL) - Effective July 1, 2022
		Children's Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		Product Standard Restricted SL) - Effective July 1, 2022
		Formulated Consun	mer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		Product Standard Restricted SL) - Effective July 1, 2022
		Cosmetics & Person	nal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safe	r Chemicals Ingredients list (SCIL)
		Colorants - Green C	Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Substances - Effect	Product Standard Restricted tive July 1, 2024
		Cosmetics and Pers	sonal Care Products

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

KAOLIN ID: 1332-58-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ry	HAZARD S	CREENING DATE: 2025-02-25 13:23:15
%: 5.0000 - 7.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group but not sufficient fo	3B - Evidence of carcinogenic effects or classification
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

CARBON BLACK ID: 1333-86-4

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2025-02-25 13:23:15
%: 1.0000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Car	rcinogens	Occupational Card	cinogen**
CAN	MAK		Carcinogen Group but not sufficient for	o 3B - Evidence of carcinogenic effects or classification**
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical form or exposure route**
CAN	IARC		Group 2b - Possib	oly carcinogenic to humans**
EYE	GHS - New Zealand		Eye irritation cate	gory 2**
CAN	GHS - New Zealand		Carcinogenicity ca	ategory 2**
CAN	GHS - Japan		H351 - Suspected Category 2]**	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposure	amage to organs through prolonged or e [Specific target organs/systemic toxicity dexposure - Category 1]**
PHY	GHS - Japan			ng;; may catch fire [Self-heating nixtures - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

TEXANOL (PRIMARY CASRN IS 25265-77-4)

HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD S	SCREENING DATE: 2025-02-25 13:23:14
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coalescent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		o o	up 3A - Evidence of carcinogenic effects to establish MAK/BAT value
AQU	GHS - New Zealand		Hazardous to the	aquatic environment - chronic category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	lo listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HA7APD Q	CREENING DATE:	2025-02-25 13:22:1	
		HAZARD SCREENING DATE: 2025-02-25 13:23		2025-02-25 15.25.15	
%: 1.0000 - 5.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE F	ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE	Ē	WARNINGS		
END	TEDX - Potential Endocrine	e Disruptors	Potential Endocrin	e Disruptor	
MAM	GHS - Japan		repeated exposure	mage to organs throe [Specific target org exposure - Catego	gans/systemic toxicity
MAM	GHS - Japan			mage to organs [Sp oxicity following sing	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	<u> </u>	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Instit	ute (GSPI)	GSPI - Six Classe	s Precautionary List	
			Antimicrobials		
RESTRICTED LIST	Green Science Policy Instit	ute (GSPI)	GSPI - Six Classe	s Precautionary List	
			Some Solvents		

HYDROXYETHYL CELLUL	OSE (PRIMARY CASRN IS 9004-62-0)			ID: 1613317-73-9
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ary	HAZARI	D SCREENING DATE: 2025-02-25 13:23:15
%: 1.0000 - 5.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine D	Disruptors	Potential Endo	ocrine Disruptor

SUBSTANCE NOTES:

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

NEPHELINE SYENITE				ID: 37244-96-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SO	CREENING DATE: 2025-02-25 13:23:15
%: 0.5000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

ID: 64742-65-0

HAZARD DATA SOURCE:	CE: Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2025-02-25 13:23:16	
%: 0.5000 - 1.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	EU - Annex VI CMRs		Carcinogen Categon animal evidence	gory 1B - Presumed Carcinogen based	
MUL	ChemSec - SIN List	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
MUL	German FEA - Substances H Waters	azardous to	Class 2 - Hazard	to Waters	
CAN	GHS - Australia		H350 - May cause or 1B]	e cancer [Carcinogenicity - Category 1A	
CAN	EU - GHS (H-Statements) An	nex 6 Table 3-1	H350 - May cause or 1B]	e cancer [Carcinogenicity - Category 1A	
SKI	GHS - Australia		H315 - Causes sk Category 2]	kin irritation [Skin corrosion/irritation -	
DEV	GHS - Australia		H361d - Suspecte [Reproductive tox	ed of damaging the unborn child icity - Category 2]	
CAN	EU - REACH Annex XVII CM	Rs	Carcinogens: Cat	egory 1B	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES:

C9-11 PARETH-3 ID: **68439-46-3**

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE:	2025-02-25 13:23:1
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE RO	LE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
SKI	GHS - New Zealand		Skin irritation cate	egory 2	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		sion/irritation -
EYE	GHS - New Zealand		Serious eye dama	age category 1	
AQU	GHS - Japan		H401 - Toxic to a environment (acu	quatic life [Hazardous te) - Category 2]	to the aquatic
AQU	GHS - Japan			quatic life with long lase aquatic environment	-
EYE	GHS - Australia		H318 - Causes se damage/eye irrita	erious eye damage [Se tion - Category 1]	erious eye
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	o listings found on Ado	litional Hazard Lists

SUBSTANCE NOTES:

SILICON DIOXIDE ID: 7631-86-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	rary	HAZARD S	CREENING DATE: 2025-02-25 13:23:1
%: 0.1000 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	GHS - Japan		H350 - May cause	cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia		H350i - May cause Category 1A or 1B	e cancer by inhalation [Carcinogenicity -
MAM	GHS - Japan			respiratory irritation [Specific target gle exposure - Category 3]
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or E[Specific target organs/systemic toxicity exposure - Category 1]
MAM	GHS - Australia			mage to organs through prolonged or ESpecific target organ toxicity - e - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institu	te (GSPI)	GSPI - Six Classes	s Precautionary List
			Antimicrobials	
SUBSTANCE NOTES:				

ALUMINUM HYDROXIDE, DRIED

ID: 21645-51-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ary	HAZARD	SCREENING DATE: 2025-02-25 13:23:1
%: 0.1000 - 0.5000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Fixing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation cat	egory 2
EYE	GHS - New Zealand		Eye irritation cate	egory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Inr (C2CPII)	novation Institute		.0 Product Standard Restricted (RSL) - Effective July 1, 2022
			Biological and Er	nvironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Inr (C2CPII)	novation Institute		.0 Product Standard Restricted (RSL) - Effective July 1, 2022
			Children's Produ	cts
RESTRICTED LIST	Cradle to Cradle Products Inr (C2CPII)	novation Institute		.1 Product Standard Restricted ective July 1, 2024
			Children's Toy P	roducts

FERRIC OXIDE, YELLOW ID: 51274-00-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2025-02-25 13:23:17	
%: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

POLOXALENE (PRIMARY CASRN IS 9003-11-6)

ID: **69256-70-8**

HAZARD DATA SOURCE:	OURCE: Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2025-02-25 13:23:18
%: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institut	e (GSPI)	GSPI - Six Classe	es Precautionary List
			Some Solvents	
SUBSTANCE NOTES:				

SODIUM LAURETH SULFATE

ID: 68585-34-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-02-25 13:23:17		
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Waters	German FEA - Substances Hazardous to Waters		Hazard to Waters
SKI	GHS - New Zealand	GHS - New Zealand		egory 2
EYE	GHS - New Zealand	GHS - New Zealand		egory 2

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

SILICA GEL ID: 112926-00-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-02-25 13:23		
%: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		•	e respiratory irritation [Specific target ingle exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-02-25 13:23:18 %: 0.1000 - 0.5000 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Surfactant HAZARD TYPE WARNINGS LIST NAME AND SOURCE No warnings found on HPD Priority Hazard Lists None found ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION None found No listings found on Additional Hazard Lists

ETHOXYLATED BRANCHE	D C11-C14, C13-RICH ALCOHOLS			ID: /8330-21-9
HAZARD DATA SOURCE: I	Pharos Chemical and Materials Lil	brary	HAZARD S	CREENING DATE: 2025-02-25 13:23:18
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant

SUBSTANCE NOTES:

POLYETHYLENE GLYCOL (5) UNDECYL ETHER

ID: 34398-01-1

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: All

CERTIFICATE URL: https://www.berkeleyanalytical.com/

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2024-04-05 00:00:00

EXPIRY DATE:

CERTIFIER OR LAB: Berkeley

Analytical

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2025-02-19 00:00:00

EXPIRY DATE:

CERTIFIER OR LAB: Benjamin

Moore

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX

MANUFACTURER (OR GENERIC): Benjamin Moore

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

No additional notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 360 Route 206 Flanders, New Jersey 07836 COUNTRY: United States

WEBSITE: www.benjaminmoore.com CONTACT NAME: Edia Kouassi TITLE: Sr. Technical Project Manager

PHONE: 9732522607

EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

