ECO SPEC WB PRIMER WHITE (N372) by Benjamin Moore & Co.

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 30228

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: A low odor, zero VOC (Volatile Organic Compounds), 100% acrylic interior latex primer sealer with spatter resistant properties. Ideally suited for commercial, facility management, and residential applications. Eco Spec® Interior Latex Primer (N372) does not have the odor of conventional primers which contain ingredients known as VOC's. Always use Eco Spec® Interior Latex Primer (N372) as a first coat when a low-odor, VOC free primer/finish system is required.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm O Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

O Not Completed

Explanation(s) provided:

Yes O No.

For all contents above the threshold, the manufacturer has: Characterized Yes ○ No

Provided weight and role.

Screened ⊙ Yes ○ No

Provided screening results using HPDC-approved

methods.

 Yes ○ No Identified

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ECO SPEC WB PRIMER WHITE (N372) [WATER BM-4 METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE LT-UNK NEPHELINE SYENITE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END | MAM KAOLIN, CALCINED LT-UNK CALCIUM CARBONATE BM-3 **EYE DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1%** OF CRYSTALLINE SILICA] LT-P1 | CAN | MAM ALCOHOLS, C9-11, ETHOXYLATED LT-P1 | MUL | SKI | EYE SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES LT-1 | CAN | MUL | SKI | DEV SILICA, AMORPHOUS BM-1 | CAN | MAM ALUMINA TRIHYDRATE BM-2 | SKI | EYE]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-1, LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): 0.00

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the

base paint when tinted: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -

Classroom & Office scenario

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

O Yes No

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-10-19 **PUBLISHED DATE: 2022-10-19** EXPIRY DATE: 2025-10-19



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ECO SPEC WB PRIMER WHITE (N372)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities considered where applicable

OTHER PRODUCT NOTES: None

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-10-19 3:30:15

%: 55.0000 - 60.0000 GreenScreen: BM-4 RC: None NANO: No SUBSTANCE ROLE: Diluent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

AGENCY

EXEMPT

European Union / European Commission
(EU EC)

Exempted from REACH Annex IV listing due to intrinsic safety

POSITIVE LIST

US Environmental Protection Agency (US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES:

METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE

ID: 25852-37-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-10-19 3:30:16
%: 20.0000 - 25.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS AGENCY NOTIFICATION

SUBSTANCE NOTES:

None found

No listings found on Additional Hazard Lists

NEPHELINE SYENITE ID: 37244-96-5

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-10-19 3:52:14
%: 15.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag	gency (US	US EPA - DfE SC	CIL
	EPA)		Green Circle - Ve	erified Low Concern
SUBSTANCE NOTES:				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-10-19 3:30:16 %: 10.0000 - 15.0000 GreenScreen: LT-1 SUBSTANCE ROLE: Pigment RC: None NANO: No **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS CAN **US CDC - Occupational Carcinogens** Occupational Carcinogen CAN CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure **IARC** CAN Group 2B - Possibly carcinogenic to humans - inhaled

TITANIUM DIOXIDE

ID: 13463-67-7

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL
	,	Green Circle - Verified Low Concern
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES:

SUBSTANCE NOTES:

KAOLIN, CALCINED				ID: 92704-4	1-1
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-10-19 3:30:17	
%: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warr	nings found on HPD Priority Hazard Lis	ts
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
POSITIVE LIST	US Environmental Protection Ag	ency (US	US EPA - DfE SC	CIL	
	EPA)		Green Half-Circle	e - Expected Low Concern	

CALCIUM CARBONATE				ID: 471-34
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-10-19 3:30:18
%: 1.0000 - 5.0000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
EYE	GHS - New Zealand		Eye irritation cat	regory 2
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag	jency (US	US EPA - DfE SC	CIL
	EPA)		Green Circle - Ve	erified Low Concern
SUBSTANCE NOTES:				

DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA]

ID: 61790-53-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCRI	EENING DATE:	2022-10-19 3:30:21
%: 1.0000 - 5.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A-1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-10-19 3:30:18

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	JREENING DATE:	2022-10-19 3:30:18
%: 0.5000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MUL	German FEA - Substances Haza Waters	ardous to	Class 2 - Hazard	to Waters
SKI	GHS - New Zealand		Skin irritation cat	egory 2
SKI	GHS - Australia		H315 - Causes sk Category 2]	cin irritation [Skin corrosion/irritation -
EYE	GHS - New Zealand		Serious eye dama	age category 1
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag	gency (US	US EPA - DfE SC	IL
	EPA)		Green Circle - Ve	rified Low Concern

SUBSTANCE NOTES:

ALCOHOLS, C9-11, ETHOXYLATED

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

ID: 64742-65-0

ID: 68439-46-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2022-10-19 3:30:19
%: 0.0500 - 1.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-10-19 3:30:20
%: Impurity/Residual	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residua
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	GHS - Japan		H350 - May cau	se cancer [Carcinogenicity - Category
CAN	GHS - Australia		H350i - May cau - Category 1A o	use cancer by inhalation [Carcinogenicit or 1B]
MAM	GHS - Japan		repeated expos	damage to organs through prolonged or sure [Specific target organs/systemic org repeated exposure - Category 1]
MAM	GHS - Australia		repeated expos	damage to organs through prolonged or sure [Specific target organ toxicity - sure - Category 1]
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag	gency (US	US EPA - DfE S	CIL
			Green Circle - V	/erified Low Concern

ALUMINA TRIHYDRATE ID: 21645-51-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-10-19 3:30:21

SILICA, AMORPHOUS

ID: 7631-86-9

%: Impurity/Residual	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
SKI	GHS - New Zealand		Skin irritation of	category 2
EYE	GHS - New Zealand		Eye irritation c	ategory 2
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	N
RESTRICTED LIST	Cradle to Cradle Products Inno Institute (C2CPII)	ovation		v4 Product Standard Restricted st (RSL) - Effective July 1, 2022
			Biological and	Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Inno Institute (C2CPII)	ovation	0_0 0000	v4 Product Standard Restricted st (RSL) - Effective July 1, 2022
			Children's Pro	ducts

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: AII

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2022-04-28 EXPIRY DATE: 2025-04-28 CERTIFIER OR LAB: Berkley

analytical

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2022-10-19

EXPIRY DATE:

CERTIFIER OR LAB: Benjamin

Moore



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANT (229)

MANUFACTURER (OR GENERIC): Benjamin Moore

HPD URL: No HPD available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

No additional notes for this product

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 101 Paragon Dr

Montvale New Jersey 07645, United States

WEBSITE: www.Benjaminmoore.com

CONTACT NAME: Edja Kouassi

TITLE: Sr. Technical Project Manager

PHONE: 973-252-2607

EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.