SCUFF-X® INTERIOR MATTE FINISH N484 by Benjamin Moore & Co.

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 28192

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: A high-performance, one-component latex paint specifically engineered to deliver outstanding performance and protection for the toughest high-traffic areas in busy commercial spaces. This breakthrough product offers superior durability and scuff-resistance than traditional high-performance two-component coatings, without the pre-mixing, short pot-life and application difficulties related to similar products. It will retain its high-quality appearance longer with minimal maintenance and re-painting required. The matte finish is great for hiding surface imperfections, while providing walls a beautiful and sophisticated look.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- C 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- O Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ② Yes ○ No.

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ⊙ Yes ○ No

All substances disclosed by Name (Specific or Generic)

and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SCUFF-X® INTERIOR MATTE FINISH N484 [WATER BM-4 DAKRIL 4B LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END ETHENE, HOMOPOLYMER, OXIDIZED LT-UNK CERAMIC MATERIALS AND WARES, CHEMICALS LT-P1 | MULTEXANOL LT-UNK | CAN SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM **DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS** MEASURED BY IP 346 LT-P1 | CAN SILICON DIOXIDE BM-1 | CAN ALUMINUM HYDROXIDE, DRIED BM-2 ETHOXYLATED-2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL LT-P1 | MUL ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS LT-UNK CELLULOSE, MICROCRYSTALLINE LT-UNK | RES TRIDECYL ALCOHOL, ETHOXYLATED, PHOSPHATED, AMMONIUM SALTS NoGS 1,1,1Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (q/l): 20.84 Regulatory (q/l): 48.65 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

TRIS(HYDROXYMETHYL)PROPANE LT-UNK]

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

VOC content: No Emission Certificate

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

O Yes SCUFF-X INTERIOR MATTE FINISH N484 PREPARER: Self-Prepared VERIFIER:

SCREENING DATE: 2022-04-13 **PUBLISHED DATE: 2022-04-13**

HPD v2.2 created via HPDC Builder Page 1 of 8

hpdrepository.hpd-collaborative.org

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SCUFF-X® INTERIOR MATTE FINISH N484

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities considered where applicable

OTHER PRODUCT NOTES: None

WATER

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 20:03:45

%: 55.0000 - 60.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Diluent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

DAKRIL 4B

ID: 25852-37-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 20:21:05

%: 20.0000 - 25.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 20:21:54

%: 20.0000 - 25.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES:

ETHENE, HOMOPOLYMER, O	(IDIZED			ID: 68441-17-8
HAZARD SCREENING METHOL	Pharos Chemical and Materials Library	HAZARD S	CREENING D	ATE: 2022-04-13 20:25:44
%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warnii	ngs found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

CERAMIC MATERIALS AND WARES, CHEMICALS					
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-04-13 20:26:42	
%: 1.0000 - 5.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
MUL	German FEA - Substances Hazardous t Waters	to Class	s 3 - Severe Hazaro	d to Waters	
SUBSTANCE NOTES:					

TEXANOL				ID: 25265-77-4
HAZARD SCREENING METI	HOD: Pharos Chemical and Materials Library	HAZARD SO	CREENING DAT	TE: 2022-04-13 20:27:49
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coalescent
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
CAN	MAK		_	A - Evidence of carcinogenic effects establish MAK/BAT value
SUBSTANCE NOTES:				

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-04-13 20:29:03
%: 0.5000 - 1.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
CAN	GHS - Australia	H350 - or 1B]	-	cer [Carcinogenicity - Category 1A
SUBSTANCE NOTES:				

ILICON DIOXIDE				ID: 7631-86
IAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-04-13 20:34:59
%: 0.5000 - 1.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
CAN	GHS - Japan	H350 - 1A]	- May cause cand	cer [Carcinogenicity - Category
CAN	GHS - Australia		- May cause can gory 1A or 1B]	cer by inhalation [Carcinogenicity

ALUMINUM HYDROXIDE, DRIE	D			ID: 21645-51-2
HAZARD SCREENING METHOD	: Pharos Chemical and Materials Library	HAZARD SO	CREENING DAT	TE: 2022-04-13 20:35:48
%: 0.5000 - 1.0000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Fixing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
None found			No warning	s found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

HAZADD CODEENING METHOD.	Discuss Chamical and Matarials Library	11474DD CC	. 0000 04 40 00-06-04		
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:		2022-04-13 20:36:31	
%: 0.5000 - 1.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant	
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS		
MUL	German FEA - Substances Hazardous t Waters	o Class	2 - Hazard to W	aters	

ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS

ID: 68439-57-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 20:37:46

%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warnings	s found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

CELLULOSE, MICROCRYSTALLIN	E			ID: 9004-34-6
HAZARD SCREENING METHOD: F	Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2022-04-13 20:42:57
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

TRIDECYL ALCOHOL, ETHOXYLATED, PHOSPHATED, AMMONIUM **SALTS**

ID: 69029-43-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 20:44:02 GS: NoGS NANO: No SUBSTANCE ROLE: Emulsifier %: 0.1000 - 0.5000 RC: None WARNINGS HAZARD TYPE AGENCY AND LIST TITLES No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES:

1,1,1-TRIS(HYDROXYMETHYL)PROPANE

ID: 77-99-6

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	ry HAZARD SCREENING DATE: 2022-04-13 20:44:53		
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
None found			No warning	gs found on HPD Priority Hazard Lists

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

ISSUE DATE: 2022-04- EXPIRY DATE: 2024-CERTIFIER OR LAB: Berkley **CERTIFYING PARTY: Third Party** APPLICABLE FACILITIES: AII 12 04-12 analytical

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

No Emission Certificate

CERTIFYING PARTY: Self-declared ISSUE DATE: 2022-04- EXPIRY DATE: CERTIFIER OR LAB: N/A

13

APPLICABLE FACILITIES: AII

CERTIFICATE URL:

VOC CONTENT

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANT HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

None

Section 5: General Notes

Notes are not applicable for this product

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 360 Route 206

NJ NJ 07836, USA

WEBSITE: www.benjaminmoore.com

CONTACT NAME: Edja Kouassi
TITLE: Sr. Technical Project Manager

PHONE: 973-252-2607

EMAIL: Edja.Kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.