ULTRA SPEC SCUFF-X INTERIOR EGGSHELL FINISH N485 by Benjamin Moore & Co.

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 28819

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: A high-performance, one-component latex paint specifically engineered to deliver outstanding performance and protection for the toughest high-traffic areas in busy commercial spaces. This breakthrough product offers superior durability and scuff-resistance than traditional high-performance two-component coatings, without the pre-mixing, short pot-life and application difficulties related to similar products. It will retain its high quality appearance longer with minimal maintenance and repainting required. The beautiful eggshell finish is perfect hallways, fitting rooms and waiting areas.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- C 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- O Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ② Yes ○ No.

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ⊙ Yes ○ No

All substances disclosed by Name (Specific or Generic)

and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ULTRA SPEC SCUFF-X INTERIOR EGGSHELL FINISH N485 [WATER BM-4 TITANIUM DIOXIDE LT-1 | CAN | END DAKRIL 4B LT-UNK ETHENE, HOMOPOLYMER, OXIDIZED LT-UNK TEXANOL LT-UNK | CAN SILICON DIOXIDE BM-1 | CAN ALUMINUM HYDROXIDE, DRIED BM-2 | RES ETHOXYLATED-2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL LT-P1 | MUL SILOXANES AND SILICONES, DI-ME, POLYMERS WITH 3-[(2-AMINOETHYL)AMINO]PROPYL SILSESQUIOXANES, HYDROXY-TERMINATED LT-UNK POLYETHYLENE GLYCOL LT-UNK TRIETHYLAMINE LT-UNK | SKI | PHY POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, PHOSPHATE, POTASSIUM SALT LT-UNK ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS LT-UNK TRIDECYL ALCOHOL, ETHOXYLATED, PHOSPHATED, AMMONIUM SALTS NoGS AMMONIUM HYDROXIDE

LT-P1 | RES | MUL | SKI | AQU TERGITOL TMN-6 LT-UNK | MUL]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 19.58 Regulatory (g/I): 45.83 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2022-06-20 PUBLISHED DATE: 2022-06-20 EXPIRY DATE: 2025-06-20

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ULTRA SPEC SCUFF-X INTERIOR EGGSHELL FINISH N485

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities considered where applicable

OTHER PRODUCT NOTES: None

WATER				ID: 7732-18- 5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-06-20 18:20:23
%: 60.0000 - 65.0000	GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

TITANIUM DIOXIDE					ID: 13463-67
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	RD SCI	REENING DATE:	2022-06-20 18:52:53
%: 20.0000 - 25.0000	GS: LT-1	RC: N	lone	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS	
CAN	US CDC - Occupational Carcinogens		Occup	ational Carcinog	en
CAN	CA EPA - Prop 65		Carcin route	ogen - specific t	o chemical form or exposure
CAN	IARC	Group 2B - Possibly carcinogenic to humans - infrom occupational sources			· ·
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic eff but not sufficient to establish MAK/BAT value			•
END	TEDX - Potential Endocrine Disruptors		Potent	ial Endocrine Dis	sruptor
CAN	MAK			ogen Group 4 - N k under MAK/BA	Non-genotoxic carcinogen with T levels
CAN	EU - GHS (H-Statements) Annex 6 Table	3-1	H351 - Catego		ausing cancer [Carcinogenicity -

DAKRIL 4B ID: 25852-37-3

SUBSTANCE NOTES: None

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	REENING DATE:	2022-06-20 18:55:48
%: 20.0000 - 25.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
None found			No warnings fo	und on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

ETHENE, HOMOPOLYMER, OXIDIZED ID: 68441-17-8					
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2022-06-20 19:57:43	
%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS		
None found			No warni	ngs found on HPD Priority Hazard Lists	

TEXANOL				ID: 25265-77-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	E: 2022-06-20 19:59:00
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coalescent
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
CAN	MAK			a - Evidence of carcinogenic effects stablish MAK/BAT value
SUBSTANCE NOTES: None				

SILICON DIOXIDE				ID: 7631-86-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-06-20 19:59:48
%: 0.5000 - 1.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
CAN	GHS - Japan	H350 - 1A]	- May cause cand	cer [Carcinogenicity - Category
CAN	GHS - Australia		- May cause can gory 1A or 1B]	cer by inhalation [Carcinogenicity
SUBSTANCE NOTES: None				

ALUMINUM HYDROXIDE, DRIEI)			ID: 21645-51-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DAT	E: 2022-06-20 20:03:09
%: 0.5000 - 1.0000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Fixing agent

SUBSTANCE NOTES: None

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

ETHOXYLATED-2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None

ID: 9014-85-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DAT	E: 2022-06-20 20:04:32
%: 0.5000 - 1.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WAI	RNINGS	
MUL	German FEA - Substances Hazardous t Waters	o Clas	s 2 - Hazard to V	Vaters

SILOXANES AND SILICONES, DI-ME, POLYMERS WITH 3-[(2-AMINOETHYL)AMINO]PROPYL SILSESQUIOXANES, HYDROXY-TERMINATED

ID: 68554-54-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-06-20 20:05:44			
%: 0.5000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnii	ngs found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: None					

POLYETHYLENE GLYCOL	ID: 25322-68- 3			
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-06-20 20:06:36
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

TRIETHYLAMINE				ID: 121-44-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2022-06-20 20:24:04
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]

POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-,

ID: 68186-36-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	2022-06-20 20:25:05
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Emulsifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS ID: 68439-57-				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	E: 2022-06-20 20:26:35
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None

PHOSPHATE, POTASSIUM SALT

TRIDECYL ALCOHOL, ETHOXYLATED, PHOSPHATED, AMMONIUM SALTS

ID: 69029-43-2

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	E: 2022-06-20 20:27:20
%: 0.1000 - 0.5000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Emulsifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

AMMONIUM HYDROXIDE				ID: 1336-21-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2022-06-20 20:45:05
%: 0.1000 - 0.5000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
RES	AOEC - Asthmagens	Asthmagen (Rr&Rs) - irritant-induced & sensitizer-induced
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]

SUBSTANCE NOTES: None

TERGITOL TMN-6				ID: 60828-78-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	REENING DATE	: 2022-06-20 20:48:48
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Emulsifier
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
MUL	German FEA - Substances Hazardous t Waters	to Class	2 - Hazard to Wa	aters

SUBSTANCE NOTES: None



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2022-01- EXPIRY DATE: 2025- CERTIFIER OR LAB: Berkeley analytical		
CERTIFICATION AND COMPLIANCE NOTES:			
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings quick dry enamels, roof coatings only - 2007 amendments		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2022-06- EXPIRY DATE: CERTIFIER OR LAB: None 20		



Section 4: Accessories

CERTIFICATION AND COMPLIANCE NOTES:

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANT HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

None

Section 5: General Notes

Notes are not applicable for this product

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 360 Route 206 Flanders NJ 07836, USA

WEBSITE: www.benjaminmoore.com

CONTACT NAME: Edja Kouassi
TITLE: Sr. Technical Project Manager

PHONE: 973-252-2607

EMAIL: Edja.Kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)
NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.