AURA WATERBORNE INTERIOR PAINT - MATTE (N522) by Benjamin Moore & Co.

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 27763

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: Aura's innovative platform integrates the best technologies to deliver unparalleled color depth and richness that is long lasting in any color. In addition to using 100% acrylic latex, proprietary resins, enhanced pigments, and Color Lock® technology give the product its extraordinary performance properties.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- C 1,000 ppm
- O Per GHS SDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- O Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances. Screened ○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ⊙ Yes ○ No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

AURA WATERBORNE INTERIOR PAINT - MATTE (N522) [WATER BM-4 TITANIUM DIOXIDE LT-1 | CAN | END 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH 2-ETHYLHEXYL 2-PROPENOATE LT-UNK CERAMIC MATERIALS AND WARES, CHEMICALS (KAOLIN, CALCINED) LT-P1 | MUL SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9) BM-1 | CAN ALUMINUM HYDROXIDE, DRIED BM-2 C9-11 PARETH-3 LT-P1 | MUL SOLVENT-**DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN** TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346 LT-P1 | CAN POLYETHYLENE GLYCOL (5) UNDECYL ETHER NoGS |

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.791 Regulatory (g/l): 1.670 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007

amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** **SCREENING DATE: 2022-03-08** PUBLISHED DATE: 2022-03-08 EXPIRY DATE: 2025-03-08



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

AURA WATERBORNE INTERIOR PAINT - MATTE (N522)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities considered where applicable

OTHER PRODUCT NOTES: None

WATER				ID: 7732-18-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-03-09 3:10:50
%: 45.0000 - 50.0000	GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE:	2022-03-09 3:10:50	
%: 20.0000 - 25.0000	GS: LT-1	RC: Non	e NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CAN	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CAN	MAK		Carcinogen Group 3A - Evidence of carcinogenic effective but not sufficient to establish MAK/BAT value		
END	TEDX - Potential Endocrine Disruptors	Po	Potential Endocrine Disruptor		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen will low risk under MAK/BAT levels		•	
CAN	EU - GHS (H-Statements) Annex 6 Table		851 - Suspected of category 2]	ausing cancer [Carcinogenicity -	

2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH 2-**ETHYLHEXYL 2-PROPENOATE**

ID: 25265-15-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2022-03-09 3:10:51
%: 20.0000 - 25.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

CERAMIC MATERIALS AND WARES, CHEMICALS (KAOLIN, CALCINED)

ID: 66402-68-4

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	SCREENING DATE:	2022-03-09 3:10:51
%: 10.0000 - 15.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
MUL	German FEA - Substances Hazardous t Waters	ous to Class 3 - Severe Hazard to Waters		d to Waters

SUBSTANCE NOTES:

SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9)

ID: 37241-25-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2022-03-09 3:10:52
%: 5.0000 - 10.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Cat		er [Carcinogenicity - Category
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcin - Category 1A or 1B]		cer by inhalation [Carcinogenicity

SUBSTANCE NOTES:

ALUMINUM HYDROXIDE, DRIED

ID: 21645-51-2

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2022-03-09 3:10:52
%: 0.5000 - 1.0000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

C9-11 PARETH-3

ID: 68439-46-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-03-09 3:10:53
%: 0.1000 - 0.5000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

ID: 64742-65-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-03-09 3:10:53		2022-03-09 3:10:53
⁄₀: 0.1000 - 0.5000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
CAN	GHS - Australia	H350 -	•	ncer [Carcinogenicity - Category

SUBSTANCE NOTES:

POLYETHYLENE GLYCOL (5) UNDECYL ETHER

ID: 34398-01-1

Pharos Chemical and Materials Library	HAZARD SC	REENING DAT	E: 2022-03-09 3:10:54		
GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant		
AGENCY AND LIST TITLES	WARN	NINGS			
None found No warnings found on HPD Priority Hazard Lists					
		GS: NoGS RC: None	GS: NoGS RC: None NANO: No AGENCY AND LIST TITLES WARNINGS		

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenar				
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2020-05- 29	EXPIRY DATE: 2022- 05-27	CERTIFIER OR LAB: Berkeley Analytical		
CERTIFICATION AND COMPLIANCE NOTES:					
VOC CONTENT		chitectural Coatings - Fl f coatings only - 2007 aı	lats, floor coatings, non flat coatings, mendments		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2022-03- 08	EXPIRY DATE:	CERTIFIER OR LAB: N/A		



Section 4: Accessories

CERTIFICATION AND COMPLIANCE NOTES:

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANTS HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

None

Section 5: General Notes

Notes are not applicable for this product

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 360 Route 206 Flanders NJ 07836, 07836

WEBSITE: www.benjaminmoore.com

CONTACT NAME: Edja Kouassi
TITLE: Sr. Technical Project Manager

PHONE: 9732522607

EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.