# ULTRA SPEC 500 INTERIOR LATEX PRIMER (N534) by Benjamin Moore & Co.

# Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 495296675840

CLASSIFICATION: 09 90 00 Painting and Coating

**PRODUCT DESCRIPTION:** A professional-quality interior waterborne primer based on a proprietary acrylic resin. Eligible for LEED® v4 credit and passes the most stringent environmental standards.

# Section 1: Summary

## CONTENT INVENTORY

- Inventory Reporting Format
- Nested Materials Method
   Basic Method

Threshold Disclosed Per

- C Material
- Product

Threshold Level
100 ppm
1,000 ppm
Per GHS SDS

C Other

**Residuals/Impurities Evaluation** 

- Completed
   Partially Completed
- C Not Completed

Explanation(s) provided :

# **Basic Method / Product Threshold**

For all contents above the threshold, the	manufacturer has:
Characterized	• Yes O No
Provided weight and role.	
Screened	• Yes • No
Provided screening results using HPDC-a	approved
methods.	
Identified	• Yes O No
Provided name and CAS RN or other ide	ntifier.

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

NVENTORY AND SCREENING NOTES

No inventory and screening notes.

# CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ULTRA SPEC 500 INTERIOR LATEX PRIMER (N534) [ WATER BM-4 LIMESTONE; CALCIUM CARBONATE BM-3dg KAOLIN LT-UNK | CAN TITANIUM DIOXIDE BM-1 | CAN | END | MAM SILICA, AMORPHOUS BM-1 | CAN | MAM POLYETHYLENE GLYCOL LT-UNK SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346 LT-P1 | MUL | CAN | SKI | DEV ALCOHOLS, C9-11, ETHOXYLATED LT-P1 | SKI | EYE | AQU ]

# VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 1.5 Does the product contain exempt VOCs: No Are colorants available that do not increase the VOC content of the base paint when tinted: Yes **CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

# CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? <sup>•</sup> Yes <sup>•</sup> No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2024-10-07 PUBLISHED DATE: 2024-10-07 EXPIRY DATE: 2027-10-07 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

## **ULTRA SPEC 500 INTERIOR LATEX PRIMER (N534)** PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes RESIDUALS AND IMPURITIES NOTES: Impurities considered where applicable OTHER PRODUCT NOTES: None WATER ID: 7732-18-5 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-10-07 12:44:08 %: 50.0000 - 55.0000 GreenScreen: BM-4 RC: None SUBSTANCE ROLE: Diluent NANO: No HAZARD TYPE LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION EXEMPT European Union / European Commission (EU **EU - REACH Exemptions** EC) Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: None

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SC	CREENING DATE: 2024-10-07 12:44:0
%: 15.0000 - 20.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warn	ings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES: No	ne			
	ne		No	listings found on Additional Hazard

HAZARD DATA SOURCE: P	haros Chemical and Materials Librar	у	HAZARD SO	CREENING DATE: 2024-10-07 12:44:09
%: 10.0000 - 15.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	МАК		Carcinogen Group but not sufficient fo	3B - Evidence of carcinogenic effects or classification
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES:

# TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-07 12:44:10		
%: 5.0000 - 10.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Care	cinogens	Occupational Carc	sinogen
CAN	CA EPA - Prop 65		Carcinogen - spec	ific to chemical form or exposure route
CAN	IARC		Group 2B - Possib from occupational	ly carcinogenic to humans - inhaled sources
CAN	МАК		•	9 3A - Evidence of carcinogenic effects 9 establish MAK/BAT value
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrin	e Disruptor
CAN	МАК		Carcinogen Group risk under MAK/B/	9 4 - Non-genotoxic carcinogen with low AT levels
CAN	IARC		Group 2b - Possib	ly carcinogenic to humans
CAN	EU - GHS (H-Statements) Ar	nnex 6 Table 3-1	H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic toxicity exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: None

SILICA, AMORPHOUS

ID: 7631-86-9

HAZARD DATA SOURCE: P	naros Chemical and Materials Library	HAZARD SCREENING DATE: 2024-10-07 12:44:1
%: 0.1000 - 0.5000	GreenScreen: BM-1 R	None NANO: No SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
МАМ	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSP	GSPI - Six Classes Precautionary List
		Antimicrobials

SUBSTANCE NOTES: None

POLYETHYLENE GLYCOL				ID: <b>25322-68-3</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZARI	D SCREENING DATE: 2024-10-07 12:44:10
%: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			Nov	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
RESTRICTED LIST	Green Science Policy Institute (	GSPI)	GSPI - Six Cla	sses Precautionary List
			Antimicrobials	
RESTRICTED LIST	Green Science Policy Institute (	GSPI)	GSPI - Six Cla	sses Precautionary List
			Some Solvents	3

SUBSTANCE NOTES: None

# SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-10-07 12:44:11 %: 0.1000 - 0.5000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Defoamer HAZARD TYPE LIST NAME AND SOURCE WARNINGS German FEA - Substances Hazardous to MUL Class 2 - Hazard to Waters Waters GHS - Australia H350 - May cause cancer [Carcinogenicity - Category 1A CAN or 1B] H315 - Causes skin irritation [Skin corrosion/irritation -SKI GHS - Australia Category 2] DEV GHS - Australia H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2] ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION RESTRICTED LIST C2C Certified v4.0 Product Standard Restricted Cradle to Cradle Products Innovation Institute (C2CPII) Substances List (RSL) - Effective July 1, 2022 **Children's Products** RESTRICTED LIST Cradle to Cradle Products Innovation Institute C2C Certified v4.0 Product Standard Restricted (C2CPII) Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products

SUBSTANCE NOTES: None

ID: 64742-65-0

HAZARD DATA SOURCE: P	haros Chemical and Materials Library	/	HAZARD S	CREENING DATE: 2024-10-07 12:44:12
%: <b>0.1000 - 0.5000</b>	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation category 2	
SKI	GHS - Australia		H315 - Causes sk Category 2]	kin irritation [Skin corrosion/irritation -
EYE	GHS - New Zealand		Serious eye dama	age category 1
AQU	GHS - Japan		H401 - Toxic to a environment (acu	quatic life [Hazardous to the aquatic te) - Category 2]
AQU	GHS - Japan			quatic life with long lasting effects aquatic environment (chronic) -
EYE	GHS - Australia		H318 - Causes se damage/eye irrita	erious eye damage [Serious eye tion - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	b listings found on Additional Hazard Lists

SUBSTANCE NOTES: None

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 0135	50/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2023-08-04 00:00:00 EXPIRY DATE: 2026-08-04 00:00:00	CERTIFIER OR LAB: Berkeley Analytical	
CERTIFICATION AND COMPLIANCE NOTES:			
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments		

CERTIFICATION AND COMPLIANCE NOTES:

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

## **GENNEX COLORANTS (229)**

MANUFACTURER (OR GENERIC): Benjamin Moore

## HPD URL: No HPD available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

# Section 5: General Notes

Notes are not applicable for this product

## MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 360 Route 206 Flanders, NJ 07836 COUNTRY: USA WEBSITE: www.benjaminmoore.com CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager PHONE: 973-252-2607 EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity

**GEN** Gene mutation

GLO Global warming

GreenScreen (GS)

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

PreC Pre-consumer recycled contentPostC Post-consumer recycled contentUNK Inclusion of recycled content is unknownNone Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator<sup>TM</sup>, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

## ULTRA SPEC 500 INTERIOR LATEX PRIMER (N534)

for compliance with the HPD standard noted.