#### **ULTRA SPEC 500 INTERIOR FLAT FINISH (N536)** by Benjamin Moore & Co.

**Health Product** Declaration v2.2

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 26580** 

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: A professional-quality interior waterborne flat finish based on a proprietary acrylic resin that tints on the Gennex® zero VOC colorant system. This waterborne interior flat provides a decorative flat finish that qualifies for LEED® v4 credit and passes the most stringent environmental standards in any color. Because they tint on our Gennex® waterborne colorant system all Ultra Spec® 500 finishes are available in any color without an increase in VOC.

#### Section 1: Summary

#### Basic Method / Product Threshold

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

**Threshold Level** 

C 1,000 ppm

O Per GHS SDS

Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified

○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic)

and Identifier.

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

ULTRA SPEC 500 INTERIOR FLAT FINISH (N536) [ WATER BM-4 LIMESTONE; CALCIUM CARBONATE BM-3dg TITANIUM DIOXIDE LT-1 | CAN | END VINYL ACETATE, POLYMER WITH N-BUTYL ACRYLATE LT-UNK KAOLIN, CALCINED LT-UNK NEPHELINE SYENITE LT-UNK SILICA, AMORPHOUS BM-1 | CAN DIATOMACEOUS EARTH (UNCALCINED) LT-P1 | CAN ALUMINA TRIHYDRATE BM-2 | RES **SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM** DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS **MEASURED BY IP 346 LT-P1 | CAN PENTAPOTASSIUM** TRIPHOSPHATE LT-UNK ETHOXYLATED-2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL LT-P1 | MUL POLYETHYLENE GLYCOL (5) UNDECYL ETHER NoGS C10-16 PARETH-1 LT-UNK HYDROXYETHYL CELLULOSE LT-P1 | END SODIUM LAURETH SULFATE LT-P1 | MUL ALCOHOLS, C9-11, ETHOXYLATED LT-P1 | MUL]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

None

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (q/l): 0.696 Regulatory (q/l): 1.897 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

#### **CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified? PREPARER: Self-Prepared **SCREENING DATE: 2021-11-18**  © Yes VERIFIER: PUBLISHED DATE: 2021-11-18
© No VERIFICATION #: EXPIRY DATE: 2024-11-18

### Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

#### **ULTRA SPEC 500 INTERIOR FLAT FINISH (N536)**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities considered where applicable.

OTHER PRODUCT NOTES: None

**WATER** ID: 7732-18-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-18 19:00:26 %: 45.0000 - 50.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Diluent **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

#### **LIMESTONE; CALCIUM CARBONATE**

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-18 19:00:27 %: 30.0000 - 35.0000 NANO: No SUBSTANCE ROLE: Filler GS: BM-3dg RC: None **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

**TITANIUM DIOXIDE** ID: 13463-67-7

%: 20.0000 - 25.0000 GS: LT-1 SUBSTANCE ROLE: Pigment RC: None

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-18 19:00:28

NANO: No

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: None

#### VINYL ACETATE, POLYMER WITH N-BUTYL ACRYLATE

ID: 25067-01-0

HAZARD SCREENING METHOD	: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-11-18 19:00:28
%: 20.0000 - 25.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

KAOLIN, CALCINED				ID: 92704-41-1
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-11-18 19:00:29
%: 10.0000 - 15.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS	
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

NEPHELINE SYENITE				ID: 37244-96-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-11-18 19:00:29
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

SILICA, AMORPHOUS ID: 7631-86-9

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-11-18 19:00:30
%: 1.0000 - 5.0000	GS: <b>BM-1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS	
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Ca		cer [Carcinogenicity - Category
CAN	GHS - Australia		- May cause can	cer by inhalation [Carcinogenicity

DIATOMACEOUS EARTH (UNCA	LCINED)			ID: 61790-53
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-11-18 19:00:30
%: 1.0000 - 5.0000	GS: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
CAN GHS - Japan		H350 1A]	- May cause can	cer [Carcinogenicity - Category

ALUMINA TRIHYDRATE ID: 21645-51-2

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-11-18 19:00:31
%: 1.0000 - 5.0000	GS: <b>BM-2</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
RES	AOEC - Asthmagens	Asthm only	iagen (ARs) - sen	sitizer-induced - inhalable forms

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None

# SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

ID: 64742-65-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-11-18 19:00:31
%: 0.5000 - 1.0000	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS	
CAN	GHS - Australia	H350 or 1B]	•	cer [Carcinogenicity - Category 1A

SUBSTANCE NOTES: None

#### PENTAPOTASSIUM TRIPHOSPHATE

ID: 13845-36-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-18 19:00:32

%: 0.1000 - 0.5000 RC: None NANO: No SUBSTANCE ROLE: Corrosion inhibitor GS: LT-UNK HAZARD TYPE WARNINGS AGENCY AND LIST TITLES No warnings found on HPD Priority Hazard Lists None found SUBSTANCE NOTES: None

#### ETHOXYLATED-2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL

ID: 9014-85-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-11-18 19:00:32
%: <b>0.1000 - 0.5000</b>	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
MUL	German FEA - Substances Hazardous t Waters	co Class	2 - Hazard to Wa	aters

SUBSTANCE NOTES: None

#### POLYETHYLENE GLYCOL (5) UNDECYL ETHER

ID: 34398-01-1

HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-11-18 19:00:33
%: 0.1000 - 0.5000	GS: NoGS	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

C10-16 PARETH-1 ID: 68002-97-1

HAZARD SCREENING METHOD	: Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-11-18 19:00:33
%: 0.1000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

HYDROXYETHYL CELLULOSE		ID: 9004-62-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-11-18 19:00:34
%: 0.1000 - 0.5000	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SUBSTANCE NOTES: None		

SODIUM LAURETH SULFATE ID: 68585-34-2

HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD SCREENING DATE:		REENING DATE:	2021-11-18 19:00:34
%: 0.1000 - 0.5000	GS: LT-P1	RC: No	ne	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
MUL	German FEA - Substances Hazardous Waters	us to Class 2		2 - Hazard to Wa	aters
SUBSTANCE NOTES: None					

## ALCOHOLS, C9-11, ETHOXYLATED

ID: 68439-46-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-11-18 19:00:35	
%: 0.1000 - 0.5000	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant	
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
MUL	German FEA - Substances Hazardous t Waters	to Class	Class 2 - Hazard to Waters		

SUBSTANCE NOTES: None



#### Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario					
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2020-10- 22	EXPIRY DATE: 2022- 10-21	CERTIFIER OR LAB: Berkeley Analytical			
CERTIFICATION AND COMPLIANCE NOTES:						
VOC CONTENT		SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments				
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2021-11- 18	EXPIRY DATE:	CERTIFIER OR LAB: None			



#### Section 4: Accessories

CERTIFICATION AND COMPLIANCE NOTES: None

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

HPD URL: No HPD available

#### **GENNEX COLORANTS (229)**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Required for all tinted products



#### Section 5: General Notes

Notes are not applicable for this product

#### MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 360 Route 206 Flanders NJ 07836, USA

WEBSITE: www.benjaminmoore.com

CONTACT NAME: Edja Kouassi
TITLE: Sr. Technical Project Manager

PHONE: 973-252-2607

EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

#### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.