ULTRA SPEC 500 INTERIOR SEMI-GLOSS FINISH (N539) by Benjamin Moore & Co.

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21744 CLASSIFICATION: 09 00 00 Finishes

PRODUCT DESCRIPTION: A professional-quality interior waterborne semi-gloss finish based on a proprietary acrylic resin that tints on the Gennex® zero VOC colorant system. This waterborne interior semi-gloss has excellent stain release so it washes clean easily. The product qualifies for LEED® credit and passes the most stringent environmental standards in any color. Because it tints on our Gennex® waterborne colorant system all Ultra Spec® 500 finishes are available in any color without an increase in VOC.

_
_

Section 1: Summary

Basic Method / Product Threshold

\cap	NI ⁻	LEN	IT	INI	/EN	IT	\cap	DV
-	IVI			1141	/EI			\neg

Threshold level Residuals/Impurities All Substances Above the Threshold Indicated Are: **Inventory Reporting Format ⊙** 100 ppm Nested Materials Method C Considered Characterized ○ Yes Ex/SC Yes No Basic Method C 1,000 ppm C Partially Considered % weight and role provided for all substances. Per GHS SDS Not Considered **Threshold Disclosed Per** C Other O Yes Ex/SC O Yes O No Screened Explanation(s) provided Material All substances screened using Priority Hazard Lists with for Residuals/Impurities? Product results disclosed. • Yes • No Identified ○ Yes Ex/SC ○ Yes ○ No All substances disclosed by Name (Specific or Generic) and

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ULTRA SPEC 500 INTERIOR SEMI-GLOSS FINISH (N539) [WATER BM-4 METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE LT-UNK 2-PROPENOIC ACID, POLYMER WITH BUTYL 2-PROPENOATE AND ETHENYL ACETATE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END KAOLIN CLAY LT-UNK | CAN NEPHELINE SYENITE LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK 2,2'-ETHYLENEDIOXYDIETHYL BIS(2-ETHYLHEXANOATE) LT-UNK SILICA, AMORPHOUS BM-1 | CAN ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS LT-UNK ALCOHOLS, C9-11, ETHOXYLATED LT-P1 | MUL ALUMINA TRIHYDRATE BM-2 SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM **DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS** MEASURED BY IP 346 LT-UNK POLYETHYLENE GLYCOL LT-UNK HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346 LT-UNK ETHOXYLATED-2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL LT-P1 | MUL ISOOCTYL ALCOHOL PHOSPHATE, POTASSIUM SALT NoGS HEXANEDIOIC ACID, DIHYDRAZIDE NoGS SODIUM LAURETH SULFATE LT-P1 | MUL ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS LT-UNK POTASSIUM CARBONATE, ANHYDROUS LT-P1 ACETONE LT-P1 | PHY | EYE | END | DEV]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen
Benchmark or List translator Score ... BM-1

Identifier.

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.498 Regulatory (g/l): 1.250 Does the product contain exempt VOCs: No

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS)
Classroom & Office scenario

Are ultra-low VOC tints available: Yes

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

PREPARER: Self-Prepared

C Yes
No

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-09-17
PUBLISHED DATE: 2020-09-17

EXPIRY DATE: 2023-09-17



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ULTRA SPEC 500 INTERIOR SEMI-GLOSS FINISH (N539)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Based on data provided by raw material suppliers

OTHER PRODUCT NOTES: None

WATER				ID: 7732-18-5
HAZARD SCREENING METHOD: Pha	HAZARD SCREENING DATE: 2020-09-17			
%: 50.0000 - 60.0000	GS: BM-4	RC: None	nano: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS	
None found			No warning	s found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE

ID: 25852-37-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-09-17			
%: 15.0000 - 25.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found			No warnings f	ound on HPD Priority Hazard Lists		

SUBSTANCE NOTES: None

2-PROPENOIC ACID, POLYMER WITH BUTYL 2-PROPENOATE AND ETHENYL **ACETATE**

ID: 25085-41-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2020-09-17				
%: 15.0000 - 25.0000	gs: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Binder			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS					
None found		No	warnings foun	d on HPD Priority Hazard Lists			

SUBSTANCE NOTES: None

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-17			
%: 10.0000 - 20.0000	GS: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure rou			
CANCER	IARC		roup 2B - Possibly ca ecupational sources	arcinogenic to humans - inhaled from	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Po	otential Endocrine Di	sruptor	
CANCER	MAK		•	- Evidence of carcinogenic effects stablish MAK/BAT value	
CANCER	MAK		arcinogen Group 4 - sk under MAK/BAT le	Non-genotoxic carcinogen with low evels	

KAOLIN CLAY ID: 1332-58-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-09-17			
%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	MAK	•	en Group 3B - Ev ufficient for class	vidence of carcinogenic effects iffication		
SUBSTANCE NOTES: None						

NEPHELINE SYENITE ID: 37244-96-5

HAZARD SCREENING METHOD: Ph	HAZARD SCREEN	HAZARD SCREENING DATE: 2020-09-17			
%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings f	ound on HPD Priority Hazard Lists	
SUBSTANCE NOTES: None					

LIMESTONE; CALCIUM CARBONATE

ID: **1317-65-3**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-09-17			
%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found			No warnings for	ound on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None						

2,2'-ETHYLENEDIOXYDIETHYL BIS(2-ETHYLHEXANOATE)

ID: **94-28-0**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-17			
%: 0.5000 - 5.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Coalescent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS		
None found			No warni	ngs found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: None					

SILICA, AMORPHOUS ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-17			
%: Impurity/Residual	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
CANCER	GHS - Japan	Ca	arcinogenicity	- Category 1A [H350]	
CANCER	GHS - Australia	НЗ	350i - May caı	use cancer by inhalation	
SUBSTANCE NOTES: None					

ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS

ID: 78330-21-9

HAZARD SCREENING METHOD: Ph	HAZARD SCREENING DATE: 2020-09-17			
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
None found			No warni	ngs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

ALCOHOLS, C9-11, ETHOXYLATED

ID: 68439-46-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-17

%: 0.1000 - 1.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class	2 - Hazard to W	aters
SUBSTANCE NOTES: None				

ALUMINA TRIHYDRATE				ID: 21645-51- 2		
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-17				
%: Impurity/Residual	GS: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES	١	WARNINGS			
None found			No	warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None						

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

ID: 64742-65-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD S	CREENING D	ATE: 2020-09-17
%: 0.0500 - 0.5000	GS: LT-UNK		RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warning	s found on	HPD Priority Hazard Lists
SUBSTANCE NOTES: None					

POLYETHYLENE GLYCOL				ID: 25322-6 8
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-17		
%: Impurity/Residual	gs: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
None found			No v	warnings found on HPD Priority Hazard List

HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346

ID: 64742-54-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-17

SUBSTANCE NOTES: None

%: 0.0500 - 0.5000

GS: LT-UNK

RC: NANO: SUBSTANCE ROLE: None

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

ETHOXYLATED-2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL

ID: 9014-85-1

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	0-09-17
%: 0.0100 - 0.5000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class	2 - Hazard to W	Vaters
SUBSTANCE NOTES: None				

ISOOCTYL ALCOHOL PHOSPHATE, POTASSIUM SALT

ID: 68647-19-8

HAZARD SCREENING METHOD: Ph	naros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020-	09-17
%: 0.0100 - 0.2000	gs: NoGS	RC: None	nano: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings t	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

HEXANEDIOIC ACID, DIHYDRAZIDE

ID: 1071-93-8

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREE	ENING DATE: 202	0-09-17
%: 0.0100 - 0.2000	GS: NoGS	RC: None	nano: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
None found			No war	nings found on HPD Priority Hazard List

SODIUM LAURETH SULFATE

ID: 68585-34-2

HAZARD SCREENING METHOD: Pharos Chei	mical and Materials Library	HAZARD SCREEN	ING DATE: 2020-	09-17
%: 0.0100 - 0.2000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: None

ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS

ID: 68439-57-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-09-17			
%: 0.0100 - 0.1500	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found			No warnings fo	ound on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None						

POTASSIUM CARBONATE, ANHYDROUS

ID: **584-08-7**

HAZARD SCREENING METHOD: Ph	HAZARD SCREENING DATE: 2020-09-17			
%: 0.0100 - 0.1000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings t	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

ACETONE ID: 67-64-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARI		HAZARD SC	ARD SCREENING DATE: 2020-09-17			
%: Impurity/Residual	GS: LT-P1	RC: None	e NANO: No SUBSTANCE ROLE: Impurity/Res			
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H225 - Highly fl	lammable liquid and vapour		
EYE IRRITATION	EU - GHS (H-Statements)		H319 - Causes serious eye irritation			
ENDOCRINE	TEDX - Potential Endocrine Disrupto	ors	Potential Endocrine Disruptor			
DEVELOPMENTAL	MAK		Pregnancy Risk Group B			
SUBSTANCE NOTES: None						



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

ISSUE DATE: 2018-

10-23

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFICATE URI:

CERTIFICATION AND COMPLIANCE NOTES: None

VOC CONTENT SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: None

ISSUE DATE: 2020-

09-17

EXPIRY DATE:

EXPIRY DATE: 2021-

10-23

HPD URL: No HPD available

CERTIFIER OR LAB: N/A

CERTIFIER OR LAB: Berkeley

Analytical

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANT (229)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Required for all tinted products



Section 5: General Notes

SDS/TDS available at www.benjaminmoore.com

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 101 Paragon Drive

Montvale NJ 07645, USA

WEBSITE: www.Benjaminmoore.com

CONTACT NAME: Edja Kouassi

TITLE: Technical Project Manager

PHONE: **973-252-2607**

EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this