Regal Select Waterborne Interior Paint - Matte (N548) by Benjamin Moore & Co.

HPD UNIQUE IDENTIFIER: 29449

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: A premium quality, 100% acrylic paint and primer that delivers a durable and washable finish. Ideal for surfaces subject to abuse and soil, it uses a proprietary stain release technology that allows common household stains to be easily removed with soap and water. It offers exceptional flow and leveling for a smooth application. Proprietary stain release technology, Exceptional flow and leveling Excellent hide and coverage, Paint and primer together, Provides a mildew-resistant coating, Engineered with Gennex® Color Technology

Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format O Nested Materials Method
- Basic Method

Threshold Disclosed Per

O Material

• Product

Threshold Level **Residuals/Impurities Evaluation** Completed C Partially Completed O Per GHS SDS O Not Completed Explanation(s) provided :

• Yes O No

Basic Method / Product Threshold

For all contents above the threshold, the man	ufacturer has:
Characterized	⊙ Yes ⊖ No
Provided weight and role.	
Screened	⊙ Yes O No
Provided screening results using HPDC-appro	oved
methods.	
Identified	⊙ Yes ⊖ No
Provided name and CAS RN or other identifie	r.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

• 100 ppm

O Other

C 1,000 ppm

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY **GREENSCREEN SCORE** | HAZARD TYPE

REGAL SELECT WATERBORNE INTERIOR PAINT - MATTE (N548) [WATER BM-4 TITANIUM DIOXIDE LT-1 | CAN | END | | MUL | MAM | DEV | AQU | EYE DAKRIL 4B LT-UNK | | MUL NEPHELINE SYENITE LT-UNK | DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA] LT-P1 | CAN | MAM | DEV KAOLIN, CALCINED LT-UNK | TEXANOL LT-UNK | CAN | MUL | AQU | EYE SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346 LT-P1 | CAN | SKI | | MUL | MAM | DEV SILICON DIOXIDE BM-1 | CAN | | MAM | DEV | EYE ALUMINUM HYDROXIDE, DRIED BM-2 | RES | | MUL | DEV PROPYLENE GLYCOL BM-2 | END | MUL | DEV | REP ETHOXYLATED-2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL LT-P1 | MUL TRIDECYL ALCOHOL, ETHOXYLATED, PHOSPHATED, AMMONIUM SALTS NoGS]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 20.383 Regulatory (g/l): 45.231 Does the product contain exempt VOCs: No Are colorants available that do not increase the VOC content of the base paint when tinted: Yes

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1, BM-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

None

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

O Yes • No

PREPARER: Self-Prepared VERIFIER: **VERIFICATION #:**

SCREENING DATE: 2022-07-29 PUBLISHED DATE: 2022-07-29 EXPIRY DATE: 2025-07-29

HPD v2.3 created via HPDC Builder Page 1 of 10

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

REGAL SELECT WATERBO	RNE INTERIOR PAINT - MATTE (N548)				
PRODUCT THRESHOLD: 10	0 ppm	RESIDUA	LS AND IMPURITI	ES EVALUATION COMPLI	ETED: Yes
RESIDUALS AND IMPURITIE	ES NOTES: Residuals/Impurities considere	d where app	licable		
OTHER PRODUCT NOTES:					
WATER					ID: 7732-18-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-07-29 13:55:36	
%: 40.0000 - 45.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE:	Diluent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warr	nings found on HPD Priorit	ty Hazard Lists
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
EXEMPT	European Union / European Cor (EU EC)	nmission	EU - REACH Exemptions		
	(20 20)		Exempted from safety	REACH Annex IV listing du	ue to intrinsic
POSITIVE LIST	US Environmental Protection Ag EPA)	jency (US	US EPA - DfE SC	NL	
			Green Circle - Ve	erified Low Concern	

SUBSTANCE NOTES:

TITANIUM DIOXIDE					ID: 13463-67-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-07-29 13:55:36	
%: 15.0000 - 20.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE:	Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
	EC - CEPA DSL	Persistent
MUL	Québec CSST - WHMIS 1988	Class D2A - Very toxic material causing other toxic effects
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MUL	EC - CEPA DSL	Inherently Toxic to Humans (iTH)
DEV	МАК	Pregnancy Risk Group C
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
AQU	GHS - Japan	H413 - May cause long lasting harmful effects to aquatic life [Hazardous to the aquatic environment (chronic) - Category 4]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2B]
МАМ	GHS - Japan	H335 or H336 [Specific target organs/systemic toxicity following single exposure - Category 3]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US	US EPA - DfE SCIL
	EPA)	Green Circle - Verified Low Concern
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
SUBSTANCE NOTES:		
DAKRIL 4B		ID: 25852-37-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-07-29 13:55:37
%: 15.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	EC - CEPA DSL		Persistent	
MUL	EC - CEPA DSL		Inherently Toxic	to Humans (iTH)
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				
•				

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE: 20	022-07-29 13:55:37
%: 10.0000 - 15.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Fille
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag EPA)	ency (US	US EPA - DfE SCIL	
			Green Circle - Verif	ied Low Concern

NEPHELINE SYENITE

AZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-07-29 13:55:37
6: 1.0000 - 5.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	GHS - Japan		H350 - May caus 1A-1B]	se cancer [Carcinogenicity - Category
МАМ	GHS - Japan		repeated exposu	amage to organs through prolonged o ire [Specific target organs/systemic g repeated exposure - Category 1]
DEV	МАК		Pregnancy Risk	Group C
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No	listings found on Additional Hazard Lis
SUBSTANCE NOTES:				

ID: 37244-96-5

	,		Green Half-Circle	- Expected Low Concern
POSITIVE LIST	US Environmental Protection Ag EPA)	ency (US	US EPA - DfE SCI	L
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
	EC - CEPA DSL		Persistent	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE: 2	2022-07-29 13:55:38

TEXANOL

ID: 25265-77-4

AZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-07-29 13:55:38
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coalescent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	МАК		-	up 3A - Evidence of carcinogenic effects t to establish MAK/BAT value
MUL	EC - CEPA DSL		Inherently Toxic	to Humans (iTH)
MUL	German FEA - Substances Haz Waters	ardous to	Class 1 - Low Ha	azard to Waters
AQU	GHS - Japan			o aquatic life [Hazardous to the aquatic ute) - Category 3]
EYE	GHS - Japan			erious eye irritation [Serious eye itation - Category 2B]
AQU	GHS - New Zealand		Hazardous to the category 3	e aquatic environment - chronic
AQU	GHS - Japan			o aquatic life with long lasting effects e aquatic environment (chronic) -
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
RESTRICTED LIST	US Environmental Protection A	gency (US	US EPA - DfE SC	ЯL
	EPA)		Yellow Triangle - profile issues	best available in class but some hazard
SUBSTANCE NOTES:				
	VY PARAFFINIC PETROLEUM CONTAIN LESS THAN 3 % DMSO AS			ID: 64742-65-

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-29 13:55:39

%: 0.5000 - 1.0000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Defoamer

GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EC - CEPA DSL	Persistent
EC - CEPA DSL	Inherently Toxic to Humans (iTH)
GHS - Australia	H332 - Harmful if inhaled [Acute toxicity (inhalation) - Category 4]
GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
AGENCY	NOTIFICATION
	No listings found on Additional Hazard Lists
	GHS - Australia EC - CEPA DSL EC - CEPA DSL GHS - Australia GHS - Australia

SILICON DIOXIDE			ID: 7631-86- 9
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2022-07-29 13:55:39
%: 0.5000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: No SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
	EC - CEPA DSL		Persistent
МАМ	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
МАМ	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
DEV	МАК		Pregnancy Risk Group C
MAM	GHS - Japan		H335 or H336 [Specific target organs/systemic toxicity following single exposure - Category 3]
CAN	IARC		Group 3 - Agent is not classifiable as to its carcinogenicity to humans
EYE	GHS - Japan		H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2]

ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
POSITIVE LIST	US Environmental Protection Ag	gency (US	US EPA - DfE SC	ЯL	
			Green Circle - Ve	erified Low Concern	
SUBSTANCE NOTES:					
ALUMINUM HYDROXIDE,	DRIED				ID: 21645-51-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-07-29 13:55:40	
%: 0.1000 - 0.5000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE:	Fixing agent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
RES	AOEC - Asthmagens		Asthmagen (Rs)	- sensitizer-induced	
	EC - CEPA DSL		Persistent		
MUL	EC - CEPA DSL		Inherently Toxic	to Humans (iTH)	
DEV	МАК		Pregnancy Risk	Group D	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	vation		Product Standard Restr (RSL) - Effective July 1,	
			Biological and E	nvironmentally Released	Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	vation		Product Standard Restr (RSL) - Effective July 1,	
			Children's Produ	icts	
SUBSTANCE NOTES:					
PROPYLENE GLYCOL					ID: 57-55-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-07-29 13:55:40	
%: 0.1000 - 0.5000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE	E: Solvent

			10.110.110	obbolinitioe note: oonoin
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
END	TEDX - Potential Endocrine Disrupto	ors	Potential Endocrine	Disruptor
MUL	EC - CEPA DSL		Inherently Toxic to H	Humans (iTH)
MUL	German FEA - Substances Hazardo Waters	us to	Class 1 - Low Hazar	rd to Waters
DEV	US NIH - Reproductive & Developm Monographs	ental	Clear Evidence of no Toxicity	o Adverse Effects - Developmental
REP	US NIH - Reproductive & Developm Monographs	ental	Clear Evidence of no Toxicity	o Adverse Effects - Reproductive

ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
POSITIVE LIST	US Environmental Protection Ag	jency (US	US EPA - DfE S	CIL	
	EPA)		Green Circle - V	erified Low Concern	
SUBSTANCE NOTES:					
ETHOXYLATED-2,4,7,9-T	ETRAMETHYL-5-DECYNE-4,7-DIOL				ID: 9014-85-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-07-29 13:55:41	
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE	: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
MUL	German FEA - Substances Haza Waters	rdous to	Class 2 - Hazaro	d to Waters	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
None found			No	listings found on Additic	onal Hazard Lists
SUBSTANCE NOTES:					
TRIDECYL ALCOHOL, ET AMMONIUM SALTS	HOXYLATED, PHOSPHATED,				ID: 69029-43-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-07-29 13:55:41	
%: 0.1000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE	Emulsifier
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No war	nings found on HPD Pric	rity Hazard Lists
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
None found			No	listings found on Additic	onal Hazard Lists

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	SSIONS CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scena		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2022-01-21 EXPIRY DATE: 2025-01-20	CERTIFIER OR LAB: Berkley analytical	
CERTIFICATION AND COMPLIANCE NOTES:			
	EPA Method 24 - Volatile Matter Content (EPA 24)		
VOC CONTENT	EPA Method 24 - Volatile Matter Con	tent (EPA 24)	
VOC CONTENT CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	EPA Method 24 - Volatile Matter Con ISSUE DATE: 2022-07-29 EXPIRY DATE:	tent (EPA 24) CERTIFIER OR LAB: Benjamin Moore	

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX

MANUFACTURER (OR GENERIC): Benjamin Moore

HPD URL: No HPD available ACCESSORY TYPE: Maintenance Product CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

No additional noted for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 360 Route 206 Flanders NJ 07836, USA WEBSITE: www.benjaminmoore. com

CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager PHONE: 973-252-2607 EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

GreenScreen (GS)

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

BM-U Benchmark Unspecified (due to insufficient data) GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are

DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.