BLOCK OUT INTERIOR PRIMER TINTABLE WHITE (NO-4000) by Benjamin Moore & Co.

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21673

CLASSIFICATION: 09 00 00 Finishes

PRODUCT DESCRIPTION: Block Out® Interior Primer is a solvent based, quick drying sealer which is effective over a broad spectrum of stains including many which are difficult to seal with a water based stain suppressor. Block Out® Interior Primer can be used over water, tannin, smoke, rust, pencil, ink, nicotine, coffee and most other stains Block Out® Interior Primer can be used on bare or previously painted surfaces. It dries in 30 minutes and can be top-coated in two hours.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level • 100 ppm • 1,000 ppm

C Per GHS SDS

C Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered
- Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC O Yes O No

 % weight and role provided for all substances.

Screened

All substances screened using Priority Hazard Lists with results disclosed.

○ Yes Ex/SC ○ Yes ○ No

○ Yes Ex/SC ⊙ Yes ○ No

Identified

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

BLOCK OUT INTERIOR PRIMER TINTABLE WHITE (NO-4000) [LIMESTONE LT-UNK C9-11 ALKANE/CYCLOALKANE BM-1 | PBT | MAM | GEN | CAN | MUL POLYACRYLATE-40 NoGS TITANIUM DIOXIDE LT-1 | CAN | END DIBUTYL PHTHALATE (DBP) LT-1 | DEV | END | REP | MUL | AQU | CAN STODDARD SOLVENT LT-1 | MAM | GEN | CAN | MUL SILICON DIOXIDE BM-1 | CAN LECITHINS LT-UNK ALUMINUM HYDROXIDE, DRIED BM-2 2-BUTANONE OXIME LT-1 | SKI | EYE | CAN]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 343.206 Regulatory (g/l): 343.206 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES: Reviewed per GHS criteria

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CARB 2007, Suggested Control Measure (SCM) for Architectural Coatings VOC content: CARB 2007, Suggested Control Measure (SCM) for Architectural Coatings

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2020-09-10

O Yes O No VERIFIER: VERIFICATION #: PUBLISHED DATE: 2020-09-10 EXPIRY DATE: 2023-09-10 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

BLOCK OUT INTERIOR PRIMER TINTABLE WHITE (NO-4000)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Based on data provided by raw material suppliers

OTHER PRODUCT NOTES: None

LIMESTONE ID: 1317-65-3				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-10				
%: 50.0000 - 60.0000	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings fo	ound on HPD Priority Hazard Lists

C9-11 ALKANE/CYCLOALKANE ID: 64742-48-9				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-10		
%: 15.0000 - 25.0000	GS: BM-1	RC: None	NANO: NO	SUBSTANCE ROLE: Diluent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	GHS - Australia	H340 - May cause genetic defects
CANCER	GHS - Australia	H350 - May cause cancer

POLYACRYLATE-40				ID: 172201-25- 1
HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREE	ENING DATE: 2020-	-09-10
%: 5.0000 - 10.0000	GS: NoGS	RC: None	NANO: NO	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				
TITANIUM DIOXIDE				ID: 13463-67-
HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2020-0	9-10
%: 5.0000 - 15.0000	GS: LT-1	RC: None	NANO: NO	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

DIBUTYL PHTHALATE (DBP)				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	NING DATE: 2020-	09-10
%: 0.0500 - 2.0000	GS: LT-1	RC: None	NANO: NO	SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
ENDOCRINE	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Female
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male
REPRODUCTIVE	EU - SVHC Authorisation List	Toxic to reproduction - Banned unless Authorised
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
DEVELOPMENTAL	EU - GHS (H-Statements)	H360Df - May damage the unborn child. Suspected of damaging fertility
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
REPRODUCTIVE	GHS - Korea	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]
REPRODUCTIVE	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
DEVELOPMENTAL	GHS - Malaysia	H360Df - May damage the unborn child. Suspected of damaging fertility
DEVELOPMENTAL	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-10		
%: 0.0500 - 2.0000	GS: LT-1	RC: None NANO: NO SUBSTANCE ROLE: Diluent		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways		
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects		
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer		
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure		
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man		
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence		
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B		
GENE MUTATION	GHS - Malaysia	H340 - May cause genetic defects		
CANCER	GHS - Malaysia	H350 - May cause cancer		
GENE MUTATION	GHS - Australia	H340 - May cause genetic defects		
CANCER	GHS - Australia	H350 - May cause cancer		

SILICON DIOXIDE				ID: 7631-86-9
HAZARD SCREENING METHOD: PI	naros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020-	09-10
%: 0.0500 - 2.0000	GS: BM-1	RC: None	NANO: NO	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	5	
CANCER	GHS - Japan	Carcino	genicity - Catego	ry 1A [H350]
CANCER	GHS - Australia	H350i -	May cause cance	er by inhalation
SUBSTANCE NOTES: None				
LECITHINS				ID: 8030-76-0
HAZARD SCREENING METHOD: PI	naros Chemical and Materials Library	HAZARD SCREI	ENING DATE: 2020	-09-10
%: 0.0500 - 1.0000	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Filler
K OUT INTERIOR PRIMER TINT	ABLE WHITE (NO-4000)			

BLOCK OUT INTERIOR PRIMER TINTABLE WHITE (NO-4000) hpdrepository.hpd-collaborative.org

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

ID: 21645-51-2

SUBSTANCE NOTES: None

ALUMINUM HYDROXIDE, DRIED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-10		
%: 0.0500 - 1.0000	GS: BM-2	RC: None	NANO: NO	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

2-BUTANONE OXIME ID: 96-29-7					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	NING DATE: 2020-	09-10	
%: 0.0500 - 1.0000	GS: LT-1	RC: None	NANO: NO	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - N	May cause an alle	rgic skin reaction	
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage		ve damage	
CANCER	EU - GHS (H-Statements)	H351 - S	Suspected of cau	sing cancer	
CANCER	МАК	Carcino man	gen Group 2 - Co	nsidered to be carcinogenic for	
SKIN SENSITIZE	МАК	Sensitizi	ing Substance Sh	a - Danger of skin sensitization	

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CARB 2007, Suggested Control Measure (SCM) for Architectural Coatings			
CERTIFYING PARTY: Self-declared Applicable facilities: All CERTIFICATE URL:	ISSUE DATE: 2020- EXPIRY DATE: CERTIFIER OR LAB: N/A 09-10			
CERTIFICATION AND COMPLIANCE NOTES:				
VOC CONTENT	CARB 2007, Suggested Control Measure (SCM) for Architectural Coatings			
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2020- EXPIRY DATE: CERTIFIER OR LAB: N/A 09-10			
CERTIFICATION AND COMPLIANCE NOTES:				

🕒 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANTS (229)

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

SDS and TDS available on www.benjaminmoore.com

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. Address: 101 Paragon Drive Montvale NJ 07645, United States WEBSITE: www.Benjaminmoore.com CONTACT NAME: Edja Kouassi TITLE: Technical Project Manager PHONE: 9732522607 EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

BLOCK OUT INTERIOR PRIMER TINTABLE WHITE (NO-4000) hpdrepository.hpd-collaborative.org