ULTRA SPEC 500 INTERIOR LOW SHEEN EGGSHELL (T537) by Benjamin Moore & Co.

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1515265024

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: A professional-quality interior waterborne low sheen eggshell finish based on a proprietary cross-linking acrylic resin that tints on the Gennex® zero VOC colorant system. This waterborne Interior Low Sheen- Eggshell finish provides excellent wash ability in a soft sheen. The product is eligible for LEED® v4 credit and passes the most stringent environmental standards in any color.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method
- Threshold Disclosed Per
- C Material

O Product

- Threshold Level © 100 ppm © 1,000 ppm © Per GHS SDS © Other
- **Residuals/Impurities Evaluation**
- Completed
- C Partially Completed
- O Not Completed
- Explanation(s) provided : • Yes O No

Basic Method / Product Threshold

For all contents above the threshold, the Characterized	manufacturer has:
Provided weight and role. Screened	⊙ Yes ⊖ No
Provided screening results using HPDC-a methods.	approved
Identified	O Yes O No
Provided name and CAS RN or other ider	ntifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ULTRA SPEC 500 INTERIOR LOW SHEEN EGGSHELL (T537) [WATER BM-4 LIMESTONE BM-3dg TITANIUM DIOXIDE BM-1] CAN | END | MAM NEPHELINE SYENITE LT-UNK KAOLIN, CALCINED LT-UNK KAOLIN LT-UNK | CAN SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9) BM-1 | CAN | MAM SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346 LT-P1 | MUL | CAN | SKI | DEV HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346 LT-P1 || MUL | CAN | SKI | DEV HYDROXYETHYL CELLULOSE LT-P1 || END C9-11 PARETH-3 LT-P1 || SKI | EYE | AQU TRIDECYL ALCOHOL, ETHOXYLATED, PHOSPHATED, AMMONIUM SALTS NOGS]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.72 Regulatory (g/l): 1.75 Does the product contain exempt VOCs: Yes Are colorants available that do not increase the VOC content of the base paint when tinted: Yes Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) \dots BM-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Fire Proofing Exterior Coatings, Fire Retardant Coatings, Graphic Arts (Sign) Coatings, High Temperature IM Coatings, Japans/Faux Finishing Coatings, Magnesite Cement Coatings, Roof Primers (Bituminous), Shellac, S

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? C Yes C No PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2024-10-11 PUBLISHED DATE: 2024-10-11 EXPIRY DATE: 2027-10-11 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ULTRA SPEC 500 INTERIOR LOW SHEEN EGGSHELL (T537) PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes RESIDUALS AND IMPURITIES NOTES: Impurities considered where applicable. OTHER PRODUCT NOTES: None. WATER ID: 7732-18-5 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-10-11 7:36:57 %: 50.0000 - 55.0000 GreenScreen: BM-4 RC: None SUBSTANCE ROLE: Diluent NANO: No HAZARD TYPE LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION EXEMPT European Union / European Commission (EU **EU - REACH Exemptions** EC)

SUBSTANCE NOTES:

- 20.0000 GreenScreen: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Filler TYPE LIST NAME AND SOURCE WARNINGS d No warnings found on HPD Priority Hazard List
No warnings found on HPD Priority Hazard List
AL LISTINGS LIST NAME AND SOURCE NOTIFICATION
No listings found on Additional Hazard List
CE NOTES:

Exempted from REACH Annex IV listing due to intrinsic

safety

HAZARD DATA SOURCE: PI	naros Chemical and Materials Libra	ary	HAZARD	SCREENING DATE: 2024-10-11 7:36
%: 15.0000 - 20.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carci	nogens	Occupational Carc	sinogen
CAN	CA EPA - Prop 65		Carcinogen - spec	ific to chemical form or exposure route
CAN	IARC		Group 2B - Possib from occupational	ly carcinogenic to humans - inhaled sources
CAN	МАК			o 3A - Evidence of carcinogenic effects o establish MAK/BAT value
END	TEDX - Potential Endocrine D	isruptors	Potential Endocrin	e Disruptor
CAN	МАК		Carcinogen Group risk under MAK/BA	9 4 - Non-genotoxic carcinogen with low AT levels
CAN	IARC		Group 2b - Possib	ly carcinogenic to humans
CAN	EU - GHS (H-Statements) And	nex 6 Table 3-1	H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic toxic l exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Inn (C2CPII)	ovation Institute		Product Standard Restricted RSL) - Effective July 1, 2022
			Children's Product	is
RESTRICTED LIST	Cradle to Cradle Products Inn (C2CPII)	ovation Institute) Product Standard Restricted RSL) - Effective July 1, 2022
			Formulated Consu	umer Products
RESTRICTED LIST	Cradle to Cradle Products Inn (C2CPII)	ovation Institute		Product Standard Restricted RSL) - Effective July 1, 2022
			Cosmetics & Pers	onal Care Products
POSITIVE LIST	US Environmental Protection EPA)	Agency (US	US EPA - DfE Saf	er Chemicals Ingredients list (SCIL)
			Colorants - Green	Circle (Verified Low Concern)
SUBSTANCE NOTES:				
NEPHELINE SYENITE				ID: 37244-9
HAZARD DATA SOURCE: PI	naros Chemical and Materials Libra	ary	HAZARDS	SCREENING DATE: 2024-10-11 7:36
%: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warn	ings found on HPD Pri	iority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additi	onal Hazard Lists
SUBSTANCE NOTES:					
L					
KAOLIN, CALCINED					ID: 92704-41-1
	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2	024-10-11 7:36:27
%: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROI	LE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warn	iings found on HPD Pri	iority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additi	onal Hazard Lists
SUBSTANCE NOTES:					
KAOLIN					ID: 1332-58-7
	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2	
	Pharos Chemical and Materials Library GreenScreen: LT-UNK	RC: None	HAZARD S NANO: No	CREENING DATE: 2 SUBSTANCE ROI	024-10-11 7:36:57
HAZARD DATA SOURCE:	-	RC: None			024-10-11 7:36:57
HAZARD DATA SOURCE: %: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No Warnings	SUBSTANCE ROI 3B - Evidence of carcir	024-10-11 7:36:57 ∟E: Filler
HAZARD DATA SOURCE: %: 1.0000 - 5.0000 HAZARD TYPE	GreenScreen: LT-UNK	RC: None	NANO: No WARNINGS Carcinogen Group	SUBSTANCE ROI 3B - Evidence of carcir	024-10-11 7:36:57 ∟E: Filler
HAZARD DATA SOURCE: %: 1.0000 - 5.0000 HAZARD TYPE	GreenScreen: LT-UNK	RC: None	NANO: No WARNINGS Carcinogen Group	SUBSTANCE ROI 3B - Evidence of carcir	024-10-11 7:36:57 ∟E: Filler
HAZARD DATA SOURCE: %: 1.0000 - 5.0000 HAZARD TYPE CAN	GreenScreen: LT-UNK LIST NAME AND SOURCE MAK	RC: None	NANO: No WARNINGS Carcinogen Group but not sufficient fo NOTIFICATION	SUBSTANCE ROI 3B - Evidence of carcir	024-10-11 7:36:57
HAZARD DATA SOURCE: %: 1.0000 - 5.0000 HAZARD TYPE CAN ADDITIONAL LISTINGS	GreenScreen: LT-UNK LIST NAME AND SOURCE MAK	RC: None	NANO: No WARNINGS Carcinogen Group but not sufficient fo NOTIFICATION	SUBSTANCE ROL 3B - Evidence of carcin r classification	024-10-11 7:36:57
HAZARD DATA SOURCE: %: 1.0000 - 5.0000 HAZARD TYPE CAN ADDITIONAL LISTINGS None found	GreenScreen: LT-UNK LIST NAME AND SOURCE MAK	RC: None	NANO: No WARNINGS Carcinogen Group but not sufficient fo NOTIFICATION	SUBSTANCE ROL 3B - Evidence of carcin r classification	024-10-11 7:36:57
HAZARD DATA SOURCE: %: 1.0000 - 5.0000 HAZARD TYPE CAN ADDITIONAL LISTINGS None found SUBSTANCE NOTES:	GreenScreen: LT-UNK LIST NAME AND SOURCE MAK LIST NAME AND SOURCE	RC: None	NANO: No WARNINGS Carcinogen Group but not sufficient fo NOTIFICATION	SUBSTANCE ROL 3B - Evidence of carcin r classification	024-10-11 7:36:57
HAZARD DATA SOURCE: %: 1.0000 - 5.0000 HAZARD TYPE CAN ADDITIONAL LISTINGS None found SUBSTANCE NOTES: SILICA, AMORPHOUS (PF	GreenScreen: LT-UNK LIST NAME AND SOURCE MAK LIST NAME AND SOURCE	RC: None	NANO: No WARNINGS Carcinogen Group but not sufficient fo NOTIFICATION No	SUBSTANCE ROL 3B - Evidence of carcin r classification	024-10-11 7:36:57 LE: Filler nogenic effects onal Hazard Lists
HAZARD DATA SOURCE: %: 1.0000 - 5.0000 HAZARD TYPE CAN ADDITIONAL LISTINGS None found SUBSTANCE NOTES: SILICA, AMORPHOUS (PF HAZARD DATA SOURCE:	GreenScreen: LT-UNK LIST NAME AND SOURCE MAK LIST NAME AND SOURCE LIST NAME AND SOURCE MARY CASRN IS 7631-86-9) Pharos Chemical and Materials Library		NANO: No WARNINGS Carcinogen Group but not sufficient fo NOTIFICATION No HAZARD S	SUBSTANCE ROL 3B - Evidence of carcin r classification	024-10-11 7:36:57 LE: Filler nogenic effects onal Hazard Lists ID: 37241-25-1 024-10-11 7:36:57
HAZARD DATA SOURCE: %: 1.0000 - 5.0000 HAZARD TYPE CAN ADDITIONAL LISTINGS None found SUBSTANCE NOTES: SILICA, AMORPHOUS (PF	GreenScreen: LT-UNK LIST NAME AND SOURCE MAK LIST NAME AND SOURCE	RC: None	NANO: No WARNINGS Carcinogen Group but not sufficient fo NOTIFICATION No	SUBSTANCE ROL 3B - Evidence of carcin r classification	024-10-11 7:36:57 LE: Filler nogenic effects onal Hazard Lists ID: 37241-25-1 024-10-11 7:36:57
HAZARD DATA SOURCE: %: 1.0000 - 5.0000 HAZARD TYPE CAN ADDITIONAL LISTINGS None found SUBSTANCE NOTES: SILICA, AMORPHOUS (PF HAZARD DATA SOURCE:	GreenScreen: LT-UNK LIST NAME AND SOURCE MAK LIST NAME AND SOURCE LIST NAME AND SOURCE MARY CASRN IS 7631-86-9) Pharos Chemical and Materials Library		NANO: No WARNINGS Carcinogen Group but not sufficient fo NOTIFICATION No HAZARD S	SUBSTANCE ROL 3B - Evidence of carcin r classification	024-10-11 7:36:57 LE: Filler nogenic effects onal Hazard Lists ID: 37241-25-1 024-10-11 7:36:57

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
МАМ	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials

SUBSTANCE NOTES:

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-10-11 7:36:58 %: 0.5000 - 1.0000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Defoamer HAZARD TYPE LIST NAME AND SOURCE WARNINGS MUL German FEA - Substances Hazardous to Class 2 - Hazard to Waters Waters CAN GHS - Australia H350 - May cause cancer [Carcinogenicity - Category 1A or 1B] SKI GHS - Australia H315 - Causes skin irritation [Skin corrosion/irritation -Category 2] GHS - Australia DEV H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2] ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION RESTRICTED LIST Cradle to Cradle Products Innovation Institute C2C Certified v4.0 Product Standard Restricted (C2CPII) Substances List (RSL) - Effective July 1, 2022 Children's Products RESTRICTED LIST C2C Certified v4.0 Product Standard Restricted Cradle to Cradle Products Innovation Institute (C2CPII) Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products

ID: 64742-65-0

HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		ibrary HAZARD SCREENING DATE: 2024-10-11 7:36:	
%: 0.5000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances H Waters	German FEA - Substances Hazardous to Waters		to Waters
CAN	GHS - Australia		H350 - May cause or 1B]	e cancer [Carcinogenicity - Category 1A
SKI	GHS - Australia		H315 - Causes sk Category 2]	in irritation [Skin corrosion/irritation -
DEV	GHS - Australia		H361d - Suspecte [Reproductive toxi	d of damaging the unborn child icity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Inr (C2CPII)	novation Institute) Product Standard Restricted RSL) - Effective July 1, 2022
			Children's Produc	ts
RESTRICTED LIST	Cradle to Cradle Products Inr (C2CPII)	novation Institute) Product Standard Restricted RSL) - Effective July 1, 2022
			Formulated Consu	umer Products

SUBSTANCE NOTES:

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ry	HAZAF	RD SCREENING DATE: 2024-10-11 7:36:30
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine D	isruptors	Potential Endo	crine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	Ν
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				
C9-11 PARETH-3				ID: 68439-46-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-10-11 7:36:30	
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand	GHS - New Zealand		egory 2
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation Category 2]	
EYE	GHS - New Zealand		Serious eye damage category 1	
AQU	GHS - Japan		H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]	
AQU	GHS - Japan		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	
EYE	GHS - Australia		H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists

SUBSTANCE NOTES:

÷.

HAZARD DATA SOURCE: F	Pharos Chemical and Materials Librar	у	HAZARD	SCREENING DATE: 2024-10-11 7:36:3
%: 0.1000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 013	350/CHPS) - Classroom & Office scenario
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2023-03-23 00:00:00 EXPIRY DATE: 2026-03-23 00:00:00	CERTIFIER OR LAB: Berkeley Analytical
CERTIFICATION AND COMPLIANCE NOTES: No	ne	
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Fire Proofing Exterior Coating Retardant Coatings, Graphic Arts (Sign) Coatings, High Temperature IM Co Japans/Faux Finishing Coatings, Magnesite Cement Coatings, Roof Prime (Bituminous), Shellac, S	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-10-11 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: N/A

CERTIFICATION AND COMPLIANCE NOTES:

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANTS

MANUFACTURER (OR GENERIC): Benjamin Moore & Co.

HPD URL: No HPD Available ACCESSORY TYPE: Colorant System CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

Notes are not applicable for this product

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 360 Route 206 Flanders, NJ 07836 COUNTRY: United States WEBSITE: www.benjaminmoore.com CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager PHONE: 9732522607 EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled content
 PostC Post-consumer recycled content
 UNK Inclusion of recycled content is unknown
 None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

ULTRA SPEC 500 INTERIOR LOW SHEEN EGGSHELL (T537)

for compliance with the HPD standard noted.