ULTRA SPEC 500 INTERIOR EGGSHELL FINISH (T538) by Benjamin Moore & Co.

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1059410944

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: A professional-quality interior waterborne eggshell finish based on a proprietary cross-linking acrylic resin that tints on the Gennex® zero VOC colorant system. This waterborne Interior Eggshell finish provides a decorative scrubbable finish that is eligible for LEED® v4 credit and passes the most stringent environmental standards in any color.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ULTRA SPEC 500 INTERIOR EGGSHELL FINISH (T538) [WATER BM-4 TITANIUM DIOXIDE BM-1 | CAN | END | MAM LIMESTONE BM-3dg NEPHELINE SYENITE LT-UNK KAOLIN, CALCINED LT-UNK SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9) BM-1 | CAN | MAM SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346 LT-P1 | MUL | CAN | SKI | DEV HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346 LT-P1 | MUL | CAN | SKI | DEV HYDROXYETHYL CELLULOSE LT-P1 | END C9-11 PARETH-3 LT-P1 | SKI | EYE | AQU TRIDECYL ALCOHOL, ETHOXYLATED, PHOSPHATED, AMMONIUM SALTS NoGS PHOSPHORIC ACID, ISOOCTYL ESTER, POTASSIUM SALT NoGS POLYETHYLENE GLYCOL (5) UNDECYL ETHER NoGS SODIUM LAURETH SULFATE LT-P1 | MUL | SKI | EYE ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS LT-UNK | SKI | EYE | REP | AQU ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS LT-P1 | MUL | SKI | EYE]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.71 Regulatory (g/l): 1.68

Does the product contain exempt VOCs: Yes

Are colorants available that do not increase the VOC content of the base

paint when tinted: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

O Yes

No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2024-10-11 PUBLISHED DATE: 2024-10-11 EXPIRY DATE: 2027-10-11

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ULTRA SPEC 500 INTERIOR EGGSHELL FINISH (T538)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities considered where applicable.

OTHER PRODUCT NOTES: None.

WATER				ID: 7732-18-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD :	SCREENING DATE: 2024-10-11 9:33:21
%: 50.0000 - 55.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Cor EC)	nmission (EU	EU - REACH Exer	mptions
	,		Exempted from RI safety	EACH Annex IV listing due to intrinsic
SUBSTANCE NOTES:				

TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Lil	brary	HAZARD	SCREENING DATE: 2024-10-11 9:33:22
%: 15.0000 - 20.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	Li 7)	Colorants - Green Circle (Verified Low Concern)
SUBSTANCE NOTES:		

LIMESTONE ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

%: 15.0000 - 20.0000 GreenScreen: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

NEPHELINE SYENITE				ID: 37244-96-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2024-10-11 9:33:23
%: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

KAOLIN, CALCINED				ID: 92704-41-1
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	1	HAZARD S	SCREENING DATE: 2024-10-11 9:33:23
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

SILICA, AMORPHOUS (PRI	IMARY CASRN IS 7631-86-9)			ID: 37241-25-1
HAZARD DATA SOURCE:	Pharos Chemical and Materials L	ibrary	HAZARD S	SCREENING DATE: 2024-10-11 9:33:23
%: 0.5000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
SUBSTANCE NOTES:		

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

ID: 64742-65-0

HAZARD DATA SOURCE: F	Pharos Chemical and Materials Lib	rary	HAZARD :	SCREENING DATE: 2024-10-11 9:33:2
%: 0.5000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances H Waters	Hazardous to	Class 2 - Hazard t	ro Waters
CAN	GHS - Australia		H350 - May cause or 1B]	e cancer [Carcinogenicity - Category 1A
SKI	GHS - Australia		H315 - Causes sk Category 2]	in irritation [Skin corrosion/irritation -
DEV	GHS - Australia		H361d - Suspecte [Reproductive toxi	ed of damaging the unborn child icity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute		Product Standard Restricted RSL) - Effective July 1, 2022
			Children's Product	ts
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute		Product Standard Restricted RSL) - Effective July 1, 2022
			Formulated Consu	umer Products

HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346

ID: 64742-54-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-11 9:33:		
%: 0.5000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Haza Waters	German FEA - Substances Hazardous to Waters		to Waters
CAN	GHS - Australia		H350 - May cause cancer [Carcinogenicity - C or 1B]	
SKI	GHS - Australia		H315 - Causes sk Category 2]	kin irritation [Skin corrosion/irritation -
DEV	GHS - Australia		•	ed of damaging the unborn child icity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innova (C2CPII)	ation Institute		0 Product Standard Restricted RSL) - Effective July 1, 2022
			Children's Produc	rits
RESTRICTED LIST	Cradle to Cradle Products Innova (C2CPII)	ation Institute		0 Product Standard Restricted RSL) - Effective July 1, 2022
			Formulated Cons	umer Products
SUBSTANCE NOTES:				

HAZARD DATA SOURCE: I	Pharos Chemical and Materials Libr	arv	ΗΔΖΔΕ	RD SCREENING DATE: 2024-10-11 9:33:25
IAZAND DATA SOUNCE.	-ilaios Chemical and Materials Libi	ai y	TIAZAI	10 30NEENING DATE. 2024-10-11 3.33.23
%: 0.5000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine [TEDX - Potential Endocrine Disruptors		crine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists

C9-11 PARETH-3 ID: **68439-46-3**

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ry	HAZARD	SCREENING DATE: 2024-10-11 9:33:26
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation cate	egory 2
SKI	GHS - Australia		H315 - Causes sk Category 2]	kin irritation [Skin corrosion/irritation -
EYE	GHS - New Zealand		Serious eye dama	age category 1
AQU	GHS - Japan		H401 - Toxic to ac environment (acu	quatic life [Hazardous to the aquatic te) - Category 2]
AQU	GHS - Japan			quatic life with long lasting effects e aquatic environment (chronic) -
EYE	GHS - Australia		H318 - Causes se damage/eye irrita	erious eye damage [Serious eye tion - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

TRIDECYL ALCOHOL, ETHOXYLATED, PHOSPHATED, AMMONIUM SALTS

ID: 69029-43-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-10-11 9:33:24
%: 0.1000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

PHOSPHORIC ACID, ISOOCTYL ESTER, POTASSIUM SALT

ID: 68647-19-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-11 9:33:24		
%: 0.1000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

POLYETHYLENE GLYCOL (5) UNDECYL ETHER

ID: 34398-01-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZARD	SCREENING DATE: 2024-10-11 9:33:25
%: 0.1000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	b listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

SODIUM LAURETH SULFATE	ID: 68585-34-2
HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2024-10-11 9:33:25

%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances I Waters	Hazardous to	Class 3 - Severe	Hazard to Waters
SKI	GHS - New Zealand		Skin irritation cate	egory 2
EYE	GHS - New Zealand		Eye irritation cate	gory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	b listings found on Additional Hazard Lists

SUBSTANCE NOTES:

ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS

ID: 68439-57-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lil	brary	HAZARD	SCREENING DATE: 2024-10-11 9:33:26
%: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS

ID: 78330-21-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-11 9:33:2		
GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant	
LIST NAME AND SOURCE	=	WARNINGS		
German FEA - Substances Waters	Hazardous to	Class 3 - Severe	Hazard to Waters	
GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
GHS - Australia	GHS - Australia		H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]	
LIST NAME AND SOURCE	Ē	NOTIFICATION		
		No	o listings found on Additional Hazard Lists	
	GreenScreen: LT-P1 LIST NAME AND SOURCE German FEA - Substances Waters GHS - Australia GHS - Australia	GreenScreen: LT-P1 RC: None LIST NAME AND SOURCE German FEA - Substances Hazardous to Waters GHS - Australia	GreenScreen: LT-P1 RC: None NANO: No LIST NAME AND SOURCE WARNINGS German FEA - Substances Hazardous to Waters GHS - Australia H315 - Causes st Category 2] GHS - Australia H318 - Causes st damage/eye irrita	

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

ISSUE DATE: 2022-10-12 00:00:00 EXPIRY DATE: 2025-10-10 00:00:00

ISSUE DATE: 2024-10-11 00:00:00

CERTIFIER OR LAB: Berkeley

Analytical

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: None

VOC CONTENT

SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

EXPIRY DATE:

CERTIFIER OR LAB: N/A

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANTS

MANUFACTURER (OR GENERIC): Benjamin Moore & Co.

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None



Section 5: General Notes

Notes are not applicable for this product

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 360 Route 206 Flanders, NJ 07836 COUNTRY: United States

WEBSITE: www.benjaminmoore.com CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager

PHONE: 9732522607

EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / **Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

