# **ULTRA SPEC 500 INTERIOR SEMI-GLOSS (T546)** by Benjamin Moore & Co.

**Health Product** Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 354311783424 CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: A professional-quality interior waterborne semi-gloss finish based on a proprietary cross-linking acrylic resin that tints on the Gennex® zero VOC colorant system. This waterborne Interior semi-gloss has excellent stain release properties therefore washes clean easily. This product is also eligible for LEED® v4 credit and passes the most stringent environmental standards in any color.

# Section 1: Summary

# **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

**Threshold Level** 

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

ULTRA SPEC 500 INTERIOR SEMI-GLOSS (T546) [ WATER BM-4 DAKRIL 4B LT-UNK TITANIUM DIOXIDE BM-1 | CAN | END | MAM KAOLIN LT-UNK | CAN LIMESTONE BM-3dg NEPHELINE SYENITE LT-UNK ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS LT-P1 | MUL | SKI | EYE SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9) BM-1 | CAN | MAM SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346 LT-P1 | MUL | CAN | SKI | DEV C9-11 PARETH-3 LT-P1 | SKI | EYE | AQU HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346 LT-P1 | MUL | CAN | SKI | DEV ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS LT-UNK | SKI | EYE | REP | AQU ]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

BM-1, LT-P1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0.649 Regulatory (g/l): 1.765

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: Yes

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -

Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

#### **CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**  SCREENING DATE: 2024-10-11 PUBLISHED DATE: 2024-10-11 EXPIRY DATE: 2027-10-11

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

## **ULTRA SPEC 500 INTERIOR SEMI-GLOSS (T546)**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities considered where applicable

OTHER PRODUCT NOTES: None

WATER				ID: <b>7732-18-5</b>
HAZARD DATA SOURCE: Phar	os Chemical and Materials Libr	ary	HAZARD	SCREENING DATE: 2024-10-11 8:54:23
%: 55.0000 - 60.0000	GreenScreen: BM-4	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European (	Commission (EU	EU - REACH Exe	mptions
	-,		Exempted from RI safety	EACH Annex IV listing due to intrinsic
SUBSTANCE NOTES:				

DAKRIL 4B				ID: <b>25852-37-3</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2024-10-11 8:54:24
%: 20.0000 - 25.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warı	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-11 8:54:2		
%: <b>15.0000 - 20.0000</b>	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcinoger	ns	Occupational Card	cinogen
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical form or exposure route
CAN	IARC		Group 2B - Possib from occupational	oly carcinogenic to humans - inhaled sources
CAN	MAK			o 3A - Evidence of carcinogenic effects o establish MAK/BAT value
END	TEDX - Potential Endocrine Disrupt	ors	Potential Endocrin	ne Disruptor
CAN	MAK		Carcinogen Group	o 4 - Non-genotoxic carcinogen with low AT levels
CAN	IARC		Group 2b - Possib	oly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6	Table 3-1	H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposure	amage to organs through prolonged or e [Specific target organs/systemic toxici d exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovatio (C2CPII)	n Institute		Product Standard Restricted RSL) - Effective July 1, 2022
			Children's Product	ts
RESTRICTED LIST	Cradle to Cradle Products Innovatio (C2CPII)	n Institute		Product Standard Restricted RSL) - Effective July 1, 2022
			Formulated Consu	umer Products
RESTRICTED LIST	Cradle to Cradle Products Innovatio (C2CPII)	n Institute		Product Standard Restricted RSL) - Effective July 1, 2022
			Cosmetics & Pers	onal Care Products
POSITIVE LIST	US Environmental Protection Agenc	cy (US	US EPA - DfE Saf	fer Chemicals Ingredients list (SCIL)
	EPA)		Colorants - Green	Circle (Verified Low Concern)
SUBSTANCE NOTES:				

KAOLIN ID: 1332-58-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-10-11 8:54:25
%: 5.0000 - 10.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

LIMESTONE				ID: <b>1317-65-3</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2024-10-11 8:54:25
%: 1.0000 - 5.0000	GreenScreen: BM-3dg	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

NEPHELINE SYENITE				ID: <b>37244-96-5</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2024-10-11 8:54:24
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

ETHOXYLATED BRANCHE	ED C11-C14, C13-RICH ALCOHOLS			ID: <b>78330-21-9</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	rary	HAZARD	SCREENING DATE: 2024-10-11 8:54:24
%: 1.0000 - 5.0000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Surfactant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

# SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9)

ID: 37241-25-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-11 8:54:2		
%: <b>0.5000 - 1.0000</b>	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	GHS - Japan		H350 - May cause	cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cance Category 1A or 1B]		cancer by inhalation [Carcinogenicity -
MAM	GHS - Japan		•	respiratory irritation [Specific target gle exposure - Category 3]
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or E[Specific target organs/systemic toxicity exposure - Category 1]
MAM	GHS - Australia			mage to organs through prolonged or ESpecific target organ toxicity - e - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (C	GSPI)	GSPI - Six Classes	s Precautionary List
			Antimicrobials	
SUBSTANCE NOTES:				

SUBSTANCE NOTES:

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

ID: 64742-65-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-10-11 8:54:25
%: 0.5000 - 1.0000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Defoamer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
ADDITIONAL LIGHNOS	LIOT WINE / WE GOOTIGE	NOTH TO/THOM
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Cradle to Cradle Products Innovation Institute	C2C Certified v4.0 Product Standard Restricted
	Cradle to Cradle Products Innovation Institute	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)  Cradle to Cradle Products Innovation Institute	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products  C2C Certified v4.0 Product Standard Restricted

SUBSTANCE NOTES:

C9-11 PARETH-3 ID: **68439-46-3** 

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-11 8:54:		
%: <b>0.1000 - 0.5000</b>	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation cate	egory 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin Category 2]		in irritation [Skin corrosion/irritation -
EYE	GHS - New Zealand		Serious eye dama	age category 1
AQU	GHS - Japan		H401 - Toxic to ac environment (acu	quatic life [Hazardous to the aquatic te) - Category 2]
AQU	GHS - Japan			quatic life with long lasting effects aquatic environment (chronic) -
EYE	GHS - Australia		H318 - Causes se damage/eye irrita	erious eye damage [Serious eye tion - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES:

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	rary	HAZARD	SCREENING DATE: 2024-10-11 8:54:20
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances H Waters	Hazardous to	Class 2 - Hazard t	to Waters
CAN	GHS - Australia		H350 - May cause or 1B]	e cancer [Carcinogenicity - Category 1A
SKI	GHS - Australia		H315 - Causes sk Category 2]	in irritation [Skin corrosion/irritation -
DEV	GHS - Australia		H361d - Suspecte [Reproductive toxi	ed of damaging the unborn child icity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute		0 Product Standard Restricted RSL) - Effective July 1, 2022
			Children's Produc	ts
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute		0 Product Standard Restricted RSL) - Effective July 1, 2022
			Formulated Consu	umer Products
SUBSTANCE NOTES:				

## ALKENES, C14-16 ALPHA-, SULFONATED, SODIUM SALTS

ID: 68439-57-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-10-11 8:54:2	
%: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation category 2	
EYE	GHS - New Zealand		Eye irritation category 2	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
REP	GHS - Japan		H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]	
AQU	GHS - Japan		H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]	
EYE	GHS - Australia		H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists

Ш	
П	SUBSTANCE NOTES:
	SUBSTAINCE NOTES.
Ι.	

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

## CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: None

ISSUE DATE: 2022-10-12 00:00:00 EXPIRY DATE: 2025-10-10 00:00:00 CERTIFIER OR LAB: Berkeley

Analytical

#### **VOC CONTENT**

SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2024-10-11 00:00:00

**EXPIRY DATE:** 

CERTIFIER OR LAB: N/A

# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

#### **GENNEX COLORANTS**

MANUFACTURER (OR GENERIC): Benjamin Moore & Co.

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

## Section 5: General Notes

Notes are not applicable for this product

## **MANUFACTURER INFORMATION**

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 360 Route 206 Flanders, NJ 07836 COUNTRY: United States

WEBSITE: www.benjaminmoore.com CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager

PHONE: **9732522607** 

EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

# KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

## **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

