### **INSL-X BLOCK-OUT EXTERIOR PRIMER WHITE (TB-2100)** by Benjamin Moore & Co.

**Health Product** Declaration v2.3

Yes ○ No.

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 31964** 

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: An acrylic latex primer for use over wood, masonry, and previously painted surfaces. TB-2100 applies milky white and seals new cedar, redwood and other tannin-rich wood. Dries tack free in 30 minutes. It is water thinned, blister and peel resistant. It may be used on unpainted galvanized metal as well as masonry and wood surfaces.

### Section 1: Summary

### **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

Threshold Level

C 1,000 ppm C Per GHS SDS

Other

**Residuals/Impurities Evaluation** 

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has: Characterized

Provided weight and role.

Screened ○ Yes 
○ No

Provided screening results using HPDC-approved

methods.

Identified Yes No

Provided name and CAS RN or other identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

INSL-X BLOCK-OUT EXTERIOR PRIMER WHITE (TB-2100) [ WATER BM-4 UNDISCLOSED Not Screened TITANIUM DIOXIDE LT-1 | CAN | END | MAM NEPHELINE SYENITE LT-UNK SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES LT-1 | CAN | MUL | SKI | DEV SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9) BM-1 | CAN | MAM PROPYLENE GLYCOL BM-2 | END POLYETHYLENE GLYCOL MONO(OCTYLPHENYL) ETHER LT-1 | END | MUL | EYE | SKI | AQU SODIUM BENZOATE LT-UNK ALUMINUM HYDROXIDE, DRIED BM-2 | SKI | EYE 3-IODO-2-PROPYNYLBUTYLCARBAMATE BM-2 | END | SKI | MUL | MAM | AQU | EYE ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 32.982 Regulatory (g/l): 80.781

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: Yes

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

### **CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**  SCREENING DATE: 2023-03-30 PUBLISHED DATE: 2023-03-30 EXPIRY DATE: 2026-03-30



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

#### **INSL-X BLOCK-OUT EXTERIOR PRIMER WHITE (TB-2100)**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities considered where applicable

OTHER PRODUCT NOTES: None

WATER				ID: 7732-18-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-03-30 6:59:39
%: 50.0000 - 55.0000	GreenScreen: BM-4	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Con	nmission	EU - REACH Exe	emptions
	(23 23)		Exempted from safety	REACH Annex IV listing due to intrinsic
SUBSTANCE NOTES:				

AZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	Not Screened
%: <b>25.0000 - 30.0000</b>	GreenScreen: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	Hazard Screening not performed	I		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
	Additional Hazard Screening not	performed		

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-30 6:59:39

%: 5.0000 - 10.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Ca	arcinogens	Occupational Car	cinogen
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical form or exposure
CAN	IARC		Group 2B - Possil from occupationa	bly carcinogenic to humans - inhaled
CAN	MAK			p 3A - Evidence of carcinogenic effects to establish MAK/BAT value
END	TEDX - Potential Endocrin	e Disruptors	Potential Endocrin	ne Disruptor
CAN	MAK		Carcinogen Group	p 4 - Non-genotoxic carcinogen with AK/BAT levels
CAN	EU - GHS (H-Statements)	Annex 6 Table 3-1	H351 - Suspected Category 2]	d of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]	d of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or re [Specific target organs/systemic repeated exposure - Category 1]
CAN	EU - Annex VI CMRs		Carcinogen Categ	gory 2 - Suspected human Carcinogen
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Institute (C2CPII)	Innovation		Product Standard Restricted RSL) - Effective July 1, 2022
			Formulated Consu	umer Products
RESTRICTED LIST	Cradle to Cradle Products Institute (C2CPII)	Innovation		Product Standard Restricted RSL) - Effective July 1, 2022
			Cosmetics & Pers	sonal Care Products
POSITIVE LIST	US Environmental Protecti	ion Agency (US	US EPA - DfE Safe	er Chemicals Ingredients list (SCIL)
			Colorants - Green	n Circle (Verified Low Concern)
SUBSTANCE NOTES:				

**NEPHELINE SYENITE** ID: 37244-96-5 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-30 6:59:40 %: 5.0000 - 10.0000 RC: None NANO: No SUBSTANCE ROLE: Filler GreenScreen: LT-UNK HAZARD TYPE LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION None found No listings found on Additional Hazard Lists

# SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

ID: 64742-65-0

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-03-30 6:59:40
%: <b>0.5000 - 1.0000</b>	GreenScreen: LT-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - REACH Annex XVII CMRs			gory 2 - Substances which should be ey are Carcinogenic to man
CAN	EU - Annex VI CMRs		Carcinogen Cate	gory 1B - Presumed Carcinogen based ce
MUL	ChemSec - SIN List		CMR - Carcinoge Toxicant	n, Mutagen &/or Reproductive
MUL	German FEA - Substances Haza Waters	ardous to	Class 3 - Severe I	Hazard to Waters
CAN	GHS - Australia		H350 - May cause 1A or 1B]	e cancer [Carcinogenicity - Category
CAN	EU - GHS (H-Statements) Annex	6 Table 3-1	H350 - May cause 1A or 1B]	e cancer [Carcinogenicity - Category
SKI	GHS - Australia		H315 - Causes sk Category 2]	kin irritation [Skin corrosion/irritation -
DEV	GHS - Australia		•	ed of damaging the unborn child kicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		Product Standard Restricted RSL) - Effective July 1, 2022

### SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9)

ID: 37241-25-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE:	2023-03-30 6:59:39
%: 0.1000 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
SUBSTANCE NOTES:		

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-03-30 6:59:39
%: 0.1000 - 0.5000	GreenScreen: BM-2	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential Endocr	ine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (	GSPI)	GSPI - Six Class	es of Problematic Chemicals
			Antimicrobials	
RESTRICTED LIST	Green Science Policy Institute (0	GSPI)	GSPI - Six Class	es of Problematic Chemicals
			Some Solvents	
POSITIVE LIST	US Environmental Protection Ag	jency (US	US EPA - DfE Sa	fer Chemicals Ingredients list (SCIL)
	· · y		Enzymes and Sta Concern)	abilizers - Green Circle (Verified Low
SUBSTANCE NOTES:				

## POLYETHYLENE GLYCOL MONO(OCTYLPHENYL) ETHER

ID: 9036-19-5

ID: 57-55-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-30 6:59:40

%: 0.1000 - 0.5000 GreenScreen: LT-1 RC: None NANO: No SUBSTANCE ROLE: Surfactant

PROPYLENE GLYCOL

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	ChemSec - SIN List	Endocrine Disruption
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
END	EU - SVHC List	Equivalent Concern - Candidate List
END	EU - SVHC List	Equivalent Concern - Authorization List: endocrine disrupting properties cause probable serious effects to the environment or human health
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

	EPA)	• `		, ,
POSITIVE LIST	US Environmental Protection Ag	ency (US	US EPA - DfE	Safer Chemicals Ingredients list (SCIL)
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
None found			No wa	arnings found on HPD Priority Hazard Lists
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
%: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD DATA SOURCE: I	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE	E: 2023-03-30 6:59:41

### **ALUMINUM HYDROXIDE, DRIED**

ID: 21645-51-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-03-30 6:59:41
%: 0.1000 - 0.5000	GreenScreen: BM-2	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Fixing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation cat	tegory 2
EYE	GHS - New Zealand		Eye irritation cate	egory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		Product Standard Restricted (RSL) - Effective July 1, 2022
			Biological and E	nvironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ration	0_0 0000	Product Standard Restricted (RSL) - Effective July 1, 2022
			Children's Produ	octs
SUBSTANCE NOTES:				

### 3-IODO-2-PROPYNYLBUTYLCARBAMATE

ID: 55406-53-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	ATE: 2023-03-30 6:59:41
%: 0.1000 - 0.5000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Antimicrobial Pesticide

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
EYE	GHS - New Zealand	Serious eye damage category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 3
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES:

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

#### **CDPH Standard Method - Not tested**

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: AII

**CERTIFICATE URL:** 

**CERTIFICATION AND COMPLIANCE NOTES:** 

ISSUE DATE: 2023-03-30

**EXPIRY DATE:** 

CERTIFIER OR LAB: None

#### **VOC CONTENT**

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES:

#### EPA Method 24 - Volatile Matter Content (EPA 24)

ISSUE DATE: 2023-03-30

**EXPIRY DATE:** 

CERTIFIER OR LAB: Benjamin

Moore R&D



### Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

#### **GENNEX**

MANUFACTURER (OR GENERIC): Benjamin Moore

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

### **COLOR PREVIEW**

MANUFACTURER (OR GENERIC): Benjamin Moore

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

### Section 5: General Notes

No additional notes for this product.

#### MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co.

ADDRESS: 360 Route 208

Flanders NJ 07836, United States

WEBSITE: www.benjaminmoore.com

CONTACT NAME: Edja Kouassi

TITLE: Sr. Technical Project Manager

PHONE: 9732522607

EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### **KEY**

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

END Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

**PreC** Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.