COROTECH ALIPHATIC ACRYLIC URETHANE GLOSS (V500 PART A) by Benjamin Moore & Co.

HPD UNIQUE IDENTIFIER: 30277

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: Aliphatic Acrylic Urethane is a multi-use, two-component urethane appropriate for use on both metal and masonry. This product provides excellent gloss and color retention when used on exterior surfaces exposed to sunlight and rain, and the highly cross-linked formula provides superior abrasion, chemical, and solvent resistance. Due to these outstanding features, urethanes are often used as the final layer in a multi-layer system on steel or masonry. This is a two component product that requires 4.2 parts of the proper "A" component mixed with 1 part of part "B" catalyst. The components are already premeasured to the proper mix ratio. No measuring required. Do not mix partial kits.

Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format
- Nested Materials Method
 Basic Method

MaterialProduct

- Threshold Disclosed Per
- 1,000 ppm
 Per GHS SDS
 Other

• 100 ppm

Threshold Level

- Residuals/Impurities Evaluation © Completed
- Partially Completed
 Not Completed
- Explanation(s) provided : • Yes O No

Basic Method / Product Threshold

For all contents above the threshold, the ma	nufacturer has:
Characterized	O Yes O No
Provided weight and role.	
Screened	⊙ Yes ⊖ No
Provided screening results using HPDC-app	roved
methods.	
Identified	O Yes O No
Provided name and CAS RN or other identifi	ier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

COROTECH ALIPHATIC ACRYLIC URETHANE GLOSS (V500 PART A) [TITANIUM DIOXIDE LT-1 | CAN | END | MAM METHYL N-AMYL KETONE BM-U | EYE BARIUM SULFATE BM-2 | CAN | MAM CARBON BLACK BM-1 | CAN | EYE | MAM XYLENES BM-1 | END | MUL | REP | SKI | EYE | MAM | AQU SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9) BM-1 | CAN | MAM METHOXYISOPROPYL ACETATE LT-UNK | EYE BUTYL ACETATE LT-UNK | EYE | PHY ALUMINUM HYDROXIDE, DRIED BM-2 | SKI | EYE SILANE, DICHLORODIMETHYL-, REACTION PRODUCTS WITH SILICA LT-UNK DECANEDIOIC ACID, 1,10-BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL) ESTER BM-1 | PBT | MUL | MAM | EYE ETHYLBENZENE BM-1 | END | SKI | CAN | REP | PHY | MAM | EYE | AQU QUARTZ BM-1 | CAN | MAM | GEN 1,1,1-TRIS(HYDROXYMETHYL)PROPANE LT-UNK METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL SEBACATE LT-P1 | MUL 2-HYDROXYETHYL METHACRYLATE LT-UNK | SKI | EYE] Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, BM-1, LT-P1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 280Regulatory (g/l): 280Does the product contain exempt VOCs: NoAre colorants available that do not increase the VOC content of thebase paint when tinted: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? • Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2022-10-21 PUBLISHED DATE: 2022-10-21 EXPIRY DATE: 2025-10-21 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

 COROTECH ALIPHATIC ACRYLIC URETHANE GLOSS (V500 PART A)

 PRODUCT THRESHOLD: 100 ppm

 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities considered where applicable

OTHER PRODUCT NOTES: None

1

TITANIUM DI	OXIDE					ID: 13463-67-7
HAZARD DAT	A SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-10-21 13:31:05	
%: 20.0000 - 2	25.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE:	Pigment
HAZARD TY	ЪЕ	AGENCY AND LIST TITLES		WARNINGS		
CAN		US CDC - Occupational Carcino	gens	Occupational Ca	arcinogen	
CAN		CA EPA - Prop 65		Carcinogen - sp route	ecific to chemical form or	exposure
CAN		IARC		Group 2B - Pose from occupation	sibly carcinogenic to huma nal sources	ans - inhaled
CAN		МАК		-	up 3A - Evidence of carcir It to establish MAK/BAT va	-
END		TEDX - Potential Endocrine Disr	uptors	Potential Endoc	rine Disruptor	
CAN		МАК		Carcinogen Gro low risk under N	up 4 - Non-genotoxic carc IAK/BAT levels	inogen with
CAN		EU - GHS (H-Statements) Annex	6 Table 3-1	H351 - Suspecte Category 2]	ed of causing cancer [Card	cinogenicity -
CAN		GHS - Japan		H351 - Suspecte Category 2]	ed of causing cancer [Card	cinogenicity -
MAM		GHS - Japan		repeated exposi	damage to organs through ure [Specific target organs g repeated exposure - Cat	s/systemic
CAN		EU - Annex VI CMRs		Carcinogen Cate	egory 2 - Suspected huma	n Carcinogen

ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
POSITIVE LIST	US Environmental Protection Ag	gency (US	US EPA - DfE SCIL		
	EFA)		Green Circle - Verified Low Concern		
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	vation		Product Standard Rest (RSL) - Effective July 1,	
			Cosmetics & Per	rsonal Care Products	
SUBSTANCE NOTES:					
METHYL N-AMYL KETONE					ID: 110-43-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-10-21 13:31:06	
%: 20.0000 - 25.0000	GreenScreen: BM-U	RC: None	NANO: No	SUBSTANCE ROL	E: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
EYE	GHS - New Zealand		Eye irritation cat	egory 2	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
None found			No	listings found on Additio	onal Hazard Lists
SUBSTANCE NOTES:					
BARIUM SULFATE					ID: 7727-43-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-10-21 13:31:06	
% : 15 0000 20 0000	CroopSoroon: BM 0	DC: None			E. Filler

%: 15.0000 - 20.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CAN	МАК		Carcinogen Group low risk under MA	4 - Non-genotoxic carcinogen with K/BAT levels	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged o repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Inn Institute (C2CPII)	ovation		roduct Standard Restricted RSL) - Effective July 1, 2022	
			Biological and Env	ironmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products Inn Institute (C2CPII)	ovation		roduct Standard Restricted RSL) - Effective July 1, 2022	
			Children's Product	ts	
RESTRICTED LIST	Cradle to Cradle Products Inn Institute (C2CPII)	ovation	010 00000000000000000000000000000000000	roduct Standard Restricted RSL) - Effective July 1, 2022	
			Cosmetics & Perso	onal Care Products	

AZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-10-21 13:31:07
%: 1.0000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	US CDC - Occupational Carcino	gens	Occupational Car	cinogen
CAN	МАК		Carcinogen Grou but not sufficient	o 3B - Evidence of carcinogenic effects for classification
CAN	CA EPA - Prop 65		Carcinogen - spe route	cific to chemical form or exposure
CAN	IARC		Group 2B - Possil from occupationa	bly carcinogenic to humans - inhaled Il sources
EYE	GHS - New Zealand		Eye irritation cate	gory 2
CAN	GHS - New Zealand		Carcinogenicity c	ategory 2
CAN	GHS - Japan		H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
МАМ	GHS - Japan		repeated exposur	amage to organs through prolonged or re [Specific target organs/systemic repeated exposure - Category 1]
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No li	stings found on Additional Hazard List
SUBSTANCE NOTES:				

XYLENES				11	D: 1330-20-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2022-10-21 13:31:08	
%: 1.0000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: So	vent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	s Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
SKI	EU - GHS (H-Statements) Annex 6 Tal	ble 3-1 H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
МАМ	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
МАМ	GHS - Korea	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - Repeated exposure - Category 1]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		
SILICA, AMORPHOUS (PRIMA	ARY CASRN IS 7631-86-9)	ID: 37241-25-
HAZARD DATA SOURCE: Ph	aros Chemical and Materials Library HAZ	ARD SCREENING DATE: 2022-10-21 13:31:08
%: 1.0000 - 5.0000	GreenScreen: BM-1 RC:	None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
МАМ	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL
	·	Green Circle - Verified Low Concern
SUBSTANCE NOTES:		

METHOXYISOPROPYL ACETATE

ID: 108-65-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-10-21 13:31:09
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
EYE	GHS - New Zealand		Eye irritation cat	egory 2
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag	gency (US	US EPA - DfE SC	CIL
			Green Circle - Ve	erified Low Concern

SUBSTANCE NOTES:

BUTYL ACETATE				ID: 123-86-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-10-21 13:31:09
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
EYE	GHS - New Zealand		Eye irritation cat	tegory 2
РНҮ	GHS - New Zealand		Flammable liqui	ds category 2
РНҮ	GHS - Japan		H225 - Highly fla liquids - Catego	ammable liquid and vapour [Flammable ry 2]
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No	listings found on Additional Hazard List
SUBSTANCE NOTES:				

ALUMINUM HYDROXIDE,	, DRIED			ID: 21645-51-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-10-21 13:31:10
%: 0.5000 - 1.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Fixing agent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
SKI	GHS - New Zealand		Skin irritation ca	tegory 2
EYE	GHS - New Zealand		Eye irritation cat	egory 2
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		Product Standard Restricted (RSL) - Effective July 1, 2022
			Biological and E	nvironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ration		Product Standard Restricted (RSL) - Effective July 1, 2022
			Children's Produ	ucts
SUBSTANCE NOTES:				
SILANE, DICHLORODIME SILICA	THYL-, REACTION PRODUCTS WITH			ID: 68611-44-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-10-21 13:31:11
%: 0.5000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warı	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				
DECANEDIOIC ACID, 1,1 PIPERIDINYL) ESTER	0-BIS(1,2,2,6,6-PENTAMETHYL-4-			ID: 41556-26 -
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-10-21 13:31:11
%: 0.1000 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
MUL	German FEA - Substances Hazardous te Waters	o Class 2 - Hazard to Waters
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		
ETHYLBENZENE		ID: 100-41-4
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library HAZA	RD SCREENING DATE: 2022-10-21 13:31:12

%: 0.1000 - 0.5000

GreenScreen: BM-1 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	МАК	Sensitizing Substance Sh - Danger of skin sensitization
CAN	CA EPA - Prop 65	Carcinogen
CAN	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]
РНҮ	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
РНҮ	GHS - New Zealand	Flammable liquids category 2
РНҮ	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
РНҮ	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
РНҮ	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES:

QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2	2022-10-21 13:31:13
%: 0.1000 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	US CDC - Occupational Carcino	ogens	Occupational Carc	zinogen
CAN	CA EPA - Prop 65		Carcinogen - spec route	ific to chemical form or exposure
CAN	US NIH - Report on Carcinogen	s	Known to be Hum occupational setti	an Carcinogen (respirable size - ng)
CAN	МАК		Carcinogen Group man	1 - Substances that cause cancer in
CAN	IARC		Group 1 - Agent is from occupational	carcinogenic to humans - inhaled sources
CAN	IARC		Group 1 - Agent is	Carcinogenic to humans
CAN	GHS - Japan		H350 - May cause 1A]	cancer [Carcinogenicity - Category
CAN	GHS - Australia		H350i - May cause - Category 1A or 1	e cancer by inhalation [Carcinogenicity B]
CAN	GHS - New Zealand		Carcinogenicity ca	ategory 1
МАМ	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic repeated exposure - Category 1]
GEN	GHS - Japan		H341 - Suspected mutagenicity - Cat	of causing genetic defects [Germ cell regory 2]
MAM	GHS - Australia			mage to organs through prolonged or e [Specific target organ toxicity - e - Category 1]
МАМ	GHS - New Zealand		Specific target org category 1	an toxicity - repeated exposure
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No lis	tings found on Additional Hazard Lists
SUBSTANCE NOTES:				

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE:	2022-10-21 13:31:13	
%: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE:	Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warr	nings found on HPD Prio	ity Hazard Lists
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
None found			No	listings found on Additio	nal Hazard Lists
SUBSTANCE NOTES:					
METHYL 1,2,2,6,6-PENTA	METHYL-4-PIPERIDYL SEBACATE				ID: 82919-37-
	METHYL-4-PIPERIDYL SEBACATE Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-10-21 13:31:14	ID: 82919-37-
HAZARD DATA SOURCE:		HAZARD SC RC: None	CREENING DATE: NANO: No	2022-10-21 13:31:14 SUBSTANCE ROLE: Su	
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library				
HAZARD DATA SOURCE: %: 0.1000 - 0.5000	Pharos Chemical and Materials Library GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Su	
HAZARD DATA SOURCE: %: 0.1000 - 0.5000 HAZARD TYPE	Pharos Chemical and Materials Library GreenScreen: LT-P1 AGENCY AND LIST TITLES German FEA - Substances Haza	RC: None	NANO: No WARNINGS	SUBSTANCE ROLE: Su	
HAZARD DATA SOURCE: %: 0.1000 - 0.5000 HAZARD TYPE MUL	Pharos Chemical and Materials Library GreenScreen: LT-P1 AGENCY AND LIST TITLES German FEA - Substances Haza Waters	RC: None	NANO: No WARNINGS Class 2 - Hazard	SUBSTANCE ROLE: Su	rface modifier
HAZARD DATA SOURCE: %: 0.1000 - 0.5000 HAZARD TYPE MUL ADDITIONAL LISTINGS	Pharos Chemical and Materials Library GreenScreen: LT-P1 AGENCY AND LIST TITLES German FEA - Substances Haza Waters	RC: None	NANO: No WARNINGS Class 2 - Hazard	SUBSTANCE ROLE: Su	rface modifier
HAZARD DATA SOURCE: %: 0.1000 - 0.5000 HAZARD TYPE MUL ADDITIONAL LISTINGS None found	Pharos Chemical and Materials Library GreenScreen: LT-P1 AGENCY AND LIST TITLES German FEA - Substances Haza Waters AGENCY	RC: None	NANO: No WARNINGS Class 2 - Hazard	SUBSTANCE ROLE: Su	rface modifier

WARNINGS

Category 2]

Category 2]

Sensitizing Substance Sh - Danger of skin sensitization

H315 - Causes skin irritation [Skin corrosion/irritation -

H315 - Causes skin irritation [Skin corrosion/irritation -

H319 - Causes serious eye irritation [Serious eye

H317 - May cause an allergic skin reaction [Skin

H319 - Causes serious eye irritation [Serious eye

damage/eye irritation - Category 2A]

damage/eye irritation - Category 2A]

Eye irritation category 2

sensitizer - Category 1]

Skin sensitisation category 1

AGENCY AND LIST TITLES

GHS - New Zealand

GHS - Australia

GHS - Australia

GHS - Japan

GHS - New Zealand

EU - GHS (H-Statements) Annex 6 Table 3-1

EU - GHS (H-Statements) Annex 6 Table 3-1

MAK

HAZARD TYPE

SKI

SKI

EYE

EYE

SKI

EYE

SKI

SKI

None found

SUBSTANCE NOTES:

No listings found on Additional Hazard Lists

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2022-10-21 EXPIRY DATE:	CERTIFIER OR LAB: None
CERTIFICATION AND COMPLIANCE NOTES:		
VOC CONTENT	EPA Method 24 - Volatile Matter Con	tent (EPA 24)
VOC CONTENT CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	EPA Method 24 - Volatile Matter Con ISSUE DATE: 2022-10-21 EXPIRY DATE:	tent (EPA 24) CERTIFIER OR LAB: Benjamin Moore

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

INDUSTRIAL COLORANTS

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD Available ACCESSORY TYPE: Colorant System CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

No additional notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 360 Route 206 Flanders NJ 07836, United States WEBSITE: www.benjaminmoore.com

CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager PHONE: 973-252-2607 EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

COROTECH ALIPHATIC ACRYLIC URETHANE GLOSS (V500 PART A)

COROTECH ALIPHATIC ACRYLIC URETHANE CATALYST (V500 CATALYST) by Benjamin Moore & Co.

Health Product Declaration v2.3 created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 30278

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: Aliphatic Acrylic Urethane is a multi-use, two-component urethane appropriate for use on both metal and masonry. This product provides excellent gloss and color retention when used on exterior surfaces exposed to sunlight and rain, and the highly cross-linked formula provides superior abrasion, chemical, and solvent resistance. Due to these outstanding features, urethanes are often used as the final layer in a multi-layer system on steel or masonry. This is a two component product that requires 4.2 parts of the proper "A" component mixed with 1 part of part "B" catalyst. The components are already premeasured to the proper mix ratio. No measuring required. Do not mix partial kits.

Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format
- Nested Materials Method
 Basic Method
 - . . _ (
- Threshold Disclosed Per
- O Material
- O Product
- Threshold Level © 100 ppm © 1,000 ppm © Per GHS SDS © Other
- Residuals/Impurities Evaluation • Completed • Partially Completed
- © Not Completed
- Explanation(s) provided : • Yes O No

Basic Method / Product Threshold

For all contents above the threshold, the m	anufacturer has:
Characterized	• Yes O No
Provided weight and role.	
Screened	• Yes O No
Provided screening results using HPDC-ap	proved
methods.	
Identified	• Yes O No
Provided name and CAS RN or other identi	ifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

COROTECH ALIPHATIC ACRYLIC URETHANE CATALYST (V500 CATALYST) [HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER LT-P1 | SKI HEXAMETHYLENE DIISOCYANATE LT-UNK | RES | SKI | EYE | MAM]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0Regulatory (g/l): 0Does the product contain exempt VOCs: NoAre colorants available that do not increase the VOC content of thebase paint when tinted: Yes

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2022-10-21
C Yes	VERIFIER:	PUBLISHED DATE: 2022-10-21
© No	VERIFICATION #:	EXPIRY DATE: 2025-10-21

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

COROTECH ALIPHATIC AC CATALYST)	RYLIC URETHANE CATALYST (V500			
PRODUCT THRESHOLD: 10) ppm	RES Yes		URITIES EVALUATION COMPLETED:
RESIDUALS AND IMPURITIE	S NOTES: Residuals/Impurities considere	d where app	licable	
OTHER PRODUCT NOTES: I	None			
HEXANE, 1,6-DIISOCYAN	ATO-, HOMOPOLYMER			ID: 28182-81-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-10-21 13:54:20
%: 95.0000 - 100.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
SKI	GHS - New Zealand		Skin sensitisatio	on category 1
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

HEXAMETHYLENE DIISOCYANATE

ID: 822-06-0

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DAT	TE: 2022-10-21 13:54:21
%: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
RES	МАК		Sensitizing Sensitization	ubstance Sah - Danger of airway & skin
SKI	EU - GHS (H-Statements) Annex	6 Table 3-1	H315 - Cause Category 2]	es skin irritation [Skin corrosion/irritation -
EYE	EU - GHS (H-Statements) Annex	6 Table 3-1		es serious eye irritation [Serious eye irritation - Category 2A]
MAM	EU - GHS (H-Statements) Annex	6 Table 3-1	H331 - Toxic Category 3]	if inhaled [Acute toxicity (inhalation) -
SKI	GHS - New Zealand		Skin irritation	category 2
EYE	GHS - New Zealand		Eye irritation	category 2

EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
МАМ	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
МАМ	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
МАМ	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Japan	H317 - May cause an allergic skin reaction [Skin sensitizer - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - New Zealand	Skin sensitisation category 1
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
МАМ	GHS - Korea	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
МАМ	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
МАМ	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
МАМ	GHS - Malaysia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
МАМ	GHS - New Zealand	Acute dermal toxicity category 3
МАМ	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
SKI	GHS - Korea	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
МАМ	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]

RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]
МАМ	GHS - Korea	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - New Zealand	Acute inhalation toxicity category 1
МАМ	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: vapor) - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
SUBSTANCE NOTES:		

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2022-10-21 EXPIRY DATE:	CERTIFIER OR LAB: None
CERTIFICATION AND COMPLIANCE NOTES:		
VOC CONTENT	EPA Method 24 - Volatile Matter Content (EPA 24)	
VOG GONTENT	EPA Method 24 - Volatile Matter Con	tent (EPA 24)
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2022-10-21 EXPIRY DATE:	CERTIFIER OR LAB: Benjamin Moore

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

INDUSTRIAL COLORANTS

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD Available ACCESSORY TYPE: Colorant System CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

No additional notes for this product

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 360 Route 206 Flanders NJ 07836, NJ WEBSITE: www.benjaminmoore.com

CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager PHONE: 973-252-2607 EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen (GS) BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

COROTECH ALIPHATIC ACRYLIC URETHANE CATALYST (V500 CATALYST)