

HPD UNIQUE IDENTIFIER: 28541

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: This coating produces an extremely durable, chemical resistant surface with the benefits of soap and water clean-up. Provides outstanding gloss retention and resists scratches and abrasion. This is a two component product that requires 3.75 parts of the proper "A" component mixed with 1 part of part "B" catalyst. The components are already premeasured to the proper mix ratio. No measuring required. Do not mix partial kits.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

**Inventory Reporting Format**

- Nested Materials Method
- Basic Method

**Threshold Disclosed Per**

- Material
- Product

**Threshold Level**

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

**Residuals/Impurities**

- Considered
- Partially Considered
- Not Considered

**Explanation(s) provided for Residuals/Impurities?**

- Yes  No

*All Substances Above the Threshold Indicated Are:*  
**Characterized**

- Yes Ex/SC  Yes  No

*% weight and role provided for all substances.*

**Screened**

- Yes Ex/SC  Yes  No

*One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.*

**Identified**

- Yes Ex/SC  Yes  No

*One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.*

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**COROTECH WATERBORNE URETHANE (V540) [ WATER BM-4**  
**POLYACRYLIC RESIN Not Screened POLY(OXY-1,2-ETHANEDIYL),**  
**ALPHA-(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-(1,1-DIMETHYLETHYL)-4-**  
**HYDROXYPHENYL)-1-OXOPROPYL)-OMEGA-HYDROXY- NoGS**  
**DIPROPYLENE GLYCOL MONOMETHYL ETHER LT-UNK**  
**POLYETHYLENE GLYCOL DI(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-**  
**TERT-BUTYL-4-HYDROXYPHENYL)-1-OXOPROPYL) ETHER NoGS**  
**AMMONIA LT-P1 | END | MUL | RES | MAM | SKI | AQU 2,4,7,9-**  
**TETRAMETHYL-5-DECYNE-4,7-DIOL LT-UNK OXIRANE, METHYL,**  
**POLYMER AND OXIBANE, BUTYL ETHER LT-UNK ETHYLENE**  
**GLYCOL MONO-N-BUTYL ETHER BM-2 | END | SKI | EYE**  
**POLYETHYLENE GLYCOL LT-UNK ]**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

None

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 6.15 Regulatory (g/l): 22.82

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: Yes

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-05-13

PUBLISHED DATE: 2022-05-13

EXPIRY DATE: 2025-05-13

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### COROTECH WATERBORNE URETHANE (V540)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities considered where applicable.

OTHER PRODUCT NOTES: None

#### WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-05-13 18:42:20

#: 40.0000 - 50.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Diluent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

#### POLYACRYLIC RESIN

ID: Unknown

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

#: 15.0000 - 40.0000 GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Non hazardous

#### POLY(OXY-1,2-ETHANEDIYL), ALPHA-(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-(1,1-DIMETHYLETHYL)-4-HYDROXYPHENYL)-1-OXOPROPYL)-OMEGA-HYDROXY-

ID: 104810-48-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-05-13 18:42:20

#: 0.2500 - 0.5000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Stabilizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

#### DIPROPYLENE GLYCOL MONOMETHYL ETHER

ID: 34590-94-8

%: **0.2500 - 0.5000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**POLYETHYLENE GLYCOL DI(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-TERT-BUTYL-4-HYDROXYPHENYL)-1-OXOPROPYL) ETHER**ID: **104810-47-1**%: **0.2500 - 0.5000**GS: **NoGS**RC: **None**NANO: **No**SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**AMMONIA**ID: **7664-41-7**%: **0.2500 - 0.5000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Buffer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
RES	AOEC - Asthmagens	Asthmagen (Rr) - irritant-induced
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]

SUBSTANCE NOTES:

**2,4,7,9-TETRAMETHYL-5-DECYNE-4,7-DIOL**ID: **126-86-3**%: **0.2500 - 0.5000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**OXIRANE, METHYL, POLYMER AND OXIBANE, BUTYL ETHER**

ID: 9038-95-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-05-13 18:42:23**

#: **0.2500 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**ETHYLENE GLYCOL MONO-N-BUTYL ETHER**

ID: 111-76-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-05-13 18:42:23**

#: **0.1000 - 0.2500** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]

SUBSTANCE NOTES:

**POLYETHYLENE GLYCOL**

ID: 25322-68-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-05-13 18:42:24**

#: **0.1000 - 0.2500** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

<b>VOC EMISSIONS</b>	<b>CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom &amp; Office scenario</b>		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-02-14	EXPIRY DATE: 2024-02-14	CERTIFIER OR LAB: Berkeley Analytical
APPLICABLE FACILITIES: All			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: None			

<b>VOC EMISSIONS</b>	<b>CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom &amp; Office scenario</b>		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-02-14	EXPIRY DATE:	CERTIFIER OR LAB: Berkley Analytical
APPLICABLE FACILITIES: All			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

<b>VOC CONTENT</b>	<b>SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments</b>		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-05-13	EXPIRY DATE:	CERTIFIER OR LAB: N/A
APPLICABLE FACILITIES: All			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: None			

<b>VOC CONTENT</b>	<b>SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments</b>		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-02-14	EXPIRY DATE:	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

<b>GENNEX COLORANTS (229)</b>	<b>HPD URL: No HPD available</b>
<b>CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:</b> Required for all tinted products	

## Section 5: General Notes

Notes are not applicable for this product

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Benjamin Moore & Co.  
**ADDRESS:** 360 Route 206  
 Flanders New Jersey 07836, United States  
**WEBSITE:** www.Benjaminmoore.com

**CONTACT NAME:** Edja Kouassi  
**TITLE:** Sr. Technical Project Manager  
**PHONE:** 973-252-2607  
**EMAIL:** Edja.kouassi@benjaminmoore.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*

HPD UNIQUE IDENTIFIER: 28546

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: This coating produces an extremely durable, chemical resistant surface with the benefits of soap and water clean-up. Provides outstanding gloss retention and resists scratches and abrasion. This is a two component product that requires 3.75 parts of the proper "A" component mixed with 1 part of part "B" catalyst. The components are already premeasured to the proper mix ratio. No measuring required. Do not mix partial kits.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

<b>Inventory Reporting Format</b> <input type="radio"/> Nested Materials Method <input checked="" type="radio"/> Basic Method  <b>Threshold Disclosed Per</b> <input type="radio"/> Material <input checked="" type="radio"/> Product	<b>Threshold Level</b> <input checked="" type="radio"/> 100 ppm <input type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other	<b>Residuals/Impurities</b> <input checked="" type="radio"/> Considered <input type="radio"/> Partially Considered <input type="radio"/> Not Considered  <b>Explanation(s) provided for Residuals/Impurities?</b> <input checked="" type="radio"/> Yes <input type="radio"/> No	<i>All Substances Above the Threshold Indicated Are:</i> <b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>% weight and role provided for all substances.</i> <b>Screened</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances screened using Priority Hazard Lists with results disclosed.</i> <b>Identified</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>
---	---	---	--

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**WATERBORNE URETHANE GLOSS (CATALYST) V540 [ HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER LT-P1 HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER, POLYETHYLENE-POLYPROPYLENE GLYCOL MONO-BU ETHER-BLOCKED NoGS HEXAMETHYLENE DIISOCYANATE LT-UNK | RES | SKI | EYE | MAM ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1  
Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

None

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 2.32 Regulatory (g/l): 2.32  
Does the product contain exempt VOCs: No  
Are ultra-low VOC tints available: Yes

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario  
VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2022-05-13

PUBLISHED DATE: 2022-05-13

EXPIRY DATE: 2025-05-13



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### WATERBORNE URETHANE GLOSS (CATALYST) V540

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities considered where applicable

OTHER PRODUCT NOTES:

#### HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER

ID: 28182-81-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-05-13 19:32:47

#: 75.0000 - 80.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

#### HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER, POLYETHYLENE-POLYPROPYLENE GLYCOL MONO-BU ETHER-BLOCKED

ID: 125252-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-05-13 19:34:49

#: 15.0000 - 20.0000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

#### HEXAMETHYLENE DIISOCYANATE

ID: 822-06-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-05-13 19:42:43

#: 0.1000 - 0.5000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Activator

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
RES	EU - GHS (H-Statements) Annex 6 Table 3-1	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-02-	EXPIRY DATE:	CERTIFIER OR LAB: Berkley
APPLICABLE FACILITIES: All	14		analytical
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

  

VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-05-	EXPIRY DATE:	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	13		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

NONE	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:	
None	

## Section 5: General Notes

Notes are not applicable for this product.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Benjamin Moore & Co.  
**ADDRESS:** 360 Route 206  
 Flanders NJ 07836, USA  
**WEBSITE:** www.benjaminmoore.com

**CONTACT NAME:** Edja Kouassi  
**TITLE:** Sr. Technical Project Manager  
**PHONE:** 973-252-2607  
**EMAIL:** Edja.kouassi@benjaminmoore.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*