ECO SPEC WB INTERIOR PAINT - PRIMER (W372) by Benjamin Moore & Co.

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1131624896512

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: A low odor, zero VOC (Volatile Organic Compounds), 100% acrylic interior latex primer sealer with spatter resistant properties. Ideally suited for commercial environments including healthcare and hospitality in addition to residential applications. Eco Spec® Interior Latex Primer (W372) does not have the odor of conventional primers which contain ingredients known as VOC's. Always use Eco Spec® Interior Latex Primer (W372) as a first coat when a low-odor, VOC free primer/finish system is required.

Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format C Nested Materials Method
- Basic Method
- Threshold Disclosed Per

O Material

Product

Threshold Level • 100 ppm • 1,000 ppm • Per GHS SDS • Other **Residuals/Impurities Evaluation**

- Completed
 Partially Completed
- C Not Completed

Explanation(s) provided : • Yes O No

Basic Method / Product Threshold

For all contents above the threshold, the m Characterized	nanufacturer has: • Yes • No
Provided weight and role. Screened	⊙ Yes ⊂ No
Provided screening results using HPDC-ap methods.	pproved
Identified	⊙ Yes ⊖ No
Provided name and CAS RN or other ident	tifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ECO SPEC WB INTERIOR PAINT - PRIMER (W372) [WATER BM-4 DAKRIL 4B LT-UNK TITANIUM DIOXIDE BM-1 | CAN | END | MAM KAOLIN, CALCINED LT-UNK LIMESTONE BM-3dg C9-11 PARETH-3 LT-P1 || SKI | EYE | AQU SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES LT-1 | CAN | MUL | SKI | DEV DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA] LT-UNK SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9) BM-1 || CAN | MAM]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.03 Regulatory (g/l): 0.12 Does the product contain exempt VOCs: No Are colorants available that do not increase the VOC content of the base paint when tinted: Yes Number of Greenscreen BM-4/BM3 contents ... 2 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1, LT-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

None

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2024-09-30 PUBLISHED DATE: 2024-09-30 EXPIRY DATE: 2027-09-30 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ECO SPEC WB INTERIOR PAINT - PRIMER (W372) PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes RESIDUALS AND IMPURITIES NOTES: Impurities considered where applicable. OTHER PRODUCT NOTES: WATER ID: 7732-18-5 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-09-30 6:18:58 %: 55.0000 - 60.0000 GreenScreen: BM-4 RC: None NANO: NO SUBSTANCE ROLE: Diluent HAZARD TYPE LIST NAME AND SOURCE WARNINGS No warnings found on HPD Priority Hazard Lists None found ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION EXEMPT European Union / European Commission (EU **EU - REACH Exemptions** EC) Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES:

			ID: 25852-3
ical and Materials Library		HAZARD S	SCREENING DATE: 2024-09-30 6:18
creen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
NAME AND SOURCE		WARNINGS	
		No warn	nings found on HPD Priority Hazard Lis
NAME AND SOURCE		NOTIFICATION	
		No	listings found on Additional Hazard Lis
			ID: 13463-6
			SCREENING DATE: 2024-09-30 6:18
	ical and Materials Library Coreen: LT-UNK NAME AND SOURCE NAME AND SOURCE	ACREENE RC: None NAME AND SOURCE	ACREEN: LT-UNK RC: None NANO: No NAME AND SOURCE WARNINGS No warn NAME AND SOURCE NOTIFICATION No

%: 10.0000 - 15.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcinoger	ns	Occupational Carci	nogen
CAN	CA EPA - Prop 65	CA EPA - Prop 65		fic to chemical form or exposure route
CAN	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources	
CAN	МАК			3A - Evidence of carcinogenic effects establish MAK/BAT value
END	TEDX - Potential Endocrine Disrupt	tors	Potential Endocrine	Disruptor
CAN	МАК		Carcinogen Group	4 - Non-genotoxic carcinogen with low T levels
CAN	IARC		Group 2b - Possibly	y carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6	Table 3-1	H351 - Suspected o Category 2]	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected o Category 2]	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposure	nage to organs through prolonged or [Specific target organs/systemic toxicity exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation (C2CPII)	on Institute		Product Standard Restricted SL) - Effective July 1, 2022
			Children's Products	3
RESTRICTED LIST	Cradle to Cradle Products Innovation (C2CPII)	on Institute		Product Standard Restricted SL) - Effective July 1, 2022
			Formulated Consur	mer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation (C2CPII)	on Institute		Product Standard Restricted SL) - Effective July 1, 2022
			Cosmetics & Perso	nal Care Products
POSITIVE LIST	US Environmental Protection Agen	cy (US	US EPA - DfE Safe	r Chemicals Ingredients list (SCIL)
			Colorants - Green (Circle (Verified Low Concern)

SUBSTANCE NOTES:

KAOLIN, CALCINED

ID: 92704-41-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	y	HAZARD S	CREENING DATE: 2024-09-30 6:18:59
%: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL	LISTINGS
------------	----------

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

LIMESTONE				ID: 1317-65-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	/	HAZARD S	SCREENING DATE: 2024-09-30 6:19:00
%: 1.0000 - 5.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES:

C9-11 PARETH-3

ID: 68439-46-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		emical and Materials Library HAZARD SCREENING DATE: 2024-09-30 6	
%: 0.5000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation cate	egory 2
SKI	GHS - Australia		H315 - Causes sk Category 2]	kin irritation [Skin corrosion/irritation -
EYE	GHS - New Zealand		Serious eye dama	age category 1
AQU	GHS - Japan		H401 - Toxic to a environment (acu	quatic life [Hazardous to the aquatic te) - Category 2]
AQU	GHS - Japan			quatic life with long lasting effects aquatic environment (chronic) -
EYE	GHS - Australia		H318 - Causes se damage/eye irrita	erious eye damage [Serious eye tion - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

HAZARD DATA SOURCE: P	Pharos Chemical and Materials Libra	ary	HAZARD SCREENING DATE: 2024-09-30 6:18:5	
%: 0.5000 - 1.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - Annex VI CMRs		Carcinogen Categ on animal evidenc	ory 1B - Presumed Carcinogen based e
MUL	ChemSec - SIN List		CMR - Carcinoger	n, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances H Waters	azardous to	Class 2 - Hazard t	o Waters
CAN	GHS - Australia	S - Australia H350 - May cause cancer [Carcinogenicity - Ca or 1B]		e cancer [Carcinogenicity - Category 1A
CAN	EU - GHS (H-Statements) An	nex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category or 1B]	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
DEV	GHS - Australia		H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]	
CAN	EU - REACH Annex XVII CM	Rs	Carcinogens: Category 1B	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Inr (C2CPII)	novation Institute	te C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Children's Product	is
RESTRICTED LIST	Cradle to Cradle Products Inr (C2CPII)	novation Institute	te C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Formulated Consumer Products	
SUBSTANCE NOTES:				
DIATOMACEOUS EARTH [W DF CRYSTALLINE SILICA]	HICH CONTAINS LESS THAN 0.1%	2		ID: 61790-53
IAZARD DATA SOURCE: P	Pharos Chemical and Materials Libra	ary	HAZARD	SCREENING DATE: 2024-09-30 6:19:0
6: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard List
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute	e (GSPI)	GSPI - Six Classe	s Precautionary List

SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9)

ID: 37241-25-1

HAZARD DATA SOURCE: P	haros Chemical and Materials Library		HAZARD SCRE	ENING DATE: 2	024-09-30 6:19:00
%: 0.1000 - 0.5000	GreenScreen: BM-1 R	C: None	NANO: No	SUBSTANCE RO	LE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	GHS - Japan		H350 - May cause canc	er [Carcinogenicit	y - Category 1A]
CAN	GHS - Australia		H350i - May cause cano Category 1A or 1B]	cer by inhalation [(Carcinogenicity -
MAM	GHS - Japan		H335 - May cause respi organ toxicity - Single e		-
МАМ	GHS - Japan		H372 - Causes damage repeated exposure [Spe following repeated expo	ecific target organs	s/systemic toxicity
МАМ	GHS - Australia		H372 - Causes damage repeated exposure [Spe repeated exposure - Ca	ecific target organ	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Pred	cautionary List	
			Antimicrobials		

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 013)	50/CHPS) - Classroom & Office scenario
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-05-06 00:00:00 EXPIRY DATE: 2027-05-06 00:00:00	CERTIFIER OR LAB: Berkeley Analytical
CERTIFICATION AND COMPLIANCE NOTES:		
VOC CONTENT	SCAQMD Rule 1113 Architectural Coating quick dry enamels, roof coatings only - 20	

CERTIFICATION AND COMPLIANCE NOTES:

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANTS

MANUFACTURER (OR GENERIC): Benjamin Moore & Co

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

No additional notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 360 Route 206 Flanders, NJ 07836 COUNTRY: United States WEBSITE: www.benjaminmoore.com CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager PHONE: 9732522607 EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled contentPostC Post-consumer recycled contentUNK Inclusion of recycled content is unknownNone Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

ECO SPEC WB INTERIOR PAINT - PRIMER (W372)

for compliance with the HPD standard noted.