ULTRA SPEC EXT EXTERIOR PAINT (W447) by Benjamin Moore & Co.

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1096961271808

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: Ultra Spec® EXT is formulated for professional contractors who need a paint that offers consistent, all-weather performance. Engineered for use on all exterior jobs—from HOA directives for apartment buildings to large-scale commercial buildings, Ultra Spec® EXT is formulated for a wide range of substrates, including masonry, brick, wood, vinyl siding, and more

Section 1: Summary

CONTENT INVENTORY

- Nested Materials MethodBasic Method
- Threshold Disclosed Per
- O Material

• Product

- Threshold Level

 100 ppm
 1,000 ppm
 Per GHS SDS
 Other
- **Residuals/Impurities Evaluation**
- Completed
- Partially Completed
 Not Completed
- Explanation(s) provided :

Basic Method / Product Threshold

For all contents above the threshold, the Characterized	manufacturer has: • Yes • No
Provided weight and role.	
Screened	⊙ Yes ⊖ No
Provided screening results using HPDC-a methods.	approved
Identified	⊙ Yes ⊖ No
Provided name and CAS RN or other ide	ntifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ULTRA SPEC EXT EXTERIOR PAINT (W447) [WATER BM-4 NEPHELINE SYENITE LT-UNK DAKRIL 4B LT-UNK TITANIUM DIOXIDE BM-1 CAN | END | MAM DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA] LT-UNK ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS LT-P1 MUL | SKI | EYE SILICON DIOXIDE BM-1 CAN | MAM SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES LT-1 CAN | MUL | SKI | DEV HYDROXYETHYL CELLULOSE LT-P1 END]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 11.398 Regulatory (g/l): 41.320 Does the product contain exempt VOCs: No Are colorants available that do not increase the VOC content of the base paint when tinted: Yes Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1, LT-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

None

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? • Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2024-06-28 PUBLISHED DATE: 2024-06-28 EXPIRY DATE: 2027-06-28 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ULTRA SPEC EXT EXTERIOR PAINT (W447) PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities considered where applicable. OTHER PRODUCT NOTES: None WATER ID: 7732-18-5 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-06-28 7:17:35 %: 45.0000 - 50.0000 GreenScreen: BM-4 RC: None SUBSTANCE ROLE: Diluent NANO: No HAZARD TYPE LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION EXEMPT European Union / European Commission (EU **EU - REACH Exemptions** EC) Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES:

CORENINO DATE: 0004 00 00 7-47-			Dheree Chemical and Materials Library	
SCREENING DATE: 2024-06-28 7:17:	HAZARD SO		Pharos Chemical and Materials Library	HAZARD DATA SOURCE:
SUBSTANCE ROLE: Filler	NANO: No	RC: None	GreenScreen: LT-UNK	%: 30.0000 - 35.0000
	WARNINGS		LIST NAME AND SOURCE	HAZARD TYPE
nings found on HPD Priority Hazard List	No warni			None found
	NOTIFICATION		LIST NAME AND SOURCE	ADDITIONAL LISTINGS
listings found on Additional Hazard List	No li			None found
				SUBSTANCE NOTES:
ID: 25852-37				DAKRIL 4B

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2024-06-28 7:17:35
%: 10.0000 - 15.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warn	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

TITANIUM DIOXIDE

ID: 13463-67-7

	Pharos Chemical and Materials Lib), rarv	ΗΔΖΛΡΟ	SCREENING DATE: 2024-06-28 7:17:3	
HAZARD DATA SOURCE. F		Jiaiy	HAZAND .	SCREENING DATE. 2024-00-20 7.17.3	
%: 10.0000 - 15.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	US CDC - Occupational Ca	US CDC - Occupational Carcinogens		cinogen	
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical form or exposure route	
CAN	IARC	IARC		oly carcinogenic to humans - inhaled sources	
CAN	МАК	МАК		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value	
END	TEDX - Potential Endocrine	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
CAN	МАК	МАК		o 4 - Non-genotoxic carcinogen with low AT levels	
CAN	IARC	IARC		ly carcinogenic to humans	
CAN	EU - GHS (H-Statements) A	EU - GHS (H-Statements) Annex 6 Table 3-1		l of causing cancer [Carcinogenicity -	
CAN	GHS - Japan	GHS - Japan		l of causing cancer [Carcinogenicity -	
MAM	GHS - Japan		repeated exposure	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	,	Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES:

DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA]

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2024-06-28 7:17:35	
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute	e (GSPI)	GSPI - Six Classes	s Precautionary List
			Antimicrobials	

SUBSTANCE NOTES:

ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS				ID: 78330-21-9
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD	SCREENING DATE: 2024-06-28 7:17:36
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant

ID: 61790-53-2

None found		No listings found on Additional Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS

SUBSTANCE NOTES:

SILICON DIOXIDE

ID: 7631-86-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-06-28 7:17:3		
%: 0.1000 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	GHS - Japan		H350 - May cause	cancer [Carcinogenicity - Category 1A]
CAN			H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicit following repeated exposure - Category 1]	
МАМ	GHS - Australia			mage to organs through prolonged or [Specific target organ toxicity - - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes	s Precautionary List
			Antimicrobials	
SUBSTANCE NOTES:				

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM
DISTILLATES

ID: 64742-65-0

HAZARD DATA SOURCE	E: Pharos Chemical and Materials Li	brary	HAZARD	SCREENING DATE: 2024-06-28 7:17:37
%: 0.1000 - 0.5000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence	
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters	
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]	
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]	
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]	
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Children's Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Formulated Consumer Products	

SUBSTANCE NOTES:

HYDROXYETHYL CELLULOSE ID: 9004-62-0					
HAZARD DATA SOURCE:	RCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-06-28 7:17:37		
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrin	e Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additional Hazard Lists	

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-06-28 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: None	
CERTIFICATION AND COMPLIANCE NOTES:			
VOC CONTENT	SCAQMD Rule 1113 Architectural Coating quick dry enamels, roof coatings only - 2	hitectural Coatings - Flats, floor coatings, non flat coatings, coatings only - 2007 amendments	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-06-28 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: N/A	
CERTIFICATION AND COMPLIANCE NOTES:			

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANTS

MANUFACTURER (OR GENERIC): Benjamin Moore & Co.

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

No additional notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 360 Route 206 Flanders, NJ 07836 COUNTRY: United States WEBSITE: www.benjaminmoore.com CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager PHONE: 9732522607 EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled content
 PostC Post-consumer recycled content
 UNK Inclusion of recycled content is unknown
 None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen[®] assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

ULTRA SPEC EXT EXTERIOR PAINT (W447)

for compliance with the HPD standard noted.