ULTRA SPEC EXT EXTERIOR SATIN (W448) by Benjamin Moore & Co.

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 411212126208

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: Ultra Spec® EXT is formulated for professional contractors who need a paint that offers consistent, all-weather performance. Engineered for use on all exterior jobs—from HOA directives for apartment buildings to large-scale commercial buildings, Ultra Spec® EXT is formulated for a wide range of substrates, including masonry, brick, wood, vinyl siding, and more

Section 1: Summary

CONTENT INVENTORY

Inventory	Reporting	Format
-----------	-----------	--------

- Nested Materials Method
 Basic Method
- Threshold Disclosed Per
- O Material

O Product

- Threshold Level

 100 ppm
 1,000 ppm
 Per GHS SDS
 Other
- **Residuals/Impurities Evaluation**
- Completed
- Partially Completed
 Not Completed
- Explanation(s) provided :
- Yes O No

Basic Method / Product Threshold

For all contents above the threshold, the i	manufacturer has: • Yes • No
Provided weight and role.	
Screened	• Yes O No
Provided screening results using HPDC-a methods.	approved
Identified	⊙ Yes ⊖ No
Provided name and CAS RN or other ider	ntifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ULTRA SPEC EXT EXTERIOR SATIN (W448) [WATER BM-4 DAKRIL 4B LT-UNK TITANIUM DIOXIDE BM-1] CAN | END | MAM NEPHELINE SYENITE LT-UNK ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS LT-P1 | MUL | SKI | EYE SILICON DIOXIDE BM-1 | CAN | MAM ENGLISH FULLERS EARTH NOGS C9-11 PARETH-3 LT-P1 | SKI | EYE | AQU HYDROXYETHYL CELLULOSE LT-P1 | END PROPYLENE GLYCOL BM-2 | END | MAM POLYETHYLENE GLYCOL (5) UNDECYL ETHER NOGS]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 13.523 Regulatory (g/l): 36.545 Does the product contain exempt VOCs: No Are colorants available that do not increase the VOC content of the base paint when tinted: Yes Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) \ldots BM-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2024-06-28 PUBLISHED DATE: 2024-06-28 EXPIRY DATE: 2027-06-28 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

LTRA SPEC EXT EXTERIOR S	SATIN (W448)				
RODUCT THRESHOLD: 100 p	om RESIDU	ALS AND IMPU	RITIES EVALUATIO	N COMPLETED: Ye	es
ESIDUALS AND IMPURITIES N	NOTES: Residuals/Impurities consider	ed where applic	able.		
THER PRODUCT NOTES: Nor	ne				
WATER					ID: 7732-18-5
HAZARD DATA SOURCE: Ph	aros Chemical and Materials Librar	у	HAZARD S	SCREENING DATE:	2024-06-28 7:39:34
%: 55.0000 - 60.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE R	OLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Co EC)	ommission (EU	EU - REACH Exer	nptions	
	,		Exempted from RE safety	EACH Annex IV listin	g due to intrinsic

SUBSTANCE NOTES:

SCREENING DATE: 2024-06-28 7:39	HAZARD S		Pharos Chemical and Materials Library	IAZARD DATA SOURCE:
SUBSTANCE ROLE: Binder	NANO: No	RC: None	GreenScreen: LT-UNK	6: 25.0000 - 30.0000
	WARNINGS		LIST NAME AND SOURCE	HAZARD TYPE
arnings found on HPD Priority Hazard Lis	No warn			None found
	NOTIFICATION		LIST NAME AND SOURCE	ADDITIONAL LISTINGS
Io listings found on Additional Hazard Lis	No			None found
				SUBSTANCE NOTES:
ID: 13463-6				ITANIUM DIOXIDE

TAZANU DATA SUUKUE:	Pharos Chemical and Materials L	library		SCREENING DATE: 2024-06-28 7:39
%: 15.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURC	ЭЕ	WARNINGS	
CAN	US CDC - Occupational C	Carcinogens	Occupational Card	cinogen
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical form or exposure route
CAN	IARC		Group 2B - Possib from occupational	oly carcinogenic to humans - inhaled sources
CAN	МАК			o 3A - Evidence of carcinogenic effects o establish MAK/BAT value
END	TEDX - Potential Endocri	ne Disruptors	Potential Endocrin	ne Disruptor
CAN	МАК		Carcinogen Group risk under MAK/B/	o 4 - Non-genotoxic carcinogen with low AT levels
CAN	IARC		Group 2b - Possib	ly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposure	Image to organs through prolonged or e [Specific target organs/systemic toxic d exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURC	СЕ	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	s Innovation Institute) Product Standard Restricted RSL) - Effective July 1, 2022
			Children's Product	ts
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute) Product Standard Restricted RSL) - Effective July 1, 2022
			Formulated Consu	umer Products
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute) Product Standard Restricted RSL) - Effective July 1, 2022
			Cosmetics & Pers	onal Care Products
POSITIVE LIST	US Environmental Protec	tion Agency (US	US EPA - DfE Saf	er Chemicals Ingredients list (SCIL)
	EPA)		Colorants - Green	Circle (Verified Low Concern)
SUBSTANCE NOTES:				
NEPHELINE SYENITE				ID: 37244-9
HAZARD DATA SOURCE:	Pharos Chemical and Materials L	ibrary	HAZARD	SCREENING DATE: 2024-06-28 7:39
%: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wai	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	b listings found on Additional Hazard Lists
SUBSTANCE NOTES:				
ETHOXYLATED BRANCHEE	0 C11-C14, C13-RICH ALCOHOLS			ID: 78330-21-9
HAZARD DATA SOURCE: F				
	Pharos Chemical and Materials Lib	rary	HAZARD	SCREENING DATE: 2024-06-28 7:39:35
%: 0.5000 - 1.0000	Pharos Chemical and Materials Lib	RC: None	HAZARD	SCREENING DATE: 2024-06-28 7:39:35 SUBSTANCE ROLE: Surfactant
%: 0.5000 - 1.0000 HAZARD TYPE		RC: None		
	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant

GHS - Australia

LIST NAME AND SOURCE

Category 2]

NOTIFICATION

H318 - Causes serious eye damage [Serious eye

No listings found on Additional Hazard Lists

damage/eye irritation - Category 1]

SILICON DIOXIDE

None found

ADDITIONAL LISTINGS

SUBSTANCE NOTES:

EYE

ID: 7631-86-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2024-06-28 7:39:30
%: 0.5000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	GHS - Japan		H350 - May cause	cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia		H350i - May cause Category 1A or 1B]	cancer by inhalation [Carcinogenicity -
MAM	GHS - Japan		•	respiratory irritation [Specific target gle exposure - Category 3]
МАМ	GHS - Japan		repeated exposure	nage to organs through prolonged or [Specific target organs/systemic toxicity exposure - Category 1]
MAM	GHS - Australia			nage to organs through prolonged or [Specific target organ toxicity - - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute	(GSPI)	GSPI - Six Classes	Precautionary List
			Antimicrobials	
SUBSTANCE NOTES:				
ENGLISH FULLERS EARTH				ID: 8031-18-3
HAZARD DATA SOURCE: P	haros Chemical and Materials Librar	у	HAZARD S	
HAZARD DATA SOURCE: P	haros Chemical and Materials Librar GreenScreen: NoGS	y RC: None	HAZARD S NANO: No	
		-		CREENING DATE: 2024-06-28 7:39:36
%: 0.1000 - 0.5000	GreenScreen: NoGS	-	NANO: No WARNINGS	CREENING DATE: 2024-06-28 7:39:36
%: 0.1000 - 0.5000 HAZARD TYPE	GreenScreen: NoGS	-	NANO: No WARNINGS	CREENING DATE: 2024-06-28 7:39:36 SUBSTANCE ROLE: Filler

SUBSTANCE NOTES:

C9-11 PARETH-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD	SCREENING DATE: 2024-06-28 7:39:36	
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
SKI	GHS - New Zealand		Skin irritation cate	egory 2	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation Category 2]		
EYE	GHS - New Zealand		Serious eye damage category 1		
AQU	GHS - Japan		H401 - Toxic to a environment (acu	quatic life [Hazardous to the aquatic te) - Category 2]	
AQU	GHS - Japan			quatic life with long lasting effects aquatic environment (chronic) -	
EYE	GHS - Australia		H318 - Causes se damage/eye irrita	erious eye damage [Serious eye tion - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	o listings found on Additional Hazard Lists	
SUBSTANCE NOTES:					

ID: 68439-46-3

HYDROXYETHYL CELLULOSE

HAZARD DATA SOURCE: P	Pharos Chemical and Materials Librar	у	HAZARD S	SCREENING DATE:	2024-06-28 7:39:37
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE R	OLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Dis	ruptors	Potential Endocrin	e Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Add	ditional Hazard Lists

SUBSTANCE NOTES:

PROPYLENE GLYCOL

ID: **57-55-6**

HAZARD DATA SOURCE: P	haros Chemical and Materials Library		HAZARD S	SCREENING DATE: 2024-06-28 7:39:3
%: 0.1000 - 0.5000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disrup	otors	Potential Endocrin	e Disruptor
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or 9 [Specific target organs/systemic toxicity exposure - Category 1]
MAM	GHS - Japan			mage to organs [Specific target oxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GS	SPI)	GSPI - Six Classes	s Precautionary List
			Antimicrobials	
RESTRICTED LIST	Green Science Policy Institute (GS	SPI)	GSPI - Six Classes	s Precautionary List
			Some Solvents	
POSITIVE LIST	US Environmental Protection Ager EPA)	ncy (US	US EPA - DfE Safe	er Chemicals Ingredients list (SCIL)
			Enzymes and Stab Concern)	bilizers - Green Circle (Verified Low
SUBSTANCE NOTES:				

POLYETHYLENE GLYCOL (5) UNDECYL ETHER

ID: 34398-01-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-06-28 7:39:36	
%: 0.1000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant

None found		No listings found on Additional Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No warnings found on HPD Priority Hazard Lists
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-06-28 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: None	
CERTIFICATION AND COMPLIANCE NOTES:			
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-06-28 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: N/A	
CERTIFICATION AND COMPLIANCE NOTES:			

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANTS

MANUFACTURER (OR GENERIC): Benjamin Moore & Co.

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

No additional notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 360 Route 206 Flanders, NJ 07836 COUNTRY: United States WEBSITE: www.benjaminmoore.com CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager PHONE: 9732522607 EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled content
 PostC Post-consumer recycled content
 UNK Inclusion of recycled content is unknown
 None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

ULTRA SPEC EXT EXTERIOR SATIN (W448)

for compliance with the HPD standard noted.