# ULTRA SPEC HP D.T.M. ACRYLIC SEMI-GLOSS ENAMEL (WH29) by Benjamin Moore & Co.

## HPD UNIQUE IDENTIFIER: 22672

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: This product is designed to perform a dual purpose as a direct to metal primer and finish. Both coats of the product provide rust inhibition for superior corrosion control. The acrylic formula provides excellent gloss and color retention. The film is fast drying permitting fast recoat. This product is also an excellent finish for masonry, plaster, wallboard and interior wood surfaces.

# Section 1: Summary

### **CONTENT INVENTORY**

### **Inventory Reporting Format**

C Nested Materials Method Basic Method

**Threshold Disclosed Per** 

- O Material
- Product

Threshold level ⊙ 100 ppm C 1,000 ppm O Per GHS SDS O Other

## **Residuals/Impurities**

Considered C Partially Considered C Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

# **Basic Method / Product Threshold**

All Substances Above the Threshold Indicated Are:

○ Yes Ex/SC ⊙ Yes ○ No Characterized % weight and role provided for all substances.

Screened ○ Yes Ex/SC ○ Yes ⊙ No One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

Identified ○ Yes Ex/SC ○ Yes ⊙ No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

### MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY **GREENSCREEN SCORE** | HAZARD TYPE

ULTRA SPEC HP D.T.M. ACRYLIC SEMI-GLOSS ENAMEL (WH29) [ WATER BM-4 PROPRIETARY ACRYLIC POLYMER Not Screened TITANIUM DIOXIDE LT-1 | CAN | END KAOLIN LT-UNK | CAN ETHYLENE GLYCOL, MONO(2-ETHYLHEXYL) ETHER LT-UNK PROPRIETARY COALESCING AGENT Not Screened ZINC PHOSPHATE LT-P1 | AQU | MUL SILICON DIOXIDE BM-1 | CAN PROPYLENE GLYCOL BM-2 | END ALUMINUM HYDROXIDE, DRIED BM-2 ZINC HYDROXIDE LT-UNK ALCOHOLS, C8-22, ETHOXYLATED LT-UNK POLYETHYLENE GLYCOL MONO(OCTYLPHENYL) ETHER LT-P1 | END | MUL WHITE MINERAL OIL LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1 Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No **INVENTORY AND SCREENING NOTES:** Reviewed per GHS criteria

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 99.280 Regulatory (g/l): 50.006 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listinas.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

# CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified? ULTRA SPEC HP D.T.M. ACRYLIC SEMI-GLOSS ENAMEL (WH29) hpdrepository.hpd-collaborative.org

**PREPARER: Self-Prepared** 

SCREENING DATE: 2020-10-26

HPD v2.2 created via HPDC Builder Page 1 of 8

○ Yes⊙ No

VERIFIER: VERIFICATION #: PUBLISHED DATE: 2020-10-26 EXPIRY DATE: 2023-10-26 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ULTRA SPEC HP D.T.M. ACRYLIC	SEMI-GLOSS ENAMEL (WH29)			
PRODUCT THRESHOLD: 100 ppm		RESIDUA	LS AND IMPURI	TIES CONSIDERED: Yes
RESIDUALS AND IMPURITIES NOT	TES: Based on data provided by raw mater	ial suppliers		
OTHER PRODUCT NOTES: none				
WATER				ID: 7732-18-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2020-10-26
%: 35.0000 - 45.0000	GS: <b>BM-4</b>	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS	
None found			No warnings f	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: none				
PROPRIETARY ACRYLIC POLY	MER			ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2020-10-26
%: 20.0000 - 30.0000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS	
	Hazard Screening not performed			
SUBSTANCE NOTES: Non Haza	ardous per GHS criteria			
TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2020-10-26
%: 15.0000 - 25.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

	AGENCY AND LIST TITLES	WAR	NINGS		
CANCER	US CDC - Occupational Carcinogens	Occuj	pational Carcino	gen	
CANCER	CA EPA - Prop 65	Carcir route	nogen - specific	to chemical form	or exposure
CANCER	IARC	•	2B - Possibly c	arcinogenic to hu Irces	umans - inhaled
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Poten	tial Endocrine D	isruptor	
CANCER	МАК			- Evidence of ca stablish MAK/BA	rcinogenic effects T value
CANCER	МАК		nogen Group 4 - sk under MAK/B	Non-genotoxic c AT levels	arcinogen with
SUBSTANCE NOTES: none					
KAOLIN					ID: <b>1332-58</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-26	
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	IINGS		
CANCER	МАК		nogen Group 3B ot sufficient for c		rcinogenic effects
SUBSTANCE NOTES: none					
ETHYLENE GLYCOL, MONO(2-E	THYLHEXYL) ETHER				ID: 1559-35
	THYLHEXYL) ETHER Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-26	ID: 1559-35
HAZARD SCREENING METHOD:		HAZARD SC RC: <b>None</b>	REENING DATE: NANO: <b>No</b>		ID: <b>1559-35</b> ROLE: <b>Filler</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library		NANO: No		
HAZARD SCREENING METHOD: %: 1.0000 - 5.0000	Pharos Chemical and Materials Library GS: LT-UNK	RC: None	NANO: <b>No</b> NINGS	SUBSTANCE	ROLE: Filler
HAZARD SCREENING METHOD: %: <b>1.0000 - 5.0000</b> HAZARD TYPE	Pharos Chemical and Materials Library GS: LT-UNK	RC: None	NANO: <b>No</b> NINGS	SUBSTANCE	ROLE: Filler
HAZARD SCREENING METHOD: %: 1.0000 - 5.0000 HAZARD TYPE None found	Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES	RC: None	NANO: <b>No</b> NINGS	SUBSTANCE	ROLE: Filler
HAZARD SCREENING METHOD: %: 1.0000 - 5.0000 HAZARD TYPE None found SUBSTANCE NOTES: none	Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES	RC: None	NANO: <b>No</b> NINGS No warnings	SUBSTANCE	
HAZARD SCREENING METHOD: %: 1.0000 - 5.0000 HAZARD TYPE None found SUBSTANCE NOTES: none PROPRIETARY COALESCING A HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES	RC: None	NANO: <b>No</b> NINGS No warnings	SUBSTANCE found on HPD Pr 2020-10-26	ROLE: Filler
AZARD SCREENING METHOD: %: 1.0000 - 5.0000 HAZARD TYPE None found SUBSTANCE NOTES: none PROPRIETARY COALESCING A HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES GENT Pharos Chemical and Materials Library	RC: None WARM HAZARD SC RC: None	NANO: No No warnings	SUBSTANCE found on HPD Pr 2020-10-26	ROLE: Filler
AZARD SCREENING METHOD: %: 1.0000 - 5.0000 HAZARD TYPE None found SUBSTANCE NOTES: none PROPRIETARY COALESCING A HAZARD SCREENING METHOD: %: 1.0000 - 5.0000	Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES GENT Pharos Chemical and Materials Library GS: Not Screened	RC: None WARM HAZARD SC RC: None	NANO: No NINGS No warnings REENING DATE: NANO: No	SUBSTANCE found on HPD Pr 2020-10-26	ROLE: Filler
HAZARD SCREENING METHOD: %: 1.0000 - 5.0000 HAZARD TYPE None found SUBSTANCE NOTES: none PROPRIETARY COALESCING A HAZARD SCREENING METHOD: %: 1.0000 - 5.0000	Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES  Pharos Chemical and Materials Library GS: Not Screened AGENCY AND LIST TITLES	RC: None WARM HAZARD SC RC: None	NANO: No NINGS No warnings REENING DATE: NANO: No	SUBSTANCE found on HPD Pr 2020-10-26	ROLE: Filler

ID.	777	0 0	
11.7		M-M	11-11

ZINC PHOSPHATE		ID:	7779-90-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-26	
%: 0.5000 - 5.0000	GS: <b>LT-P1</b>	RC: None NANO: No SUBSTANCE ROLE: Op	acifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life	
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting	effects
MULTIPLE	German FEA - Substances Hazardous t Waters	o Class 2 - Hazard to Waters	
SUBSTANCE NOTES: None			
SILICON DIOXIDE		ID:	7631-86-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-26	
%: 0.5000 - 3.0000	GS: <b>BM-1</b>	RC: None NANO: No SUBSTANCE ROLE: Surface	e modifie
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]	
CANCER SUBSTANCE NOTES: none PROPYLENE GLYCOL	GHS - Australia	H350i - May cause cancer by inhalation	D: 57-55-
SUBSTANCE NOTES: none PROPYLENE GLYCOL HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-26	
SUBSTANCE NOTES: none PROPYLENE GLYCOL HAZARD SCREENING METHOD: %: 0.0500 - 2.0000	Pharos Chemical and Materials Library GS: BM-2	I HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: F	
SUBSTANCE NOTES: none PROPYLENE GLYCOL HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE	Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES	I HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: F WARNINGS	
SUBSTANCE NOTES: none PROPYLENE GLYCOL HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE ENDOCRINE	Pharos Chemical and Materials Library GS: BM-2	I HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: F	
SUBSTANCE NOTES: none PROPYLENE GLYCOL HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE	Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES	I HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: F WARNINGS	
SUBSTANCE NOTES: none PROPYLENE GLYCOL HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE ENDOCRINE SUBSTANCE NOTES: none	Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES TEDX - Potential Endocrine Disruptors	I HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: F WARNINGS Potential Endocrine Disruptor	iller
SUBSTANCE NOTES: none PROPYLENE GLYCOL HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE ENDOCRINE SUBSTANCE NOTES: none ALUMINUM HYDROXIDE, DRIED	Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES TEDX - Potential Endocrine Disruptors	I HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: F WARNINGS Potential Endocrine Disruptor	iller
SUBSTANCE NOTES: none PROPYLENE GLYCOL HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE ENDOCRINE SUBSTANCE NOTES: none ALUMINUM HYDROXIDE, DRIED HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES TEDX - Potential Endocrine Disruptors	I HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: F WARNINGS Potential Endocrine Disruptor	iller 1645-51-
SUBSTANCE NOTES: none PROPYLENE GLYCOL HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE ENDOCRINE SUBSTANCE NOTES: none ALUMINUM HYDROXIDE, DRIED HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES TEDX - Potential Endocrine Disruptors Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: F WARNINGS Potential Endocrine Disruptor ID: 2 HAZARD SCREENING DATE: 2020-10-26	iller 1645-51-
SUBSTANCE NOTES: none PROPYLENE GLYCOL HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE ENDOCRINE SUBSTANCE NOTES: none ALUMINUM HYDROXIDE, DRIED HAZARD SCREENING METHOD: %: 0.0500 - 2.0000	Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES TEDX - Potential Endocrine Disruptors Pharos Chemical and Materials Library GS: BM-2	I HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: F WARNINGS Potential Endocrine Disruptor ID: 2 HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: Fixin	iller 1645-51-
SUBSTANCE NOTES: none PROPYLENE GLYCOL HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE ENDOCRINE SUBSTANCE NOTES: none ALUMINUM HYDROXIDE, DRIED HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE	Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES TEDX - Potential Endocrine Disruptors Pharos Chemical and Materials Library GS: BM-2	I HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: F WARNINGS Potential Endocrine Disruptor ID: 2 HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: Fixin WARNINGS	iller 1645-51-
SUBSTANCE NOTES: none PROPYLENE GLYCOL HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE ENDOCRINE SUBSTANCE NOTES: none ALUMINUM HYDROXIDE, DRIED HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE None found	Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES TEDX - Potential Endocrine Disruptors Pharos Chemical and Materials Library GS: BM-2	HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: F WARNINGS Potential Endocrine Disruptor ID: 2 HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: Fixin WARNINGS No warnings found on HPD Priority Haz	iller 1645-51- ng agent zard Lists
SUBSTANCE NOTES: none PROPYLENE GLYCOL HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE ENDOCRINE SUBSTANCE NOTES: none ALUMINUM HYDROXIDE, DRIED HAZARD SCREENING METHOD: %: 0.0500 - 2.0000 HAZARD TYPE None found SUBSTANCE NOTES: None ZINC HYDROXIDE	Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES TEDX - Potential Endocrine Disruptors Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES	HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: F WARNINGS Potential Endocrine Disruptor ID: 2 HAZARD SCREENING DATE: 2020-10-26 RC: None NANO: No SUBSTANCE ROLE: Fixin WARNINGS No warnings found on HPD Priority Haz	1645-51-3 ng agent

ULTRA SPEC HP D.T.M. ACRYLIC SEMI-GLOSS ENAMEL (WH29) hpdrepository.hpd-collaborative.org

HPD v2.2 created via HPDC Builder Page 5 of 8

HAZARD TYPE	AGENCY AND LIST TITLES		WARNI	NGS		
None found				No warnings f	ound on HPD Prio	rity Hazard Lists
SUBSTANCE NOTES: none						
ALCOHOLS, C8-22, ETHOXYLAT	ED					ID: 69013-19-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	RD SCR	EENING DATE:	2020-10-26	
%: 0.0500 - 1.0000	GS: LT-UNK	RC: N	one	NANO: No	SUBSTANCE R	OLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNI	NGS		
None found				No warnings f	ound on HPD Prio	rity Hazard Lists
SUBSTANCE NOTES: none						
POLYETHYLENE GLYCOL MONC	O(OCTYLPHENYL) ETHER					ID: 9036-19-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	RD SCR	EENING DATE:	2020-10-26	
%: 0.0500 - 1.0000	GS: <b>LT-P1</b>	RC: N	one	NANO: No	SUBSTANCE R	OLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNI	NGS		
ENDOCRINE	ChemSec - SIN List		Endocr	ine Disruption		
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potenti	al Endocrine Dis	sruptor	
MULTIPLE	German FEA - Substances Hazardous t Waters	to	Class 3	- Severe Hazar	d to Waters	
SUBSTANCE NOTES: none						
•						
WHITE MINERAL OIL						ID: 8042-47-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	RD SCR	EENING DATE:	2020-10-26	
%: 0.0500 - 1.0000	GS: LT-UNK	RC: N	one	NANO: No	SUBSTANCE R	OLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNI	NGS		
None found				No warnings f	ound on HPD Prio	rity Hazard Lists
SUBSTANCE NOTES: none						

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Metho	d V1.2 (Section 01350/C	HPS) - Classroom & Office scenario
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2020-10- 26	EXPIRY DATE: 2023- 10-26	CERTIFIER OR LAB: N/A
CERTIFICATION AND COMPLIANCE NOTES: None			
VOC CONTENT		chitectural Coatings - F f coatings only - 2007 a	ats, floor coatings, non flat coatings, nendments

CERTIFICATION AND COMPLIANCE NOTES: none

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

**GENNEX COLORANTS (229)** 

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

# Section 5: General Notes

SDS and TDS available on www.benjaminmoore.com

## MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 101 Paragon Drive Montvale NJ 07645, United States WEBSITE: www.Benjaminmoore.com

CONTACT NAME: Edja Kouassi TITLE: Technical Project Manager PHONE: 9732522607 EMAIL: Edja.kouassi@benjaminmoore.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

## KEY

### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.