



## SAFETY DATA SHEET

Revision Date: 01-Feb-2023

Revision Number: 5

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** BENJAMIN MOORE COROTECH COMMAND WATERBORNE  
ACRYLIC URETHANE BLACK  
**Product Code** V39080  
**Alternate Product Code** V39080  
**Product Class** Water thinned paint  
**Color** Black  
**Recommended use** Paint  
**Restrictions on use** No information available

**Manufacturer**  
Benjamin Moore & Co.  
101 Paragon Drive  
Montvale, NJ 07645  
Phone: 1-866-708-9180  
www.benjaminmoore.com/Corotech

**Emergency Telephone**  
CHEMTREC: +1 703-741-5970 / 1-800-424-9300  
+1 703-527-3887 (outside US & Canada)

### 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                        |             |
|------------------------|-------------|
| Skin sensitization     | Category 1A |
| Germ cell mutagenicity | Category 1B |
| Carcinogenicity        | Category 2  |
| Reproductive toxicity  | Category 1B |

#### Label elements

##### **Danger**

##### **Hazard statements**

May cause an allergic skin reaction  
May cause genetic defects  
Suspected of causing cancer  
May damage fertility or the unborn child



**Appearance** liquid

**Odor** little or no odor

**Precautionary Statements - Prevention**

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing must not be allowed out of the workplace  
Wear protective gloves

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

**Skin**

IF ON SKIN: Wash with plenty of soap and water  
If skin irritation or rash occurs: Get medical advice/attention  
Wash contaminated clothing before reuse

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other information**

No information available

**CAUTION:** All floor coatings may become slippery when wet. Where non-skid characteristics are desired, use an appropriate anti-slip aggregate.

**WARNING:** This product contains isothiazolinone compounds at levels of <0.1%. These substances are biocides commonly found in most paints and a variety of personal care products as a preservative. Certain individuals may be sensitive or allergic to these substances, even at low levels.

### 3. COMPOSITION INFORMATION ON COMPONENTS

| Chemical name                           | CAS No    | Weight-% |
|---|-----------|----------|
| Carbon black                            | 1333-86-4 | 1 - 5    |
| Ethylene glycol mono-2-ethylhexyl ether | 1559-35-9 | 1 - 5    |
| Zinc phosphate                          | 7779-90-0 | 0.5 - 1  |

|   |             |           |
|---|-------------|-----------|
| Alcohols, C12 - 14, ethoxylated   | 68439-50-9  | 0.1 - 0.5 |
| Ammonium hydroxide  | 1336-21-6   | 0.1 - 0.5 |
| Poly(oxy-1,2-ethanediyl),<br>.alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega-hydroxy-   | 104810-48-2 | 0.1 - 0.5 |
| Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester  | 10605-21-7  | 0.1 - 0.5 |
| Poly(oxy-1,2-ethanediyl),<br>.alpha.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-.omega.-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxoprop | 104810-47-1 | 0.1 - 0.5 |
| Decanedioic acid, bis(1,2,2,6,6-pentamethyl-4-piperidiny) ester   | 41556-26-7  | 0.1 - 0.5 |

#### 4. FIRST AID MEASURES

|  |   |
|--|---|
| <b>General Advice</b>                  | If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.   |
| <b>Eye Contact</b>                     | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.  |
| <b>Skin Contact</b>                    | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. Wash clothing before reuse. Destroy contaminated articles such as shoes. |
| <b>Inhalation</b>                      | Move to fresh air. If symptoms persist, call a physician.   |
| <b>Ingestion</b>                       | Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.  |
| <b>Most Important Symptoms/Effects</b> | May cause allergic skin reaction.   |
| <b>Notes To Physician</b>              | Treat symptomatically.  |

#### 5. FIRE-FIGHTING MEASURES

|  |  |
|--|--|
| <b>Suitable Extinguishing Media</b>                          | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                |
| <b>Protective equipment and precautions for firefighters</b> | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. |
| <b>Specific Hazards Arising From The Chemical</b>            | Closed containers may rupture if exposed to fire or extreme heat.  |
| <b>Sensitivity to mechanical impact</b>                      | No   |

|  |                |
|--|----------------|
| <b>Sensitivity to static discharge</b> | No             |
| <b>Flash Point Data</b>                |                |
| Flash point (°F)                       | 250            |
| Flash Point (°C)                       | 121            |
| Method                                 | PMCC           |
| <b>Flammability Limits In Air</b>      |                |
| Lower flammability limit:              | Not applicable |
| Upper flammability limit:              | Not applicable |
| <b>NFPA</b>                            |                |
| Health hazards                         | 2              |
| Flammability                           | 1              |
| Stability                              | 0              |
| Special:                               | Not Applicable |

#### NFPA Legend

0 - Not Hazardous  
1 - Slightly  
2 - Moderate  
3 - High  
4 - Severe

*The ratings assigned are only suggested ratings, the contractor/employer has ultimate responsibilities for NFPA ratings where this system is used.*

*Additional information regarding the NFPA rating system is available from the National Fire Protection Agency (NFPA) at [www.nfpa.org](http://www.nfpa.org).*

## 6. ACCIDENTAL RELEASE MEASURES

|                                  |   |
|----------------------------------|---|
| <b>Personal Precautions</b>      | Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.                          |
| <b>Other Information</b>         | Prevent further leakage or spillage if safe to do so.   |
| <b>Environmental precautions</b> | See Section 12 for additional Ecological Information.   |
| <b>Methods for Cleaning Up</b>   | Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. |

## 7. HANDLING AND STORAGE

|                               |  |
|-------------------------------|--|
| <b>Handling</b>               | Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. |
| <b>Storage</b>                | Keep container tightly closed. Keep out of the reach of children.  |
| <b>Incompatible Materials</b> | No information available   |

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Limits

| Chemical name      | ACGIH TLV   | OSHA PEL                    |
|--------------------|---|-----------------------------|
| Carbon black       | TWA: 3 mg/m <sup>3</sup> inhalable particulate matter | 3.5 mg/m <sup>3</sup> - TWA |
| Ammonium hydroxide | STEL: 35 ppm<br>TWA: 25 ppm                           | -                           |

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists Exposure Limits

OSHA - Occupational Safety & Health Administration Exposure Limits

N/E - Not Established

### Engineering Measures

Ensure adequate ventilation, especially in confined areas.

### Personal Protective Equipment

#### Eye/Face Protection

Safety glasses with side-shields.

#### Skin Protection

Protective gloves and impervious clothing.

#### Respiratory Protection

Use only with adequate ventilation. In operations where exposure limits are exceeded, use a NIOSH approved respirator that has been selected by a technically qualified person for the specific work conditions. When spraying the product or applying in confined areas, wear a NIOSH approved respirator specified for paint spray or organic vapors.

### Hygiene Measures

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                             |                          |
|-----------------------------|--------------------------|
| Appearance                  | liquid                   |
| Odor                        | little or no odor        |
| Odor Threshold              | No information available |
| Density (lbs./gal)          | 8.4 - 8.8                |
| Specific Gravity            | 1.00 - 1.05              |
| pH                          | No information available |
| Viscosity (cps)             | No information available |
| Solubility(ies)             | No information available |
| Water solubility            | No information available |
| Evaporation Rate            | No information available |
| Vapor pressure @20 °C (kPa) | No information available |
| Relative vapor density      | No information available |
| Wt. % Solids                | 30 - 40                  |
| Vol. % Solids               | 30 - 40                  |
| Wt. % Volatiles             | 60 - 70                  |
| Vol. % Volatiles            | 60 - 70                  |
| VOC Regulatory Limit (g/L)  | < 150                    |
| Boiling Point (°F)          | 212                      |
| Boiling Point (°C)          | 100                      |
| Freezing point (°F)         | 32                       |
| Freezing Point (°C)         | 0                        |
| Flash point (°F)            | 250                      |
| Flash Point (°C)            | 121                      |
| Method                      | PMCC                     |
| Flammability (solid, gas)   | Not applicable           |

|                                |                          |
|--------------------------------|--------------------------|
| Upper flammability limit:      | Not applicable           |
| Lower flammability limit:      | Not applicable           |
| Autoignition Temperature (°F)  | No information available |
| Autoignition Temperature (°C)  | No information available |
| Decomposition Temperature (°F) | No information available |
| Decomposition Temperature (°C) | No information available |
| Partition coefficient          | No information available |

## 10. STABILITY AND REACTIVITY

|                                    |  |
|------------------------------------|--|
| Reactivity                         | Not Applicable                           |
| Chemical Stability                 | Stable under normal conditions.          |
| Conditions to avoid                | Prevent from freezing.                   |
| Incompatible Materials             | No materials to be especially mentioned. |
| Hazardous Decomposition Products   | None under normal use.                   |
| Possibility of hazardous reactions | None under normal conditions of use.     |

## 11. TOXICOLOGICAL INFORMATION

### Product Information

#### Information on likely routes of exposure

**Principal Routes of Exposure** Eye contact, skin contact and inhalation.

#### Acute Toxicity

**Product Information** No information available

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                               |  |
|-------------------------------|--|
| <b>Eye contact</b>            | May cause slight irritation.   |
| <b>Skin contact</b>           | Substance may cause slight skin irritation. Prolonged or repeated contact may dry skin and cause irritation. |
| <b>Inhalation</b>             | May cause irritation of respiratory tract.   |
| <b>Ingestion</b>              | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.                              |
| <b>Sensitization</b>          | May cause an allergic skin reaction  |
| <b>Neurological Effects</b>   | No information available.  |
| <b>Mutagenic Effects</b>      | Suspected of causing genetic defects.  |
| <b>Reproductive Effects</b>   | May damage fertility or the unborn child.  |
| <b>Developmental Effects</b>  | No information available.  |
| <b>Target organ effects</b>   | No information available.  |
| <b>STOT - single exposure</b> | No information available.  |

**STOT - repeated exposure** No information available.  
**Other adverse effects** No information available.  
**Aspiration Hazard** No information available

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 41736 mg/kg  
**ATEmix (inhalation-dust/mist)** 424.9 mg/l

**Component Information** Caution - This mixture contains a substance not yet fully tested

| Chemical name   | Oral LD50             | Dermal LD50  | Inhalation LC50 |
|---|-----------------------|--|-----------------|
| Carbon black<br>1333-86-4   | > 15400 mg/kg ( Rat ) | > 3 g/kg ( Rabbit )                                | -               |
| Ethylene glycol mono-2-ethylhexyl<br>ether<br>1559-35-9                               | = 3080 mg/kg ( Rat )  | = 2120 mg/kg ( Rabbit ) = 2120<br>µL/kg ( Rabbit ) | -               |
| Zinc phosphate<br>7779-90-0   | > 5000 mg/kg ( Rat )  | -  | -               |
| Ammonium hydroxide<br>1336-21-6   | = 350 mg/kg ( Rat )   | -  | -               |
| Carbamic acid,<br>1H-benzimidazol-2-yl-, methyl ester<br>10605-21-7                   | > 5050 mg/kg ( Rat )  | > 10000 mg/kg ( Rabbit )                           | -               |
| Decanedioic acid,<br>bis(1,2,2,6,6-pentamethyl-4-piperidi<br>nyl) ester<br>41556-26-7 | = 2615 mg/kg ( Rat )  | -  | -               |

### Chronic Toxicity

#### **Carcinogenicity**

The information below indicates whether each agency has listed any ingredient as a carcinogen:.

| Chemical name | IARC                              | NTP | OSHA   |
|---------------|-----------------------------------|-----|--------|
| Carbon black  | 2B - Possible Human<br>Carcinogen |     | Listed |

#### **Legend**

IARC - International Agency for Research on Cancer

NTP - National Toxicity Program

OSHA - Occupational Safety & Health Administration

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity Effects

The environmental impact of this product has not been fully investigated.

### Product Information

#### **Acute Toxicity to Fish**

No information available

#### **Acute Toxicity to Aquatic Invertebrates**

No information available

**Acute Toxicity to Aquatic Plants**

No information available

**Persistence / Degradability**

No information available.

**Bioaccumulation**

There is no data for this product.

**Mobility in Environmental Media**

No information available.

**Ozone**

Not applicable

**Component Information**

**Acute Toxicity to Fish**

Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester

LC50: 1.5 mg/L (Rainbow Trout - 96 hr.)

**Acute Toxicity to Aquatic Invertebrates**

Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester

LC50: 0.22 mg/L (water flea - 48 hr.)

**Acute Toxicity to Aquatic Plants**

No information available

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Method**

Dispose of in accordance with federal, state, and local regulations. Local requirements may vary, consult your sanitation department or state-designated environmental protection agency for more disposal options.

## 14. TRANSPORT INFORMATION

DOT

Not regulated

ICAO / IATA

Not regulated

IMDG / IMO

Not regulated

## 15. REGULATORY INFORMATION

**International Inventories**



**TSCA: United States**  
**DSL: Canada**

Yes - All components are listed or exempt.  
Yes - All components are listed or exempt.

## **Federal Regulations**

### **SARA 311/312 Hazard Categories**

|                                   |     |
|-----------------------------------|-----|
| Acute health hazard               | Yes |
| Chronic Health Hazard             | Yes |
| Fire hazard                       | No  |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

None


### **Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product contains the following HAPs:

None

## **US State Regulations**

### **California Proposition 65**

 **WARNING:** This product can expose you to chemicals including Crystalline Silica, which are known to the State of California to cause cancer, and Toluene which are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### **U.S. State Right-to-Know Regulations**

| Chemical name                                      | Massachusetts | New Jersey | Pennsylvania |
|--|---------------|------------|--------------|
| Carbon black                                       | X             | X          | X            |
| Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester |               | X          |              |

#### **Legend**

X - Listed

## 16. OTHER INFORMATION

#### HMIS

|                     |    |
|---------------------|----|
| Health hazards      | 2* |
| Flammability        | 1  |
| Reactivity:         | 0  |
| Personal protection | -  |

#### HMIS Legend

- 0 - Minimal Hazard
- 1 - Slight Hazard
- 2 - Moderate Hazard
- 3 - Serious Hazard
- 4 - Severe Hazard
- \* - Chronic Hazard

X - Consult your supervisor or S.O.P. for "Special" handling instructions.

*Note: The PPE rating has intentionally been left blank. Choose appropriate PPE that will protect employees from the hazards the material will present under the actual normal conditions of use.*

*Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer, has chosen to provide them. HMIS® ratings are to be used only in conjunction with a fully implemented HMIS® program by workers who have received appropriate HMIS® training. HMIS® is a registered trade and service mark of the NPCA. HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.*

**WARNING!** If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Hotline at 1-800-424-LEAD or log on to [www.epa.gov/lead](http://www.epa.gov/lead).

**Prepared By** Product Stewardship Department  
Benjamin Moore & Co.  
101 Paragon Drive  
Montvale, NJ 07645  
800-225-5554

**Revision Date:** 01-Feb-2023  
**Revision Summary** Not available

#### Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**