

Revision Date: 06-Aug-2018

**Revision Number: 2** 

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Product Code Alternate Product Code Product Class Color Recommended use Restrictions on use

# LENMAR CLEARCOAT PRO AMBER SEALER

**1PR-120** HL5720 WATER THINNED PAINT Amber Base coating Paint No information available

#### **Manufacturer**

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 1-866-708-9180 lenmar-coatings.com

## Emergency Telephone

CHEMTREC (US): 800-424-9300 CHEMTREC (outside US): (703)-527-3887

2. HAZARDS IDENTIFICATION

### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation         | Category 2  |
|-----------------------------------|-------------|
| Serious eye damage/eye irritation | Category 2A |
| Reproductive toxicity             | Category 1B |

### Label elements

# Danger

# Hazard statements

Causes skin irritation Causes serious eye irritation May damage fertility or the unborn child



#### Appearance liquid

Odor little or no odor

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention **Eyes** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention **Skin** IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

#### Precautionary Statements - Storage

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other information

No information available

# 3. COMPOSITION INFORMATION ON COMPONENTS

| Chemical name            | CAS No.  | Weight-% |
|--------------------------|----------|----------|
| 1-Methyl-2-pyrrolidinone | 872-50-4 | 5        |
| Triethylamine            | 121-44-8 | 5        |

# 4. FIRST AID MEASURES

| General Advice | No hazards which require special first aid measures.  |
|----------------|---|
| Eye Contact    | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.                |
| Skin Contact   | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |
| Inhalation     | Move to fresh air. If symptoms persist, call a physician.   |

#### 1PR-120 - LENMAR CLEARCOAT PRO AMBER SEALER

| Ingestion  | Clean mouth with waith w | ater and afterwards dr                             | ink plenty of water. Consult a physician   |
|--|--|--|--|
| Most Important<br>Symptoms/Effects   | None known.  |  |  |
| Notes To Physician   | Treat symptomatical  | ly.  |  |
|  | 5. FIRE-FIGH   | TING MEASUR  | ES   |
| Suitable Extinguishing Media   |  |  | measures that are appropriate to local<br>the surrounding environment.               |
| Protective Equipment And Pr<br>Firefighters                                  | ecautions For  |  | r self-contained breathing apparatus<br>MSHA/NIOSH (approved or equivalent)<br>gear. |
| Specific Hazards Arising From  | m The Chemical   | Closed containers extreme heat.                    | may rupture if exposed to fire or  |
| Sensitivity To Mechanical Im   | pact   | No   |  |
| Sensitivity To Static Discharg   | je   | No   |  |
| Flash Point Data<br>Flash Point (°F)<br>Flash Point (°C)<br>Method           |  | Not applicable<br>Not applicable<br>Not applicable |  |
| Flammability Limits In Air   |  |  |  |
| Lower flammability limit:<br>Upper flammability limit:                       |  | Not applicable<br>Not applicable                   |  |
| NFPA Health: 2   | Flammability: 0  | Instability: 0                                     | Special: Not Applicable  |
| NFPA Legend<br>0 - Not Hazardous<br>1 - Slightly<br>2 - Moderate<br>3 - High |  |  |  |

4 - Severe

The ratings assigned are only suggested ratings, the contractor/employer has ultimate responsibilities for NFPA ratings where this system is used.

Additional information regarding the NFPA rating system is available from the National Fire Protection Agency (NFPA) at www.nfpa.org.

# 6. ACCIDENTAL RELEASE MEASURES

| Personal Precautions | Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. |
|----------------------|--|
| Other Information    | Prevent further leakage or spillage if safe to do so.                    |

| Environmental precautions | See Section 12 for additional Ecological Information.  |
|---------------------------|--|
| Methods for Cleaning Up   | Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.  |
|                           | 7. HANDLING AND STORAGE  |
| Handling                  | Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. |
| Storage                   | Keep container tightly closed. Keep out of the reach of children.  |
| Incompatible Materials    | No information available   |

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Limits**

| Chemical name | ACGIH TLV     | OSHA PEL                    |
|---------------|---------------|-----------------------------|
| Triethylamine | 0.5 ppm - TWA | 25 ppm - TWA                |
| -             | 1 ppm - STEL  | 100 mg/m <sup>3</sup> - TWA |
|               | Skin          | -                           |

**Legend** ACGIH - American Conference of Governmental Industrial Hygienists Exposure Limits OSHA - Occupational Safety & Health Administration Exposure Limits N/E - Not Established

| Engineering Measures  | Ensure adequate ventilation, especially in confined areas.  |
|---|---|
| Personal Protective Equipment<br>Eye/Face Protection<br>Skin Protection<br>Respiratory Protection | Safety glasses with side-shields.<br>Protective gloves and impervious clothing.<br>In case of insufficient ventilation wear suitable respiratory equipment. |
| Hygiene Measures  | Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.                            |

# 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance<br>Odor<br>Odor Threshold<br>Density (lbs/gal)<br>Specific Gravity<br>pH<br>Viscosity (cps)<br>Solubility(ies)<br>Water solubility<br>Evaporation Rate | liquid<br>little or no odor<br>No information available<br>8.3 - 8.7<br>1.00 - 1.04<br>No information available<br>No information available<br>No information available<br>No information available |
|---|---|
| Evaporation Rate  | No information available  |
| Vapor pressure @20 °C (kPa)   | No information available  |
| Vapor density   | No information available  |

#### 1PR-120 - LENMAR CLEARCOAT PRO AMBER SEALER

| Wt. % Solids                   | 25 - 35                  |
|--------------------------------|--------------------------|
| Vol. % Solids                  | 25 - 35                  |
| Wt. % Volatiles                | 65 - 75                  |
| Vol. % Volatiles               | 65 - 75                  |
| VOC Regulatory Limit (g/L)     | < 275                    |
| Boiling Point (°F)             | 212                      |
| Boiling Point (°C)             | 100                      |
| Freezing Point (°F)            | 32                       |
| Freezing Point (°C)            | 0                        |
| Flash Point (°F)               | Not applicable           |
| Flash Point (°C)               | Not applicable           |
| Method                         | Not applicable           |
| Flammability (solid, gas)      | Not applicable           |
| Upper flammability limit:      | Not applicable           |
| Lower flammability limit:      | Not applicable           |
| Autoignition Temperature (°F)  | No information available |
| Autoignition Temperature (°C)  | No information available |
| Decomposition Temperature (°F) | No information available |
| Decomposition Temperature (°C) | No information available |
| Partition coefficient          | No information available |

# **10. STABILITY AND REACTIVITY**

| Reactivity                         | Not Applicable                           |
|------------------------------------|--|
| Chemical Stability                 | Stable under normal conditions.          |
| Conditions to avoid                | Prevent from freezing.                   |
| Incompatible Materials             | No materials to be especially mentioned. |
| Hazardous Decomposition Products   | None under normal use.                   |
| Possibility of hazardous reactions | None under normal conditions of use.     |

11. TOXICOLOGICAL INFORMATION

**Product Information** 

#### Information on likely routes of exposure

**Principal Routes of Exposure** Eye contact, skin contact and inhalation.

Acute Toxicity

Product Information No information available

# Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available

| Eye contact<br>Skin contact | May cause slight irritation.<br>Substance may cause slight skin irritation. Prolonged or repeated contact may dry skin and cause irritation. |
|-----------------------------|--|
| Inhalation                  | May cause irritation of respiratory tract.   |
| Ingestion                   | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.  |
| Sensitization               | No information available   |
| Neurological Effects        | No information available.  |
| Mutagenic Effects           | No information available.  |
| Reproductive Effects        | May damage fertility or the unborn child.  |
| Developmental Effects       | No information available.  |
| Target organ effects        | No information available.  |
| STOT - single exposure      | No information available.  |
| STOT - repeated exposure    | No information available.  |
| Other adverse effects       | No information available.  |
| Aspiration Hazard           | No information available   |

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

| ATEmix (oral)                 | 24093 mg/kg |
|-------------------------------|-------------|
| ATEmix (dermal)               | 54809 mg/kg |
| ATEmix (inhalation-dust/mist) | 40.5 mg/L   |
| ATEmix (inhalation-vapor)     | 387.7 mg/L  |

#### Component Information

<u>1-Methyl-2-pyrrolidinone</u> LD50 Oral: 3598 mg/kg (Rat) LD50 Dermal: 2000 mg/kg (Rabbit) <u>Triethylamine</u> LD50 Oral: 460 mg/kg (Rat) LD50 Dermal: 570 μg/L (Rabbit)

#### Carcinogenicity

The information below indicates whether each agency has listed any ingredient as a carcinogen:.

12. ECOLOGICAL INFORMATION

### **Ecotoxicity Effects**

The environmental impact of this product has not been fully investigated.

### **Product Information**

# Acute Toxicity to Fish

No information available

#### Acute Toxicity to Aquatic Invertebrates

No information available

#### Acute Toxicity to Aquatic Plants

No information available

#### Persistence / Degradability

No information available.

#### **Bioaccumulation**

There is no data for this product.

### **Mobility in Environmental Media**

No information available.

#### Ozone

No information available

#### **Component Information**

#### **Acute Toxicity to Fish**

No information available

#### Acute Toxicity to Aquatic Invertebrates

No information available

### Acute Toxicity to Aquatic Plants

No information available

|                          | 13. DISPOSAL CONSIDERATIONS   |  |
|--------------------------|---|--|
| Waste Disposal Method    | Dispose of in accordance with federal, state, and local regulations. Local requirements may vary, consult your sanitation department or state-designated environmental protection agency for more disposal options. |  |
|                          | 14. TRANSPORT INFORMATION   |  |
| DOT                      | Not regulated   |  |
| ICAO / IATA              | Not regulated   |  |
| IMDG / IMO               | Not regulated   |  |
|                          | 15. REGULATORY INFORMATION  |  |
| International Inventorie | S   |  |

| TSCA: United States | Yes - All components are listed or exempt. |
|---------------------|--|
| DSL: Canada         | Yes - All components are listed or exempt. |

# Federal Regulations

| SARA 311/312 hazardous categorization |     |
|---------------------------------------|-----|
| Acute health hazard                   | Yes |
| Chronic Health Hazard                 | Yes |

| Fire hazard                       | No |
|-----------------------------------|----|
| Sudden release of pressure hazard | No |
| Reactive Hazard                   | No |

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical name            | CAS No.  | Weight-% | CERCLA/SARA 313<br>(de minimis concentration) |
|--------------------------|----------|----------|---|
| 1-Methyl-2-pyrrolidinone | 872-50-4 | 5        | 1.0   |
| Triethylamine            | 121-44-8 | 5        | 1.0   |

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

| Chemical name | CAS No.  | Weight-% | Hazardous Air Pollutant |
|---------------|----------|----------|-------------------------|
|               |          | -        | <u>(HAP)</u>            |
| Triethylamine | 121-44-8 | 5        | Listed                  |

# US State Regulations

#### California Proposition 65

# **MARNING:** Cancer and Reproductive Harm– www.P65warnings.ca.gov

#### State Right-to-Know

| Chemical name            | Massachusetts | New Jersey | Pennsylvania |
|--------------------------|---------------|------------|--------------|
| 1-Methyl-2-pyrrolidinone | Х             | X          | Х            |
| Triethylamine            | Х             | Х          | Х            |

#### Legend

X - Listed

# 16. OTHER INFORMATION

| HMIS -  | Health: 2* | Flammability: 0 | Reactivity: 0 | PPE: - |
|---|------------|-----------------|---------------|--------|
| HMIS Legend<br>0 - Minimal Hazard<br>1 - Slight Hazard<br>2 - Moderate Hazar<br>3 - Serious Hazard<br>4 - Severe Hazard | d          |                 |               |        |
| * - Chronic Hazard  |            |                 |               |        |

X - Consult your supervisor or S.O.P. for "Special" handling instructions.

Note: The PPE rating has intentionally been left blank. Choose appropriate PPE that will protect employees from the hazards the material will present under the actual normal conditions of use.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer, has chosen to provide them. HMIS® ratings are to be used only in conjunction with a fully implemented HMIS® program by workers who have received appropriate HMIS® training. HMIS® is a registered trade and service mark of the NPCA. HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

**WARNING!** If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Hotline at 1-800-424-LEAD or log on to www.epa.gov/lead.

| Prepared By      | Product Stewardship Department<br>Benjamin Moore & Co.<br>101 Paragon Drive<br>Montvale, NJ 07645<br>800-225-5554 |
|------------------|---|
| Revision Date:   | 06-Aug-2018   |
| Revision Summary | Not available   |

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

# **END OF SAFETY DATA SHEET**