



BRUSHING REDUCER V701

Features

- For use with all alkyd and oil-modified polyurethane coatings
- Effectively cleans tools and equipment
- May be used to reduce and thin coatings up to the legal limits allowed by district

General Description

Brushing Reducer is a blend of High Flash Naphtha and Mineral Spirits. Use this solvent to improve the brushing characteristics of single-component, solvent-based coatings.

Recommended For

For use with all alkyd and oil modified polyurethane coatings. For effective cleaning of tools and equipment. May be used to reduce and thin coatings up to the legal limits allowed by district

Limitations

- Do not use for thinning 2 component urethanes.
- For Industrial Use Only

Product Information

Colors — Standard:

N/A

— Tint Bases:

N/A

— Special Colors:

N/A

Certifications & Qualifications:

The product supported by this data sheet is regulated by consumer product VOC rules, in some areas, as a paint thinner, multi-purpose solvent.

It also does not apply to LEED (Leadership in Energy and Environmental Design) standards.

Suitable for Use in USDA Inspected Facilities

VOC REGION	COMPLIANT
FEDERAL	YES
OTC	NO
OTCII	NO
CARB	NO
CARB07	NO
UTAH	NO
AZMC	NO
SCAQMD	NO

Technical Assistance

Available through your local authorized independent Benjamin Moore retailer. For the location of the retailer nearest you, call 1-866-708-9180 or visit www.benjaminmoore.com

Technical Data

Brushing Reducer

Vehicle Type	N/A	
Pigment Type	N/A	
Volume Solids	N/A	
Coverage per Gallon at Recommended Film Thickness	N/A	
Recommended Film Thickness	– Wet	N/A
	– Dry	N/A
Dry Time @ 77°F (25°C) @ 50% RH	– Tack Free	N/A
	– To Recoat	N/A
Dries By	N/A	
Dry Heat Resistance	N/A	
Viscosity	N/A	
Flash Point	104 °F (TT-P-141, Method 4293)	
Gloss / Sheen	N/A	
Surface Temperature at Application	– Min.	N/A
	– Max	N/A
Thin With	N/A	
Clean Up Thinner	N/A	
Weight Per Gallon	3 kg (6.57 lbs.)	
Storage Temperature	– Min.	40 °F (4.4 °C)
	– Max	95 °F (35 °C)

Volatile Organic Compounds (VOC)

787 g/L 6.57 Lbs./Gallon

Brushing Reducer V701

WARNING! If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Hotline at 1-800-424-LEAD or log on to www.epa.gov/lead.

Application

Corotech® Brushing Reducer is a blend of Mineral Spirits and High Flash Naphtha. Use this solvent to improve the brushing characteristics of solvent based coatings.

Environmental Health & Safety Information

DANGER!

Causes skin irritation

Causes serious eye irritation

Suspected of causing cancer

May cause respiratory irritation. May cause drowsiness or dizziness

Causes damage to organs through prolonged or repeated exposure

May be fatal if swallowed and enters airways

Flammable liquid and vapor

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Wear eye/face protection. Do not breathe dust/fume/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces, no smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Keep cool.

Response: If exposed or concerned, get medical attention. If in eyes rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists get medical attention. If skin irritation occurs get medical attention. If on skin (or hair) take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. If inhaled remove victim to fresh air and keep at rest in a position comfortable for breathing. If swallowed immediately call a POISON CENTER or physician. Do NOT induce vomiting. In case of fire use CO2, dry chemical, or foam for extinction.

Storage: Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Disposal: Dispose of contents /container to an approved waste disposal plant.



WARNING Cancer and Reproductive Harm—
www.P65warnings.ca.gov

**KEEP OUT OF REACH OF CHILDREN
FOR INDUSTRIAL USE ONLY**

**Refer to Safety Data Sheet for
additional health and safety information**