WOODLUXE WATER-BASED WATERPROOFING STAIN + SEALER SEMI-SOLID (693) by Benjamin Moore & Co.

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 869395274752

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: A premium quality semi-solid water-based waterproofing, stain + sealer that utilizes a proprietary, acrylic resin that penetrates deep into the wood. This proprietary resin is designed to beautify and protect exterior wood surfaces. Designed to stand up to harsh weather conditions in addition to being a UV and mildew resistant coating.

Residuals/Impurities Evaluation

Section 1: Summary

CONTENT INVENTORY

- **Inventory Reporting Format**
- C Nested Materials Method
- Basic Method
- **Threshold Disclosed Per**
- C Material
- Product

- Threshold Level100 ppm
- C 1,000 ppm
- O Per GHS SDS
- C Other
- ⊙ Yes O No

C Not Completed

Completed

C Partially Completed

Explanation(s) provided :

Basic Method / Product Threshold

For all contents above the threshold, the	manufacturer has:
Characterized	⊙ Yes ⊖ No
Provided weight and role.	
Screened	⊙ Yes ⊖ No
Provided screening results using HPDC-a	approved
methods.	
Identified	• Yes O No
Provided name and CAS RN or other ider	ntifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

WOODLUXE WATER-BASED WATERPROOFING STAIN + SEALER SEMI-SOLID (693) [WATER BM-4 NEPHELINE SYENITE LT-UNK DAKRIL 4B LT-UNK TITANIUM DIOXIDE BM-1 | CAN | END | MAM SILICON DIOXIDE BM-1 | CAN | MAM PROPYLENE GLYCOL BM-2 | END | MAM ZINC OXIDE BM-1 | END | MUL | AQU | MAM | REP TEXANOL LT-UNK | CAN | AQU C9-11 PARETH-3 LT-P1 | SKI | EYE | AQU SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346 LT-P1 | MUL | CAN | SKI | DEV ENGLISH FULLERS EARTH NOGS HYDROXYETHYL CELLULOSE LT-P1 | END PENTAPOTASSIUM TRIPHOSPHATE LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 37.68 Regulatory (g/l): 89.80 Does the product contain exempt VOCs: No Are colorants available that do not increase the VOC content of the base paint when tinted: Yes Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) \dots BM-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested VOC content: SCAQMD Rule 1113 Architectural Coatings - Clear Wood Finishes including Varnish & Sanding Sealer, Lacquers, Mastic Coatings, Recycled Coatings - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? C Yes © No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2024-10-14 PUBLISHED DATE: 2024-10-14 EXPIRY DATE: 2027-10-14 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

WOODLUXE WATER-BASE SOLID (693)	D WATERPROOFING STAIN + SEALER	SEMI-			
••			RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes		
RESIDUALS AND IMPURITIE	ES NOTES: Impurities considered where a	pplicable.			
OTHER PRODUCT NOTES:					
WATER					ID: 7732-18-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZARD S	CREENING DATE:	2024-10-14 10:31:14
%: 45.0000 - 50.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE I	ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPE	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Co EC)	mmission (EU	EU - REACH Exer	nptions	
	EC)		Exempted from RI safety	EACH Annex IV listi	ng due to intrinsic
SUBSTANCE NOTES:					
NEPHELINE SYENITE					ID: 37244-96-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	1	HAZARD S	CREENING DATE:	2024-10-14 10:31:15
%: 15.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE	ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPE	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on A	dditional Hazard Lists
SUBSTANCE NOTES:					
1					
DAKRIL 4B					ID: 25852-37-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZARD S	CREENING DATE: 2024-10-14 10:31:15
%: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

- 6

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-14 10:31:1			
%: 1.0000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	US CDC - Occupational Carc	inogens	Occupational Carc	cinogen	
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical form or exposure route	
CAN			Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CAN	МАК		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
CAN	МАК		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
CAN	IARC		Group 2b - Possibly carcinogenic to humans		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1		3-1 H351 - Suspected of causing cancer [Carcinogenicity Category 2]		
CAN	GHS - Japan	GHS - Japan		of causing cancer [Carcinogenicity -	
MAM	GHS - Japan		repeated exposure	umage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)

SILICON DIOXIDE

ID: 7631-86-9

AZARD DATA SOURCE: P	haros Chemical and Materials Libra	ry	HAZARD SO	CREENING DATE: 2024-10-14 10:31:1	
%: 1.0000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	GHS - Japan		H350 - May cause	cancer [Carcinogenicity - Category 1A]	
CAN	GHS - Australia		H350i - May cause Category 1A or 1B	e cancer by inhalation [Carcinogenicity -]	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific targ organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged repeated exposure [Specific target organs/systemic to following repeated exposure - Category 1]		
MAM	GHS - Australia			mage to organs through prolonged or [Specific target organ toxicity - - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute	(GSPI)	GSPI - Six Classes	s Precautionary List	
			Antimicrobials		
SUBSTANCE NOTES:					

PROPYLENE GLYCOL

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2024-10-14 10:31:15	
%: 1.0000 - 5.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURC	E	WARNINGS	
END	TEDX - Potential Endocrin	TEDX - Potential Endocrine Disruptors		e Disruptor
MAM	GHS - Japan	H372 - Causes damage to organs through prolor repeated exposure [Specific target organs/syster following repeated exposure - Category 1]		
MAM	GHS - Japan			mage to organs [Specific target oxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURC	E	NOTIFICATION	
RESTRICTED LIST	Green Science Policy Insti	tute (GSPI)	GSPI - Six Classe	s Precautionary List
			Antimicrobials	
RESTRICTED LIST	Green Science Policy Insti	tute (GSPI)	GSPI - Six Classe	s Precautionary List
			Some Solvents	

ZINC OXIDE

ID: 1314-13-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libr	rary	HAZAP	RD SCREENING DATE: 2024-10-14 10:31:16
%: 1.0000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3	8-1 H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3	 H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institution (C2CPII)	ute C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institution (C2CPII)	ute C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
SUBSTANCE NOTES:		
TEXANOL		ID: 25265-77-4
HAZARD DATA SOURCE: P	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2024-10-14 10:31:16
%: 1.0000 - 5.0000	GreenScreen: LT-UNK RC: No	ne NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

C9-11 PARETH-3

ID: 68439-46-3

GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant	
LIST NAME AND SOURCE		WARNINGS		
GHS - New Zealand	GHS - New Zealand		egory 2	
GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritatior Category 2]		
GHS - New Zealand	S - New Zealand		age category 1	
GHS - Japan		H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
GHS - Japan		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
GHS - Australia		H318 - Causes se damage/eye irrita	erious eye damage [Serious eye tion - Category 1]	
LIST NAME AND SOURCE		NOTIFICATION		
		No	b listings found on Additional Hazard List	
	LIST NAME AND SOURCE GHS - New Zealand GHS - Australia GHS - New Zealand GHS - Japan GHS - Japan GHS - Australia	LIST NAME AND SOURCE GHS - New Zealand GHS - Australia GHS - New Zealand GHS - Japan GHS - Japan GHS - Japan	LIST NAME AND SOURCEWARNINGSGHS - New ZealandSkin irritation cateGHS - AustraliaH315 - Causes sk Category 2]GHS - New ZealandSerious eye damaGHS - JapanH401 - Toxic to at environment (acuGHS - JapanH411 - Toxic to at (Hazardous to the Category 2]GHS - AustraliaH318 - Causes se damage/eye irritaLIST NAME AND SOURCENOTIFICATION	

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346				ID: 64742-65-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Li	ibrary	HAZARD S	CREENING DATE: 2024-10-14 10:31:17
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
ADDITIONAL LISTINGS RESTRICTED LIST	LIST NAME AND SOURCE Cradle to Cradle Products Innovation Institute (C2CPII)	NOTIFICATION C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Cradle to Cradle Products Innovation Institute	C2C Certified v4.0 Product Standard Restricted
	Cradle to Cradle Products Innovation Institute	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII) Cradle to Cradle Products Innovation Institute	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products C2C Certified v4.0 Product Standard Restricted

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-14 10:31:1		
%: 0.1000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warn	ings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No I	istings found on Additional Hazard Lists

HYDROXYETHYL CELLULOSE ID: 9004-62-0				
HAZARD DATA SOURCE: F	Pharos Chemical and Materials Libr	ary	HAZARI	D SCREENING DATE: 2024-10-14 10:31:18
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine I	Disruptors	Potential Endo	crine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	Ν
None found				No listings found on Additional Hazard Lists

WOODLUXE WATER-BASED WATERPROOFING STAIN + SEALER SEMI-SOLID (693)

TAZAND DATA SOUNCE.	Pharos Chemical and Materials Librar	У	HAZARD S	SCREENING DATE: 2024-10-14 10:31:18
%: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-10-14 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: None	
CERTIFICATION AND COMPLIANCE NOTES:			
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Clear Wood Finishes including Varnish & Sanding Sealer, Lacquers, Mastic Coatings, Recycled Coatings - 2007 amendments		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-10-14 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Benjamin Moore & Co.	
CERTIFICATION AND COMPLIANCE NOTES:			

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GENNEX COLORANTS

MANUFACTURER (OR GENERIC): Benjamin Moore & Co.

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: None

Section 5: General Notes

Notes are not applicable for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Benjamin Moore & Co. ADDRESS: 360 Route 206 Flanders, NJ 07836 COUNTRY: United States WEBSITE: www.benjaminmoore.com CONTACT NAME: Edja Kouassi TITLE: Sr. Technical Project Manager PHONE: 9732522607 EMAIL: Edja.kouassi@benjaminmoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled content
 PostC Post-consumer recycled content
 UNK Inclusion of recycled content is unknown
 None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

WOODLUXE WATER-BASED WATERPROOFING STAIN + SEALER SEMI-SOLID (693)

for compliance with the HPD standard noted.